



# *Preliminary checklist of the* **PLANTS OF LESOTHO**

by Khotso Kobisi



# Guidelines for using the checklist

Accepted genus and species names are in bold print, for example *Cyperus albostriatus*.

Synonyms are listed in italics below accepted names, for example *Protasparagus laricinus*. Not all synonyms for a species are listed.

Naturalised taxa are marked by an asterisk, for example *Eucalyptus* \**rubida*. These are species that were introduced from outside Lesotho but now occur in the wild as part of the natural flora.


The occurrence of some species recorded from Lesotho and along the South African border is doubtful, since they were not found among herbarium specimens during the compilation of the list.

The following shortened references are used in the checklist. For a full list of references, see "References and further reading".

Arnold & De Wet—Arnold & De Wet (1993)  
Bromilow—Bromilow (1995)  
Fabian & Germishuizen—Fabian & Germishuizen (1997)  
Germishuizen & Meyer—Germishuizen & Meyer (2003)  
Gordon-Gray—Gordon-Gray (1995)  
Hilliard—Hilliard (1983)  
Hilliard & Burtt—Hilliard & Burtt (1987)  
Kobisi & Kose—Kobisi & Kose (2002)  
Pooley (1993)—Pooley (1993)  
Pooley (1998)—Pooley (1998)  
Pooley (2003)—Pooley (2003)  
Sheat—Sheat (1982)  
Smith *et al.*—Smith *et al.* (1998)  
Van Wyk & Gericke—Van Wyk & Gericke (2000)  
Van Wyk & Smith—Van Wyk & Smith (1996)  
Van Wyk & Van Wyk—Van Wyk & Van Wyk (1997)  
Venter & Venter—Venter & Venter (1996)  
Von Breitenbach—Von Breitenbach (1984)

Letters below the literature references indicate the distribution of species within Lesotho, as reflected by the ROML, MASE, and SNPH collections, or the distribution of species that are known but not collected:

L—Lowlands  
F—Foothills  
M—Mountains  
S—Senqu Valley



Zones of Lesotho based on agricultural practices. (After the *Primary Atlas for Lesotho*)

# Preliminary checklist of the plants of Lesotho

MARY GUNN LIBRARY



0000005832

South African National  
Biodiversity Institute

Digitized by the Internet Archive  
in 2016 with funding from  
South African National Biodiversity Institute Libraries

<https://archive.org/details/preliminarycheck00kkob>

# Preliminary checklist of the plants of Lesotho

by

Khotso Kobisi



2005

Southern African Botanical Diversity Network Report No. 34

**Recommended citation format**

KOBISI, K. 2005. Preliminary checklist of the plants of Lesotho. *Southern African Botanical Diversity Network Report* No. 34. SABONET, Pretoria & Roma.

**Produced by**

The National University of Lesotho Herbarium  
Biology Department  
National University of Lesotho  
P.O. Roma 180  
LESOTHO  
Tel.: (266) 22 213452/340601  
Fax: (266) 22 340000

<b>NATIONALE BOTANIESE INSTITUUT</b>	
KLASNR.	581.9(686.1) KOB
CLASS NO.	
INSEN.	8239
ACCESSION NO.	
DATUM	28/01/2005
DATE	
<b>NATIONAL BOTANICAL INSTITUTE</b>	

**Published by**

Southern African Botanical Diversity Network (SABONET)  
c/o South African National Biodiversity Institute, Private Bag X101, 0001, Pretoria  
and National University of Lesotho Herbarium, Roma.  
Printed in 2005 in the Republic of South Africa by Capture Press, Pretoria, (27) 12 349-1802

ISBN 1-919795-67-7

© 2005 SABONET. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the permission of the copyright holder.

**Editor-in-chief:** Marthina Mössmer

**Scientific editor:** Gerrit Germishuizen

**Subeditors:** Lidia Gibson & Hanlie van Heerden

**Text design and layout:** Antoinette Burkhardt

**Cover design:** Antoinette Burkhardt, Pretoria, South Africa (27) 82 909-0109.


**Front cover:** TOP, L-R: *Disa fragrans* (Moretloa Polaki), *Gladiolus saundersii* (Moretloa Polaki), *Kniphofia northiae* (Khotso Kobisi). CENTRE, L-R: *Helichrysum ecklonis* (Moretloa Polaki), *Euphorbia clavarioides* (Moretloa Polaki), *Haplocarpha nervosa* (Moretloa Polaki), *Aloe polyphylla* (Tau Mahlelebe). BOTTOM, L-R: *Euphorbia pulvinata*, (Tau Mahlelebe), *Xysmalobium stockenstromense* (Moretloa Polaki).

**Back cover:** TOP-BOTTOM: *Protea roupelliae* (Khotso Kobisi), *Lessertia depressa* (Tau Mahlelebe), *Cotyledon orbiculata* var. *oblonga* (Moretloa Polaki), *Rabiea lesliei* (Moretloa Polaki), shrub thicket in Tsehlanyane Nature Reserve (Tau Mahlelebe).

**SABONET website:** [www.sabonet.org](http://www.sabonet.org)

This report is a joint product of the National University of Lesotho Herbarium, Roma, and the Southern African Botanical Diversity Network (SABONET) and was made possible through support provided by the Global Environment Facility (GEF)/United Nations Development Programme (UNDP) and the United States Agency for International Development (USAID)/World Conservation Union-Regional Office for southern Africa (IUCN ROSA) (Plot no. 14818 Lebatlane Road, Gaborone West, Extension 6 Gaborone, Botswana), under the terms of Grant No. 690-0283-A-00-5950. The opinions expressed herein are those of the authors and do not necessarily reflect the views of USAID, the SABONET Steering Committee or SABONET National Working Groups.

**IUCN**  
The World Conservation Union



# Contents

Contents .....	1
Acknowledgements .....	2
Introduction .....	3
Guidelines for using the checklist .....	9
References and further reading.....	10
 BRYOPHYTA .....	 12
HEPATOPHYTA .....	17
ANTHOCEROPHYTA .....	18
PTERIDOPHYTES .....	18
GYMNOSPERMS .....	20
DICOTYLEDONS .....	20
MONOCOTYLEDONS .....	57
 Numerical index .....	 74
Alphabetical index .....	78
The National University of Lesotho Herbarium and Botanical Garden .....	83



Shrub thicket in Tsehlanyane Nature Reserve. (Photo: Tau Mahlelebe)

# Acknowledgements

Khortso Kobisi did an internship at the Natal Herbarium (now KwaZulu-Natal Herbarium) from 19–31 August 2003 in preparation of this checklist. Sincere thanks to the following individuals for their contributions: Yashica Singh, Carol Appolos, Hassina Aboobaker, Alfred Ngwenya and Melusi Mazibuko of KwaZulu-Natal Herbarium (NH); Dr T.J. Edwards and Ms Christina Porgieter of the Bews Herbarium of the University of KwaZulu-Natal, Pietermaritzburg; Mr Rob Scott-Shaw of the Donald Killick Herbarium, KwaZulu-Natal Nature Conservation Service; and Prof. Snowy Bajinath of the University of KwaZulu-Natal. Gerrit Germishuizen of the South African National Biodiversity Institute in Pretoria is thanked for his meticulous scientific editing. The members of the SABONET-Lesotho National Working Group are also thanked for their support, patience, and generosity during the compilation of this checklist.



*Hirpicium armerioides* at Mohale Dam. (Photo: Moretloa Polaki)



*Harveya speciosa* at Mohale Dam. (Photo: Moretloa Polaki)



*Lessertia depressa*. (Photo: Tau Mahlelebe)



*Xysmalobium stockenstromense* at Mohale catchment. (Photo: Moretloa Polaki)



*Geum capense*. (Photo: Tau Mahlelebe)




*Euryops evansii* at Tsehlanyane Nature Reserve. (Photo: Khortso Kobisi)





A gorge with alpine vegetation at Mphosong. (Photo: Tau Mahlelebe)



*Buddleja salviifolia* in the ROML Botanical Garden. (Photo: Khotso Kobisi)



*Helichrysum ecklanis* at Semonkong. (Photo: Moretloa Polaki)



*Brachystelma foetidum*. (Photo: Tau Mahlelebe)



*Guthriea capensis* at Qiloane Waterfall behind Machache Mountain. (Photo: Moretloa Polaki)



*Pratea raupelliae* in the ROML Botanical Garden (Photo: Khotso Kobisi)



*Harveya pulchra* at Semonkong. (Photo: Moretloa Polaki)



*Salix babylonica* at Thaba Bosiu Ha Mohalenyane. (Photo: Moretloa Polaki)



*Aloe ferox* at Pokane in Quthing. (Photo: Khotso Kobisi)

When all the plants are in full bloom, blanketing acres of ground, they provide a most colourful and memorable sight. Various species of *Senecio* grow in the same way and may cover a hillside in yellow or change a valley into a blaze of magenta. *Watsonia* and *Dierama* species may also be seen in a solid mass. One pass across the mountains has received the Sesotho name of Likhahaneng meaning “the place of *Watsonia*”. Species of *Lobelia*, *Nemesia*, *Arctotis*, and *Wahlenbergia* may at times be seen in full flower covering unploughed fields.

Ecological Zones

Lesotho can be divided into several ecological zones—some authors (for example, Mokuku 1997) divide the flora of Lesotho into six zones based on topography (Figure 1), whereas others, such as Longman Lesotho (2001), use four distinct zones based on agricultural practices. For this checklist, we have followed the division into four ecological zones—Lowlands, Foothills, Mountains, and Senqu Valley (Figure 2)—which are described in more detail below.

Lowlands

The Lowlands, with an altitude of 1,520–1,820 m, cover about a quarter of Lesotho and lie along the western side of the country between the Caledon (Mohokare) River and the foothills of the Maluti Mountain Range. Most parts have soils derived from cave sandstone and the rocks of riverbeds. The predominant vegetation is grass, with some patches of indigenous trees and shrubs, which are usually found in the sheltered valleys and gorges, especially on the southern aspects. This region is extensively cultivated and heavily grazed.

Foothills

The Foothills run along the western side of the Maluti Mountains, forming an intermediate zone between the Highlands and the Lowlands, with an average altitude of 1,880 m. Trees and shrubs dominate the vegetation in this zone. *Aloe ferox* is conspicuous on some hill slopes. *Hyparrhenia* species form dense stands, especially on the northeastern slopes.




Figure 2: Zones of Lesotho based on agricultural practices. (After the *Primary Atlas for Lesotho*)



Inflorescence of *Agapanthus campanulatus*. (Photo: Moretloa Polaki)



*Cotyledon orbiculata* var. *oblonga* at Mohale Dam. (Photo: Moretloa Polaki)



*Eucomis autumnalis* subsp. *clavata*. (Photo: Tau Mahlelebe)



*Brunsvigia radulosa* at Mahlabatheng Ha Liile. (Photo: Moretloa Polaki)



*Disa fragrans*—a sweetly scented orchid. (Photo: Moretloa Polaki)



*Kniphofia northiae* at Qiloane Waterfalls. (Photo: Khotso Kobisi)

## Mountains

At the top of the hills, the vegetation changes abruptly from the trees and shrubby bush of the Foothills to the typical mountain grassland. High solar radiation, strong winds, basaltic soils, and low temperatures characterise the Mountain zone. These factors limit plant growth in terms of height; vegetation in this region is short except in the sheltered valleys where trees and shrubs grow successfully. Apart from Poaceae, this area is dominated by members of Asteraceae (Compositae). The mountainous area is suitable for aloes, *Merxmüllera* species, and different types of *Erica* species. It also receives more rainfall in summer than any other zone in Lesotho. Higher rainfall supports large peat wetlands, seepage areas, streams, and flowing rivers with clean wa-

ter. Wetlands have high species diversity and form a good habitat for tiny plants such as *Limosella* and *Lobelia* species.

## Senqu Valley

The Senqu Valley lies along the Senqu River from Mokhotlong District down to Quthing. This is the driest and most degraded region of Lesotho. It is also warmer than other zones and hence supports trees, shrubs, and grass species, like *Hyparrhenia*, that tolerate such high temperatures. Succulents such as aloes, *Crassula* species, various mesembryanthemums, and some *Anacampseros* species are moderately common in all parts of this region. Non-succulent plants include bulbous and tuberous plants that store water and food reserves in underground stems, like *Brachystelma*, *Ipomoea*, *Xysmalobium* and *Raphionacme*.

# Checklist Compilation

Our first step was to extract records on Lesotho flora from different sources and put them together as a baseline. We concentrated on distribution maps showing species occurrence in quarter-degree squares. According to the quarter-degree squares, some species were mapped on Lesotho borders with South Africa, and it was impossible to determine whether they actually occurred in Lesotho or not. We decided to record them as occurring in South Africa pending findings to verify their occurrence in Lesotho. The South African provinces in question are the following:

EC—Eastern Cape

FS—Free State

KN—KwaZulu-Natal

The next steps were to check the existence of species recorded for Lesotho, and map them on ecological zones from which they were collected using herbarium specimens from our three herbaria, namely ROML, MASE, and SNPH. Quality control on initial identification of specimens was also carried out during this process. Looking at the species records from the reference material, it became apparent that some records do not have accompanying voucher specimens in Lesotho herbaria. This could be attributed to one or all of three possible reasons:

- Such species may not have been collected for Lesotho

herbaria but do exist in Lesotho.

- Such species do not exist in Lesotho and hence were not collected.
- Such species may exist in Lesotho but may have been collected by expatriates and thus kept elsewhere outside the country.

We visited herbaria in South Africa to check and reconfirm their occurrence in Lesotho.

In order to capture species recorded in Lesotho, Khotso Kobisi did an internship in Natal Herbarium (now KwaZulu-Natal Herbarium). During the internship, he also visited the Bews Herbarium at the University of Natal-Pietermaritzburg (now University of KwaZulu-Natal), the Donald Killick Herbarium, and the KwaZulu-Natal Nature Conservation Service where he obtained a vast amount of information. Some useful data that were not found during the internship were derived from encoded specimens at the National Herbarium in Pretoria.

Nevertheless, there is some doubt about the occurrence of some species in Lesotho. These species are not included in this checklist, but we hope that more attempts would be made in future to verify their distribution.




*Gunnera perpensa* at Likhahlaneng behind Machache Mountain.  
(Photo: Moretloa Polaki)



*Crassula setulosa* flowering at Thaba Putsoa.  
(Photo: Moretloa Polaki)



*Aloe ecklonis* at Ha Ranoto near Qiloane Waterfalls. (Photo: Khotso Kobisi)



*Aloe polyphylla* in its natural habitat at Sosa Thaba Putsoa. (Photo: Tau Mahlelebe)



*Androcymbium striatum*—Semonkong. (Photo: Moretloa Polaki)



*Haplocarpha nervosa* in the Semonkong wetlands. (Photo: Moretloa Polaki)



A colony of *Bulbine abyssinica*. (Photo: Tau Mahlelebe)



*Euphorbia clavarioides* at Thaba Putsoa (Blue Mountain). (Photo: Moretloa Polaki)



*Euphorbia pulvinata* at Quthing Gorge. (Photo: Tau Mahlelebe)



*Gladiolus saundersii* at Meletsuinyane Waterfalls—Semonkong. (Photo: Moretloa Polaki)

# Guidelines for using the checklist

Accepted genus and species names are in bold print, for example *Cyperus albostratus*.

Synonyms are listed in italics below accepted names, for example *Protasparagus laricinus*. Not all synonyms for a species are listed.

Naturalised taxa are marked by an asterisk, for example *Eucalyptus* \**rubida*. These are species that were introduced from outside Lesotho but now occur in the wild as part of the natural flora.

The occurrence of some species recorded from Lesotho and along the South African border is doubtful, since they were not found among herbarium specimens during the compilation of the list.

The following shortened references are used in the checklist. For a full list of references, see "References and further reading".

Arnold & De Wet—Arnold & De Wet (1993)

Bromilow—Bromilow (1995)

Fabian & Germishuizen—Fabian & Germishuizen (1997)

Germishuizen & Meyer—Germishuizen & Meyer (2003)

Gordon-Gray—Gordon-Gray (1995)

Hilliard—Hilliard (1983)

Hilliard & Burtt—Hilliard & Burtt (1987)

Kobisi & Kose—Kobisi & Kose (2002)

Pooley (1993)—Pooley (1993)

Pooley (1998)—Pooley (1998)

Pooley (2003)—Pooley (2003)

Sheat—Sheat (1982)

Smith *et al.*—Smith *et al.* (1998)

Van Wyk & Gericke—Van Wyk & Gericke (2000)

Van Wyk & Smith—Van Wyk & Smith (1996)

Van Wyk & Van Wyk—Van Wyk & Van Wyk (1997)

Venter & Venter—Venter & Venter (1996)

Von Breitenbach—Von Breitenbach (1984)

Letters below the literature references indicate the distribution of species within Lesotho, as reflected by the ROML, MASE, and SNPH collections, or the distribution of species that are known but not collected (the map on page 3 shows these geographical divisions):

L—Lowlands

F—Foothills

M—Mountains

S—Senqu Valley



Qiloane Waterfalls. (Photo: Khotso Kobisi)

# References and further reading

- ADAMS, J. 1976. *Wild flowers of the northern Cape*. The Department of Nature and Environmental Conservation of the Provincial Administration of the Cape of Good Hope, Cape Town.
- ARNOLD, T.H. & DE WET, B.C. (eds). 1993. Plants of southern Africa: names and distribution. *Memoirs of the Botanical Survey of South Africa* No. 62. National Botanical Institute, Pretoria.
- ARNOLD, T.H., PRENTICE, C.A., HAWKER, L.C., SNYMAN, E.E., TOMALIN, M., CROUCH, N.R. & POTTAS-BIRCHER, C. 2002. Medicinal and magical plants of southern African: an annotated checklist. *Strelitzia* 13. National Botanical Institute, Pretoria.
- BROMILOW, C. 1995. *Problem plants of South Africa*. Briza, Pretoria.
- BRUMMITT, R.K. (compiler) 1992. *Vascular plant families and genera*. Royal Botanic Gardens, Kew.
- BRUMMITT, R.K. & POWELL, C.E. (eds). 1992. *Authors of plant names*. Royal Botanic Gardens, Kew.
- COATES PALGRAVE, M. 2002. *Keith Coates Palgrave Trees of southern Africa*, edn 3. Struik, Cape Town.
- CODD, L.E. (ed.). 1973–1974. *Bothalia* 11: 1–370. Botanical Research Institute, Department of Agricultural Technical Services, Pretoria.
- CODD, L.E. 1985. Lamiaceae. *Flora of southern Africa* 28.4. Department of Agriculture and Water Supply, Pretoria.
- DAHLGREN, R. 1988. Papilionoideae, Crotalariaeae (*Aspalathus*). *Flora of southern Africa*, 16,3,6. Department of Agriculture and Water Supply, Pretoria.
- FABIAN, A. & GERMISHUIZEN G. 1982. *Transvaal wild flowers*. Macmillan South Africa, Johannesburg.
- FABIAN, A. & GERMISHUIZEN, G. 1997. *Wild flowers of northern South Africa*. Fernwood Press, Vlaeberg.
- GERMISHUIZEN, G. & MEYER, N.L. (eds). 2003. Plants of southern Africa: an annotated check list. *Strelitzia* 14. National Botanical Institute, Pretoria.
- GERMISHUIZEN, G. & MOMBERG, B.A. (eds). 1998. *Bothalia* 28: 1–297.
- GOLDBLATT, P. & MANNING, J. 1998. *Gladiolus in southern Africa*. Fernwood Press, Vlaeberg.
- GORDON-GRAY, K.D. 1995. Cyperaceae in Natal. *Strelitzia* 2. National Botanical Institute, Pretoria.
- HARGREAVES, B., CARTER, S., BISSETT, P., GERHARD, M., RON, L., EGGLI, U., JACOBSEN, N., LINDEN, S., JONKERS, B., LAVRANOS, J., RAUH, W. & GERCAMA, G. 1994. *The Euphorbia Journal* 9. Strawberry Press, California.
- HENDERSON, L. 2001. Alien weeds and invasive plants. *Plant Protection Research Institute Handbook* No. 12. Agricultural Research Council, Pretoria.
- HILLIARD, O.M. 1983. Asteraceae, Inuleae, Gnaphaliinae. *Flora of southern Africa* 33. Department of Agriculture, Pretoria.
- HILLIARD, O.M. & BURTT, B.L. 1987. *The botany of the southern Natal Drakensberg*. National Botanic Gardens, Cape Town.
- HUTCHINSON, J. 1964. *The genera of flowering plants (Angiosperm)*. Clarendon Press, Oxford.
- JACOT GUILLARMOD, A. 1971. *Flora of Lesotho*. Verlag von Cramer, Lehre, Germany.
- KILLICK, D.J.B. (ed.). 1975. *Bothalia* 11: 371–586. Botanical Research Institute, Department of Agricultural Technical Services, Pretoria.
- KILLICK, D.J.B. (ed.). 1976–1979. *Bothalia* 12: 1–775. Botanical Research Institute, Department of Agricultural Technical Services, Pretoria.
- KILLICK, D.J.B. (ed.). 1980–1981. *Bothalia* 13: 1–599. Botanical Research Institute, Pretoria.
- KILLICK, D.J.B. (ed.). 1982–1983. *Bothalia* 14: 1–1023. Botanical Research Institute, Pretoria.
- KILLICK, D.J.B. (ed.). 1984–1985. *Bothalia* 15: 1–779. Botanical Research Institute, Pretoria.
- KOBISI, K. & KOSE, L.E. 2002. A checklist of Lesotho grasses. *Southern African Botanical Diversity Network Report* No. 17. SABONET, Pretoria.
- LEISTNER, O.A. (ed.). 1986. *Bothalia* 16: 1–280. Botanical Research Institute, Pretoria.
- LEISTNER, O.A. (ed.). 1987. *Bothalia* 17: 1–304. Botanical Research Institute, Pretoria.
- LEISTNER, O.A. (ed.). 1988. *Bothalia* 18: 1–332. Botanical Research Institute, Pretoria.
- LONGMAN LESOTHO. 2001. *Primary atlas for Lesotho*. CTP Book Printers, Cape Town.
- LOW, A.B. & REBELO, A.G. (eds). 1996. *Vegetation of South Africa, Lesotho and Swaziland*. Map scale 1:2,000,000. Department of Environmental Affairs & Tourism, Pretoria.
- MAGILL, R.E. 1981. *Flora of southern Africa*, Bryophyta, part 1, fascicle 1. Botanical Research Institute, Department of Agriculture and Fisheries, Pretoria.
- MAGILL, R.E. 1987. *Flora of southern Africa*, Bryophyta, part 1, fascicle 2. Botanical Research Institute, Department of Agriculture and Water Supply, Pretoria.
- MALIEHE, E.B. 1997. *Medicinal plants and herbs of Lesotho, a visual guide to 60 species from around the country*. Mafeteng Development Project, Lesotho.
- MAY, E.D. 2000. *The indigenous forests of Lesotho*. Morija Printing Works, Morija, Lesotho.
- MOFFET, R.O. 1993. *Rhus*. *Flora of southern Africa* 19,3,1. National Botanical Institute, Pretoria.
- MOKUKU, C. 1997. Biodiversity and protected areas. In Q.K. Chakela, *State of environment in Lesotho*: 145–161. National Environmental Secretariat, Maseru.
- MORLEY, B.D. 1974. *Wild flowers of the world*. Mandarin Publishers, Hong Kong.
- OBERMEYER, A.A., IMMELMAN, K.L. & BOS, J.J. 1992. Dracaenaceae, Asparagaceae, Luzuriagaceae and Smilacaceae. *Flora of southern Africa* 5,3. National Botanical Institute, Pretoria.
- OBERMEYER, A.A., LEWIS, J. & FADEN, R.B. 1985. Xyridaceae–Juncaceae. *Flora of southern Africa* 4,2. Department of Agriculture and Water Supply, Pretoria.
- PHILLIPS, E.P. 1917. A contribution to the Flora of the Leribe Plateau and environs. *Annals of the South African Museum* 16: 1–379. Adlard & West Newman, London.
- PHILLIPS, E.P. 1951. The genera of South African flowering plants, edn 2. *Memoirs of the Botanical Survey of South Africa* No. 25.
- POOLEY, E. 1993. *The complete field guide to trees of Natal, Zululand and Transkei*. Natal Flora Publications Trust,

- Durban.
- POOLEY, E. 1998. *A field guide to wild flowers of KwaZulu-Natal and the eastern region*. Natal Flora Publications Trust, Durban.
- POOLEY, E. 2003. *Mountain flowers. A field guide to the flora of the Drakensberg and Lesotho*. The Flora Publications Trust, Durban.
- PUFF, C. 1986. Rubiaceae. *Flora of southern Africa* 31,1,2, Rubioideae (second part). Botanical Research Institute, Department of Agriculture and Water Supply, Pretoria.
- REYNOLDS, G.W. 1950. *The aloes of South Africa*. The Trustees of the Aloes of South Africa Book Fund, Johannesburg.
- REYNOLDS, G.W. 1966. *The aloes of tropical Africa and Madagascar*. The Trustees of the Aloes Book Fund, Mbabane, Swaziland.
- SCHELPE, E.A.C.L.E. & ANTHONY, N.C. 1986. *Flora of southern Africa, Pteridophyta*. Botanical Research Institute, Department of Agriculture and Water Supply, Pretoria.
- SCHMITZ, M.O. 1982. *Wild flowers of Lesotho*. ESSA, Roma, Lesotho.
- SHEAT, W.G. 1982. *The A-Z of gardening in South Africa*. Struik, Cape Town.
- SMIT, N. 1999. *Guide to the acacias of South Africa*. Briza, Pretoria.
- SMITH, G.F., CHESSELET, P., VAN JAARSVELD, E.J., HARTMANN, H., HAMMER, S., VAN WYK, B.-E., BURGOYNE, P., KLAKE, C. & KURZWEIL, H. 1998. *Mesems of the world*. Briza, Pretoria.
- SMITH, G.F., VAN JAARSVELD, E.J., ARNOLD, T.H., STEFFENS, F.E., DIXON, R.D. & RETIEF, J.A. 1998. *List of southern African succulent plants*. Umdaus Press, Hatfield, South Africa.
- STAPLES, R.R. & HUDSON, W.K. 1938. *An ecological survey of the mountain area of Basutoland*. Garden City Press, Hertfordshire.
- STEWART, J. & HENNESSY, E.F. 1981. *Orchids of Africa*. Macmillan South Africa, Johannesburg.
- TOELKEN, H.R. 1985. Crassulaceae. *Flora of southern Africa* 14. Department of Agriculture and Water Supply, Pretoria.
- VAN WYK, B. & VAN WYK, P. 1997. *Field guide to trees of southern Africa*. Struik, Cape Town.
- VAN WYK, B.-E. & GERICKE, N. 2000. *People's plants. A guide to useful plants of southern Africa*. Briza, Pretoria.
- VAN WYK, B.-E. & SMITH, G. 1996. *Guide to the aloes of South Africa*. Briza, Pretoria.
- VAN WYK B.-E., VAN OUDTSHOORN, B. & GERICKE, N. 1997. *Medicinal plants of South Africa*. Briza, Pretoria.
- VENTER, F. & VENTER, J.-A. 1996. *Making the most of indigenous trees*. Briza, Pretoria.
- VON BREITENBACH, F. 1984. *National list of introduced trees*. Dendrological Foundation, Pretoria.
- WILD, H. 1984. Tiliaceae. *Flora of southern Africa* 21,1. Department of Agriculture, Pretoria.



*Rabiea lesliei* near Koro-Koro River—Mokema.  
(Photo: Moretloa Polaki)



*Erica cerinthoides* with its beautiful flowers.  
(Photo: Moretloa Polaki)

BRYOPHYTA

ANDREAEACEAE		
ANDREAEA Hedw.	9734800	
<b>rupestris</b> Hedw.		
( <i>A. petrophila</i> (Ehrh.) Fuernr.)		
Arnold & De Wet: 17		M

ARCHIDIACEAE		
ARCHIDIUM Brid.	9736100	
<b>capense</b> Hornsch.		
( <i>A. campylopodium</i> Müll.Hal.)		
( <i>A. compactum</i> Müll.Hal. forma <i>tenerior</i> Müll.Hal.)		
Arnold & De Wet: 19		M
<b>julicaule</b> Müll.Hal.		
Arnold & De Wet: 19		M

BARTRAMIACEAE		
ANACOLIA Schimp.	9754900	
<b>breutelii</b> (Schimp. ex Müll.Hal.) Magill var. <b>breutelii</b>		
( <i>Bartramia afrostricta</i> Müll.Hal.)		
( <i>Breutelia breutelii</i> (Müll.Hal.) Broth.)		
Arnold & De Wet: 35		L, F, M
<b>breutelii</b> (Schimp. ex Müll.Hal.) Magill var. <b>squarriifolia</b> (Sim) Magill		
( <i>Bartramia squarriifolia</i> Sim)		
Arnold & De Wet: 35		M

BARTRAMIA Hedw.	9755000	
<b>hampeana</b> Müll.Hal.		
( <i>B. asperima</i> Müll.Hal.)		
( <i>B. penicillata</i> Müll.Hal.)		
( <i>B. ramentosa</i> Müll.Hal.)		
Arnold & De Wet: 34		M

BREUTELIA (Bruch & Schimp.) Schimp.	9755200	
<b>substricta</b> (Schimp.) Magill		
( <i>B. afroscoparia</i> (Müll.Hal.) Paris)		
( <i>Philonotis afrofontana</i> (Müll.Hal.) Paris var. <i>brevisetata</i> (Müll.Hal.) Paris)		
Arnold & De Wet: 34		M

CONOSTOMUM Sw.	9755300	
<b>pentastichum</b> (Brid.) Lindb.		
Arnold & De Wet: 35		M

PHILONOTIS Brid.	9755400	
<b>dregeana</b> (Müll.Hal.) A.Jaeger		
Arnold & De Wet: 34		M
<b>falcata</b> (Hook.) Mitt.		
Arnold & De Wet: 34		L, F, M
<b>globosa</b> (Müll.Hal.) D.G.Griffin & W.R.Buck		
( <i>Bartramidula globosa</i> (Müll.Hal.) Broth.)		
Arnold & De Wet: 34		F, M
<b>hastata</b> (Duby) Wijk & Margad.		
Arnold & De Wet: 34		F
<b>scabrifolia</b> (Hook.f. & Wilson) Braithw.		
Arnold & De Wet: 34		M

PLAGIOPUS Brid.	9755500	
<b>oederianus</b> (Sw.) H.A.Crum & L.E.Anderson		
Germishuizen & Meyer: 4		M

QUATHLAMBA Magill	9755600	
<b>debilicostata</b> Magill		
Arnold & De Wet: 35		M

BRACHYTHECIAEAE		
BRACHYTHECIUM Schimp.	9775400	
<b>implicatum</b> (Hornsch. ex Müll.Hal.) A.Jaeger		
Arnold & De Wet: 43		F
<b>plumosum</b> (Hedw.) Schimp.		
Arnold & De Wet: 43		M
<b>subrutabulum</b> (Müll.Hal.) A.Jaeger		
Arnold & De Wet: 43		L

PALAMOCLADIUM Müll.Hal.	9775700	
<b>leskeoides</b> (Hook.) E.Britton		
( <i>Homalothecium afrostriatum</i> (Müll.Hal.) Ochyra)		
( <i>P. sericeum</i> (A.Jaeger) Müll.Hal.)		
( <i>Pleuropus sericeus</i> (A.Jaeger) Broth.)		
Germishuizen & Meyer: 5		L, M

BRUCHIACEAE		
CLADOPHASCUM Dixon	9739000	
<b>gymnomitrioides</b> (Dixon) Dixon		
( <i>Aongstroemia gymnomitrioides</i> Dixon)		
Arnold & De Wet: 22		L, F

BRYACEAE		
ANOMOBRYUM Schimp.	9750000	
<b>drakensbergense</b> Van Rooy		
Arnold & De Wet: 30		M
<b>julaceum</b> (Schrad. ex P.Gartn., B.Mey. & Scherb.) Schimp.		
( <i>A. filiforme</i> (Dicks.) Husn., nom. illeg.)		
( <i>A. promontorii</i> (Müll.Hal.) Dixon)		
Germishuizen & Meyer: 6		L, F

BRACHYMENIUM Schwägr.	9750100	
<b>acuminatum</b> Harv.		
( <i>B. borgenianum</i> Hampe)		
( <i>B. lonchopus</i> P.de la Varde)		
( <i>B. pallidojulaceum</i> (Müll.Hal.) Paris)		
( <i>Mielichhoferia squarrolosa</i> Müll.Hal.)		
Arnold & De Wet: 31		M

BRYUM Hedw.	9750200	
<b>alpinum</b> Huds. ex With.		
( <i>B. afroalpinum</i> Rehmann Müll.Hal.)		
( <i>B. wilmsii</i> Müll.Hal.)		
( <i>Poblia simii</i> Schelpe)		
Arnold & De Wet: 31		M, S
<b>andicola</b> Hook.		
( <i>B. pumiliroseum</i> Dixon)		
Arnold & De Wet: 31		M

<b>argenteum</b> Hedw.		
( <i>B. argenteum</i> Hedw. var. <i>proliferum</i> Sim)		
( <i>B. argenteum</i> Hedw. var. <i>viride</i> Sim)		
( <i>B. capensiargenteum</i> Müll.Hal.)		
Arnold & De Wet: 31	L, F, M, S	
<b>aubertii</b> (Schwägr.) Brid.		
( <i>Mnium aubertii</i> Schwägr.)		
Arnold & De Wet: 31	L, M	
<b>caespitium</b> Hedw.		
Arnold & De Wet: 31	M, S	
<b>canariense</b> Brid.		
( <i>B. canariensiforme</i> Dixon)		
( <i>B. mundii</i> Müll.Hal.)		
( <i>B. pervirens</i> Müll.Hal.)		
Arnold & De Wet: 31	L	
<b>capillare</b> Hedw.		
Arnold & De Wet: 31	L	
<b>cellulare</b> Hook.		
( <i>B. argenteum</i> Hedw. var. <i>rotundifolium</i> Sim)		
Arnold & De Wet: 31	F, M, S	
<b>pseudotriquetrum</b> (Hedw.) P.Gaertn., B.Mey. & Scherb.		
( <i>B. aulacomnioides</i> Müll.Hal.)		
( <i>B. aulacomnioides</i> Müll.Hal. var. <i>limbatum</i> Sim)		
( <i>B. bracymeniaceum</i> Müll.Hal.)		
Arnold & De Wet: 32	F, M	
<b>pycnophyllum</b> (Dixon) Mohamed		
( <i>B. truncorum</i> (Brid.) Brid. var. <i>pycnophyllum</i> Dixon)		
Arnold & De Wet: 32	L, F, M, S	
<b>torquescens</b> Bruch ex De Not.		
( <i>B. aterrimum</i> Müll.Hal. ex Sim)		
( <i>B. decursivum</i> Müll.Hal.)		
( <i>B. lonchopyxis</i> Müll.Hal.)		
Arnold & De Wet: 32	M	
<b>turbinatum</b> (Hedw.) Turner		
( <i>B. radiale</i> Rehmann ex Dixon)		
Arnold & De Wet: 32	M	
<b>PLAGIOBRYUM</b> Lindb.	9750800	
<b>zierii</b> (Dicks. ex Hedw.) Lindb.		
Arnold & De Wet: 32	M	
<b>RHODOBRYUM</b> (Schimp.) Limpr.	9751000	
<b>roseum</b> (Hedw.) Limpr.		
( <i>R. leucothrix</i> (Müll.Hal.) Broth.)		
( <i>R. spathulatum</i> (Hornsch.) Pócs in Bizot & Pócs)		
Arnold & De Wet: 33	M	
<b>DICRANACEAE</b>		
<b>AMPHIDIUM</b> Schimp.	9757900	
<b>lapponicum</b> (Hedw.) Schimp.		
Arnold & De Wet: 36	M	
<b>tortuosum</b> (Hornsch.) Cufod.		
( <i>A. cyathicarpum</i> (Mont.) Broth.)		
Arnold & De Wet: 36	M	
<b>AONGSTROEMIA</b> Bruch & Schimp.	9738500	
<b>julacea</b> (Hook.) Mitt.		
Arnold & De Wet: 20	M	
<b>CAMPYLOPUS</b> Brid.	9738800	
<b>bicolor</b> (Hornsch ex Müll.Hal.) Wilson subsp.		
<b>atroluteus</b> (Müll.Hal.) J.-P.Frahm		
( <i>C. atroluteus</i> (Müll.Hal.) Paris)		
Germishuizen & Meyer: 9L, F, M		
<b>introflexus</b> (Hedw.) Brid.		
( <i>C. bartramiaecus</i> (Müll.Hal.) Thér., nom. illeg.)		
( <i>C. echinatus</i> Rehmann ex Sim, nom. illeg.)		
( <i>C. lepidophyllus</i> (Müll.Hal.) A.Jaeger)		
Arnold & De Wet: 21	F, M	
<b>pilifer</b> Brid.		
( <i>C. bewsii</i> Sim)		
( <i>C. griseolus</i> (Müll.Hal.) Paris)		
( <i>C. leucobasis</i> Paris)		
( <i>C. polytrichoides</i> De Not.)		
( <i>C. weisiopsis</i> (Müll.Hal.) Paris)		
Arnold & De Wet: 21	L, F, M	
<b>pyriformis</b> (F.W.Schultz) Brid.		
( <i>C. leptotrichaceus</i> (Müll.Hal.) Paris)		
Germishuizen & Meyer: 10		
<b>thwaitesii</b> (Mitt.) A.Jaeger		
( <i>C. capensis</i> Broth.)		
( <i>C. chlorotrichus</i> (Müll.Hal.) Paris)		
( <i>C. stenopelma</i> (Müll.Hal.) Rehmann ex Paris)		
( <i>C. tenax</i> (Müll.Hal.) Paris)		
Germishuizen & Meyer: 10	M	
<b>DICRANELLA</b> (Müll.Hal.) Schimp.	9739100	
<b>cardotii</b> (R.Br.) Dixon		
( <i>Anisothecium symonsii</i> (Dixon) Broth.)		
( <i>D. symonsii</i> Dixon)		
Germishuizen & Meyer: 11	M	
<b>LEPTOTRICHELLA</b> (Müll.Hal.) Lindb.	9739450	
<b>minuta</b> (Hampe) Ochyra		
( <i>Dicranella minuta</i> (Hampe) A.Jaeger)		
( <i>Microdus minutus</i> (Hampe) Besch.)		
Germishuizen & Meyer: 11	M	
<b>OREOWEISIA</b> (Bruch & Schimp.) De Not.	9739900	
<b>erosa</b> (Hampe ex Müll.Hal.) Kindb.		
Arnold & De Wet: 23	F, M	
<b>SPHAEROTHECIUM</b> Hampe	9740100	
<b>subchlorophyllosum</b> (Müll.Hal.) J.-P.Frahm		
( <i>Campylopus basalticolus</i> (Müll.Hal.) Paris)		
( <i>Campylopus subchlorophyllostus</i> Müll.Hal.)		
Arnold & De Wet: 23	M	
<b>DITRICHACEAE</b>		
<b>CERATODON</b> Brid.	9736700	
<b>purpureus</b> (Hedw.) Brid. subsp. <i>stenocarpus</i> (Bruch & Schimp. ex Müll.Hal.) Dixon		
( <i>C. stenocarpus</i> Bruch & Schimp. ex Müll.Hal.)		
Arnold & De Wet: 19	M, S	
<b>DISTICHIMUM</b> Bruch & Schimp.	9736900	
<b>capillaceum</b> (Hedw.) Bruch & Schimp.		
Arnold & De Wet: 19	M, S	
<b>DITRICHUM</b> Hampe	9737000	
<b>strictum</b> (Hook.f. & Wilson) Hampe		
Arnold & De Wet: 20	M	

<b>PLEURIDIUM</b> Rabenh. <i>nervosum</i> (Hook.) Mitt. Arnold & De Wet: 20	9737200 M
<b>SAELANIA</b> Lindb. <i>glaucescens</i> (Hedw.) Broth. ( <i>Ditrichum glaucescens</i> (Hedw.) Hampe) Arnold & De Wet: 20	9737300 M
<b>TRISTICHIMUM</b> Müll.Hal. <i>mirabile</i> (Müll.Hal.) Herzog Arnold & De Wet: 20	9737400 M

ENCALYPTACEAE

<b>ENCALYPTA</b> Hedw. <i>ciliata</i> Hedw. Arnold & De Wet: 24 <i>vulgaris</i> Hedw. Arnold & De Wet: 24	9741600 M M
---	-------------------

ENTODONTACEAE

<b>ENTODON</b> Müll.Hal. <i>cymbifolius</i> Wager & Dixon Arnold & De Wet: 43 <i>natalensis</i> Rehmann ex Müll.Hal. Arnold & De Wet: 43	9776500 M L
--	-------------------

EPHEMERACEAE

<b>EPHEMERUM</b> Hampe <i>capense</i> Müll.Hal. Arnold & De Wet: 29	9747900 L, M, S
---	--------------------

EUSTICHIACEAE

<b>EUSTICHIA</b> (Brid.) Brid. <i>longirostris</i> (Brid.) Brid. ( <i>E. africana</i> (Müll.Hal.) Paris) Arnold & De Wet: 33	9752700 M
---	--------------

FABRONIACEAE

<b>FABRONIA</b> Raddi <i>abyssynica</i> Müll.Hal. Arnold & De Wet: 41 <i>pilifera</i> Hornsch. Arnold & De Wet: 41	9769700 L M
--	-------------------

FISSIDENTACEAE

<b>FISSIDENS</b> Hedw. <i>bogoticus</i> Müll.Hal. ( <i>F. calochlorus</i> Dixon) ( <i>F. microandrogynus</i> Dixon) ( <i>F. parvilimbatus</i> Sim) ( <i>F. pectinidens</i> Dixon) Germishuizen & Meyer: 15 <i>bryoides</i> Hedw. ( <i>F. androgynus</i> Bruch. ex Krauss) ( <i>F. gueinzii</i> Müll.Hal.)	9735400 F, M
--	-----------------

( <i>F. malacobryoides</i> Müll.Hal.) Arnold & De Wet: 18 <b>ovatus</b> Brid. ( <i>F. cymatophyllus</i> Müll.Hal.) ( <i>F. glaucescens</i> Hornsch.) ( <i>F. lanceolatus</i> Hampe) ( <i>F. mucronatus</i> Schimp. ex Müll.Hal.) Germishuizen & Meyer: 15 <b>rufescens</b> Hornsch. ( <i>F. minutiretis</i> Dixon) Arnold & De Wet: 19	L M S
--	-------------

FUNARIACEAE

<b>FUNARIA</b> Hedw. <i>bergiana</i> (Hornsch.) Broth. ( <i>Entosthodon bergianus</i> (Hornsch.) Müll.Hal.) ( <i>F. gymnostoma</i> Dixon) Arnold & De Wet: 29 <b>hygrometrica</b> Hedw. ( <i>F. gracilescens</i> Schimp. ex Müll.Hal.) ( <i>F. lonchopelma</i> Müll.Hal.) Arnold & De Wet: 30 <b>rottleri</b> (Schwägr.) Broth. ( <i>Entosthodon campylopodoides</i> Müll.Hal.) ( <i>Entosthodon rottleri</i> (Schwägr.) Müll.Hal.) Arnold & De Wet: 30 <b>spatulata</b> Schimp. ex Müll.Hal. ( <i>Entosthodon spatulatus</i> (Schimp. ex Müll.Hal.) Sim) Arnold & De Wet: 30 <b>succuleata</b> (Wager & C.H.Wright) Broth. ex Magill ( <i>F. harveyana</i> Magill) Arnold & De Wet: 30	9748600 L, S L, M F, M M S
---	---

<b>GONIOMITRIUM</b> Hook.f & Wilson <i>africanum</i> (Müll.Hal.) Broth. Arnold & De Wet: 30	9748700 M
---	--------------

GIGASPERMACEAE

<b>GIGASPERMUM</b> Lindb. <i>repens</i> (Hook.) Lindb. ( <i>G. breutelli</i> (Müll.Hal.) Paris) Arnold & De Wet: 29	9747300 S
--	--------------

<b>OEDIPODIELLA</b> Dixon <i>australis</i> (Wager & Dixon) Dixon Arnold & De Wet: 29	9747400 S
--	--------------

GRIMMIACEAE

<b>GRIMMIA</b> Hedw. <i>laevigata</i> (Brid.) Brid. ( <i>G. campestris</i> Burch. ex Hook.) ( <i>G. senilis</i> J.Shaw) Arnold & De Wet: 28 <b>pulvinata</b> (Hedw.) Sm. ( <i>G. drakensbergensis</i> Sim) ( <i>G. leptotricha</i> Müll.Hal.) ( <i>G. pulvinata</i> (Hedw.) Sm. var. <i>africana</i> (Hedw.) Hook. & Wilson) Arnold & De Wet: 28	9746400 F, M, S L, F, M, S
---	----------------------------------

**RACOMITRIUM** Brid. 9746600  
**crispulum** (Hook.f. & Wilson) Hook.f. & Wilson  
 (*R. austropatens* Broth.)  
 (*R. capense* Lor.)  
 (*R. drakensbergense* Sim)  
 Arnold & De Wet: 28 M

**SCHISTIDIUM** Bruch & Schimp. 9746700  
**apocarpum** (Hedw.) Bruch & Schimp.  
 (*Grimmia apocarpa* Hedw.)  
 (*Grimmia boschbergiana* Müll.Hal.)  
 (*Grimmia caffra* Müll.Hal.)  
 (*Grimmia depilis* Müll.Hal.)  
 Arnold & De Wet: 29 L, M

### HEDWIGIACEAE

**HEDWIGIA** P.Beauv. 9761300  
**ciliata** (Hedw.) P.Beauv.  
 (*H. macowaniana* Müll.Hal.)  
 Arnold & De Wet: 37 M

**HEDWIGIDIUM** Bruch & Schimp. 9761400  
**integrifolium** (P.Beauv.) Dixon  
 (*Braunia erosa* Müll.Hal.)  
 (*Braunia macowaniana* Müll.Hal.)  
 (*H. maritimum* (Müll.Hal.) Paris)  
 Arnold & De Wet: 37 M

**RHACOCARPUS** Lindb. 9761500  
**purpurascens** (Brid.) Paris  
 (*R. breutelianus* (Müll.Hal.) Broth.)  
 (*R. ecklonianus* (Müll.Hal.) Broth.)  
 (*R. gracillimus* (Müll.Hal.) Broth.)  
 Arnold & De Wet: 37 M

### HYPNACEAE

**HYPNUM** Hedw. 9779700  
**cupressiforme** Hedw. var. **cupressiforme**  
 Germishuizen & Meyer: 19 M  
**cupressiforme** Hedw. var. **lacunosum** Brid.  
 Germishuizen & Meyer: 19 L, M

### LESKEACEAE

**LINDBERGIA** Kindb. 9771800  
**patentifolia** Dixon  
 Arnold & De Wet: 41 M  
**pseudoleskeoides** Dixon  
 Arnold & De Wet: 41 F

**PSEUDOLESKEA** Bruch & Schimp. 9771900  
**leskeoides** (Paris) Müll.Hal.  
 (*P. macowaniana* Müll.Hal.)  
 Arnold & De Wet: 41 F

**PSEUDOLESKEOPSIS** Broth. 9772000  
**claviramea** (Müll.Hal.) Thér.  
 (*Pseudoleskea claviramea* (Müll.Hal.) A.Jaeger)  
 Arnold & De Wet: 41 L

**pseudo-attenuata** (Müll.Hal.) Thér.  
 Arnold & De Wet: 41 L

### MEESIACEAE

**LEPTOBRYUM** (Schimp.) Wilson 9750400  
**pyriforme** (Hedw.) Wilson  
 Arnold & De Wet: 32; Germishuizen & Meyer: 22 M

### MNIACEAE

**MIELICHHOFERIA** Nees & Hornsch. 9750500  
**bryoides** (Harv.) Wijk & Margad.  
 (*M. ecklonii* Hornsch.)  
 (*M. rehmannii* Müll.Hal.)  
 (*M. transvaaliensis* Müll.Hal.)  
 Arnold & De Wet: 32; Germishuizen & Meyer: 23 L, F, M  
**subnuda** Sim  
 (*M. cholnoky* P.de la Varde)  
 Arnold & De Wet: 32; Germishuizen & Meyer: 23 F, M

**PLAGIOMNIUM** T.J.Kop. 9752200  
**rhynchophorum** (Hook.) T.J.Kop. var. **reidii** (Dixon)  
 T.J.Kop.  
 (*Mnium ecklonii* Müll.Hal.)  
 (*Mnium rostratum* Schrad. var. *reidii* Dixon)  
 Arnold & De Wet: 33 M

**POHLIA** Hedw. 9750900  
**baronii** Wijk & Margad.  
 Arnold & De Wet: 32; Germishuizen & Meyer: 23 M  
**cruda** (Hedw.) Lindb.  
 (*P. depauperata* (Sim) Schelpe)  
 (*Webera cruda* (Hedw.) Fűrnr.)  
 Arnold & De Wet: 32; Germishuizen & Meyer: 23 F, M  
**elongata** Hedw.  
 (*Webera elongata* (Hedw.) Schwägr.)  
 (*W. leptoblepharon* (Müll.Hal.) A.Jaeger)  
 (*W. mielichhoferia* (Müll.Hal.) Paris)  
 Arnold & De Wet: 32; Germishuizen & Meyer: 23 M

### ORTHOTRICHACEAE

**MACROCOMA** (Hornsch. ex Müll.Hal.) Grout 9758100  
**tenuis** (Hook. & Grev.) Vitt subsp. **tenuis**  
 Germishuizen & Meyer: 24 M

**ORTHOTRICHUM** Hedw. 9758300  
**oreophilum** Lewinsky & Van Rooy  
 Arnold & De Wet: 36 M  
**rupestre** Schleich. ex Schwägr.  
 (*O. macleai* Rehmann ex Sim)  
 Arnold & De Wet: 36 M

**ZYGODON** Hook. & Taylor 9758700  
**intermedius** Bruch & Schimp.  
 (*Z. transvaaliensis* Rehmann ex Sim)  
 Germishuizen & Meyer: 25 M

### POLYTRICHACEAE

**ATRICHUM** P.Beauv. 9781100

<b>androgynum</b> (Müll.Hal.) A.Jaeger Arnold & De Wet: 46	L, F	<b>GYMNOSTOMUM</b> Nees & Hornsch. <b>aeruginosum</b> Sm. ( <i>G. calcareum</i> Nees & Hornsch.) Arnold & De Wet: 25	9743100	L, M
<b>OLIGOTRICHUM</b> DC. <b>afrolaevigatum</b> (Dixon) G.L.Sm. ( <i>Psilopilum afrolaevigatum</i> Dixon) Arnold & De Wet: 46	9781200	<b>bewsii</b> Sim Arnold & De Wet: 25		M
<b>POGONATUM</b> P.Beauv. <b>perichaetiale</b> (Mont.) A.Jaeger subsp. <b>oligodus</b> (Kuntze ex Müll.Hal.) Hyvönen ( <i>P. oligodus</i> (Kuntze ex Müll.Hal.) Mitt.) ( <i>P. simense</i> (Bruch & Schimp. ex Müll.Hal.) A.Jaeger) ( <i>Polytrichum natalense</i> Sim) Germishuizen & Meyer: 26	9781300	<b>HYMENOSTYLIUM</b> Brid. <b>recurvirostre</b> (Hedw.) Dixon Germishuizen & Meyer: 29	9743500	L, M, S
<b>POLYTRICHUM</b> Hedw. <b>commune</b> Hedw. ( <i>P. commune</i> Hedw. var. <i>trichodes</i> (Müll.Hal.) Dixon) Arnold & De Wet: 46	9781500	<b>HYPODONTIUM</b> Müll.Hal. <b>dregei</b> (Hornsch.) Müll.Hal. ( <i>Hyophila cyathiforme</i> (Dixon) Sim) ( <i>Syrhodon dregei</i> Hornsch.) ( <i>Syrhodon perichaetialis</i> Bruch ex Krauss) Arnold & De Wet: 23; Germishuizen & Meyer: 29	9740900	L, M
<b>juniperinum</b> Hedw. Arnold & De Wet: 46		<b>PSEUDOCROSSIDIUM</b> R.S.Williams <b>crinitum</b> (Schultz) R.H.Zander ( <i>Barbula crinita</i> Schultz) ( <i>Barbula torquescens</i> Schimp. ex Müll.Hal.) ( <i>Tortula pilifera</i> Hook.) ( <i>Tortula pilifera</i> Hook. var. <i>longifolia</i> Sim) Germishuizen & Meyer: 30	9744200	L, F, M
<b>piliferum</b> Hedw. Arnold & De Wet: 46	L, M			
<b>POTTIACEAE</b>				
<b>ANOECTANGIUM</b> Schwägr. <b>wilmsianum</b> (Müll.Hal.) Paris ( <i>A. assimilis</i> Broth. & Wager) Arnold & De Wet: 24	9742300	<b>SYNTRICHIA</b> Brid. <b>ammonsiana</b> (H.A.Crum & L.E.Anderson) Ochyra ( <i>Tortula ammonsiana</i> H.A.Crum & L.E.Anderson) Germishuizen & Meyer: 30	9744500	M
<b>BARBULA</b> Hedw. <b>microcalycina</b> Magill Arnold & De Wet: 24	9742500	<b>fragilis</b> Taylor ( <i>Tortula brachyaichme</i> (Müll.Hal.) Broth.) ( <i>Tortula brevimumcronata</i> (Müll.Hal.) Broth.) ( <i>Tortula brevitudulosa</i> Broth.) ( <i>Tortula fragilis</i> Taylor) Germishuizen & Meyer: 30		L, M
<b>BRYOERYTHROPHYLLUM</b> P.C.Chen <b>campylocarpum</b> (Müll.Hal.) H.A.Crum ( <i>B. jamesonii</i> (Taylor) H.A.Crum) ( <i>Didymodon afrorubellus</i> Broth. & Wager) Germishuizen & Meyer: 28	9742600	<b>leucostega</b> (Müll.Hal.) R.H.Zander var. <b>leucostega</b> ( <i>Tortula afronivalis</i> (Müll.Hal.) Broth.) Germishuizen & Meyer: 30		
<b>recurvirostrum</b> (Hedw.) P.C.Chen Arnold & De Wet: 28		<b>ruralis</b> (Hedw.) F.Weber & D.Mohr ( <i>Tortula erythroneura</i> (Müll.Hal.) Broth.) ( <i>Tortula ruralis</i> (Hedw.) P.Gaertn., B.Mey. & Schreb.) Germishuizen & Meyer: 31		M
<b>DIDYMODON</b> Hedw. <b>australasii</b> (Hook. & Grev.) R.H.Zander ( <i>Barbula trichostomacea</i> Müll.Hal.) ( <i>Trichostomopsis australasiae</i> (Hook. & Grev.) H.Rob.) Arnold & De Wet: 25	9742900	<b>TORTELLA</b> (Lindb.) Limpr. <b>fragilis</b> (Hook & Wilson) Limpr. Arnold & De Wet: 26	9744800	M
<b>ceratodontus</b> (Müll.Hal.) Dixon ( <i>D. afer</i> (Müll.Hal.) Broth.) ( <i>D. perrevolutus</i> P.de la Varde) ( <i>Gymnostomum dimorphum</i> (Müll.Hal.) Sim) ( <i>Trichostomum afrum</i> Müll.Hal.) Arnold & De Wet: 25		<b>humilis</b> (Hedw.) Jenn. ( <i>T. afrocaespitosa</i> (Müll.Hal.) Broth.) ( <i>T. caespitosa</i> (Schwägr.) Limpr.) ( <i>T. eutrichostomum</i> (Müll.Hal.) Broth.) Arnold & De Wet: 26		M
<b>trivialis</b> (Müll.Hal.) J.Guerra ( <i>Trichostomopsis trivialis</i> (Müll.Hal.) H.Rob.) Arnold & De Wet: 25		<b>xanthocarpa</b> (Schimp. ex Müll.Hal.) Broth. ( <i>T. rufisetum</i> Müll.Hal.) ( <i>Trichostomum rehmannii</i> Sim) ( <i>Trichostomum tortuloides</i> Sull. & Lesq.) Arnold & De Wet: 26		M
<b>xanthocarpus</b> (Müll.Hal.) Magill ( <i>Barbula xanthocarpa</i> Müll.Hal.) ( <i>D. knysnae</i> Rehmann ex Sim) Arnold & De Wet: 25		<b>TRICHOSTOMUM</b> Bruch <b>brachydontium</b> Bruch ( <i>Hyophila zeyheri</i> (Hampe) A.Jaeger) ( <i>Pottia afrophaea</i> Müll.Hal.)	9745100	

Arnold & De Wet: 27 L, F, M, S  
**TRIQUETRELLA** Müll.Hal. 9745200  
*tristicha* (Müll.Hal.) Müll.Hal.  
*(T. strictissima* Rehm ex Müll.Hal.)  
 Arnold & De Wet: 27 F

**WEISSIA** Hedw. 9745400  
*controversa* Hedw.  
*(W. oranica* Müll.Hal.)  
*(W. vallis-gratiae* Müll.Hal.)  
*(W. viridula* Hedw. ex Brid.)  
 Arnold & De Wet: 27 M, S  
*dieterlenii* Thér.  
*(W. controversa* Hedw. var. *pillansii* Schelpe)  
 Arnold & De Wet: 28 F, M

### PTYCHOMITRIACEAE

**PTYCHOMITRIUM** Fürnr. 9757400  
*crispatum* (Hedw.) A.Jaeger  
 Arnold & De Wet: 35 M  
*cucullatifolium* (Müll.Hal.) A.Jaeger  
*(P. obtusatum* (Müll.Hal.) Paris)  
 Arnold & De Wet: 35 L, F, M, S  
*diexaratum* Magill  
 Arnold & De Wet: 35 M  
*subcrispatum* Thér. & P.de la Varde  
*(P. marginatum* (Wager ex Dixon) Dixon)

## HEPATOPHYTA

### ADELANTHACEAE

**ADELANTHUS** Mitt. 9729100  
*lindenbergianus* (Lehm.) Mitt.  
*(A. sphaerus* (Hook.f. & Taylor) Steph.)  
*(A. unciformis* (Hook.f. & Taylor) Spruce)  
 Arnold & De Wet: 13 M

### AYTONIACEAE

**ASTERELLA** P.Beauv. 9710700  
*bachmannii* (Steph.) S.W.Arnell  
 Arnold & De Wet: 7 F, M

**PLAGIOCHASMA** Lehm. & Lindenb. 9710900  
*rupestre* (J.R.Forst. & G.Forst.) Steph. var. *rupestre*  
*(P. algericum* Steph.)  
*(P. dschallanum* Steph.)  
*(P. tenue* Steph.)  
 Arnold & De Wet: 7; Germishuizen & Meyer: 42 L, M  
*rupestre* (J.R.Forst. & G.Forst.) Steph. var. *volkii*  
 Bischl.  
 Germishuizen & Meyer: 42

### EXORMOTHECACEAE

**EXORMOTHECA** Mitt. 9712000  
*pustulosa* Mitt.  
*(E. africana* Steph.)  
 Arnold & De Wet: 8 F

Arnold & De Wet: 35 L, M

### SELIGERIACEAE

**BLINDIA** Bruch & Schimp. 9737900  
*magellanica* Schimp.  
 Arnold & De Wet: 20 F, M

### SEMATOPHYLLACEAE

**SEMATOPHYLLUM** Mitt. 9778800  
*brachycarpum* (Hampe) Broth.  
 Arnold & De Wet: 44 M

**WIJKIA** H.A.Crum 9779000  
*trichocolea* (Müll.Hal.) H.A.Crum  
*(Acanthocladium trichocolea* (Müll.Hal.) Broth.)  
 Arnold & De Wet: 45 M

### THUIDIACEAE

**ABIETINELLA** Müll.Hal. 9772500  
*abietina* (Hedw.) M.Fleisch.  
 Arnold & De Wet: 42 Possibly occurring in Lesotho

**THUIDIUM** Bruch & Schimp. 9773000  
*matarumense* Besch.  
*(T. promontorii* (Müll.Hal.) Paris)  
 Arnold & De Wet: 42 F, M

### GYMNOMITRIACEAE

**STEPHANIELLA** Jack 9725600  
*paraphyllina* Jack  
 Arnold & De Wet: 14 M

### HERBERTACEAE

**HERBERTUS** Gray 9733200  
*capensis* (Steph.) Sim  
 Arnold & De Wet: 14 M

### JUBULACEAE

**FRULLANIA** Raddi 9719600  
*ericoides* (Nees) Mont.  
*(F. squarrosa* Gottsche, Lindenb. & Nees)  
 Arnold & De Wet: 9 L

### JUNGERMANNIACEAE

**ANASTROPHYLLUM** (Spruce) Steph. 9723500  
*auritum* (Lehm.) Steph.  
 Arnold & De Wet: 14 M

**LOPHOZIA** (Dumort.) Dumort. 9724000  
*argentina* (Steph.) R.M.Schust.  
*(L. montaguensis* S.W.Arnell)  
 Arnold & De Wet: 14 M

## LOPHOCOLEACEAE

**CLASMATOCOLEA** Spruce 9727900  
*vermicularis* (Lehm.) Grolle  
 Arnold & De Wet: 13 F

**LOPHOCOLEA** (Dumort.) Dumort. 9728000  
*concreta* Mont.  
 (*L. rehmannii* Steph.)  
 Arnold & De Wet: 13 L

## MARCHANTACEAE

**MARCHANTIA** L. 9713200  
*pappeana* Lehm. subsp. *papeana*  
 (*M. wilmsii* Steph.)  
 Germishuizen & Meyer: 54 L

## METZGERIACEAE

**METZGERIA** Raddi 9717400  
*violacea* (Ach.) Dumort.  
 Arnold & De Wet: 8 Possibly occurring in Lesotho

## RICCIACEAE

**RICCIA** L. 9714200  
*ampullacea* Perold  
 Arnold & De Wet: 5 M

*bullosa* Link ex Lindenb.

(*R. montaguensis* S.W.Arnell)

Arnold & De Wet: 5 M

*cavernosa* Hoffm. emend. Raddi

(*R. rautionensis* Steph.)

Arnold & De Wet: 6 M

*crinita* Taylor

(*R. canescens* Steph.)

Germishuizen & Meyer: 58

*crystallina* L. emend. Raddi

(*R. plana* Taylor)

Arnold & De Wet: 6 M

*montana* Perold

Arnold & De Wet: 6 F, M

*nigrella* DC.

Arnold & De Wet: 6 M

*sorocarpa* Bisch.

Arnold & De Wet: 6 M

*stricta* (Lindenb.) Perold

Arnold & De Wet: 6 F

*trachyglossum* Perold

Arnold & De Wet: 6 M

## TARGIONIACEAE

**TARGIONIA** L. 9710200  
*hypophylla* L.  
 (*T. capensis* Huebener)  
 Arnold & De Wet: 7 M

## ANTHOCEROPHYTA

## ANTHOCEROTACEAE

**PHAEOCEROS** Prosk. 9733800

*carolinianus* (Michx.) Prosk.

(*P. laevis* (L.) Prosk. subsp. *carolinianus* (Michx.) Prosk.)

Germishuizen & Meyer: 64 L

## PTERIDOPHYTES

## ANEMIACEAE

**MOHRIA** Sw. 0128000  
*nudiusscula* J.P.Roux  
 (*M. caffrorum* (L.) Desv. var. *ferruginea* J.E.Burrows &  
 S.M.Burrows)  
 Germishuizen & Meyer: 66 L, M  
*rigida* J.P.Roux  
 Arnold & De Wet: 49; Germishuizen & Meyer: 66 L, M

## ASPLENIACEAE

**ASPLENIUM** L. 0201400  
*aethiopicum* (Burm.f.) Bech. subsp. *dodecaploideum*  
 A.F.Braithw.  
 Germishuizen & Meyer: 66 L, M  
*aethiopicum* (Burm.f.) Bech. subsp. *filare* (Forssk.)  
 A.F.Braithw.  
 Germishuizen & Meyer: 66 L, M  
*cordatum* (Thunb.) Sw.  
 (*Ceterach cordatum* (Thunb.) Desv.)  
 Germishuizen & Meyer: 67 L  
*monanthes* L.

Arnold & De Wet: 56 L

*platyneuron* (L.) Britton, Sterns & Poggenb.

Germishuizen & Meyer: 67 L, M

*splendens* Kuntze

Arnold & De Wet: 56 L, M

*trichomanes* L.

Arnold & De Wet: 56 L, M

## BLECHNACEAE

**BLECHNUM** L. 0200000  
*australe* L.  
 Germishuizen & Meyer: 68 L  
*punctulatum* Sw. var. *punctulatum*  
 Arnold & De Wet: 60 L

## DRYOPTERIDACEAE

**DRYOPTERIS** Adans. 0190500  
*athamantica* (Kuntze) Kuntze  
 Arnold & De Wet: 58; Germishuizen & Meyer: 70 F  
*dracomontana* Schelpe & N.C.Anthony  
 Arnold & De Wet: 58; Germishuizen & Meyer: 70 M

*inequalis* (Schltdl.) Kuntze

Arnold &amp; De Wet: 58; Germishuizen &amp; Meyer: 70 L, F

**POLYSTICHUM** Roth 0190900**luctuosum** (Kuntze) T.Moore

Arnold &amp; De Wet: 59; Germishuizen &amp; Meyer: 71 L

**pungens** (Kaulf.) C.Presl*(P. lucidum* sensu Schelpe, non (Burm.f.) Bech.)

Arnold &amp; De Wet: 59; Germishuizen &amp; Meyer: 71 L, M

**transvaalense** N.C.Anthony

Arnold &amp; De Wet: 59; Germishuizen &amp; Meyer: 71 L

**EQUISETACEAE****EQUISETUM** L. 0111100**ramosissimum** Desf.

Arnold &amp; De Wet: 48 L, F

**GLEICHENIACEAE****GLEICHENIA** Sm. 0118700**polypodioides** (L.) Sm.

Arnold &amp; De Wet: 49 L

**ISOETACEAE****ISOETES** L. 0114100**transvaalensis** Jermy & Schelpe

Arnold &amp; De Wet: 48 M

**LOMARIOPSIDACEAE****ELAPHOGLOSSUM** Schott ex J.Sm. 0198600**acrostichoides** (Hook. & Grev.) Schelpe

Arnold &amp; De Wet: 58 L

**LYCOPODIACEAE****HUPERZIA** Bernh. 0112000**saururus** (Lam.) Trevis.*(Lycopodium saururus* Lam.)

Germishuizen &amp; Meyer: 75 L

**LYCOPODIUM** L. 0112200**clavatum** L.

Arnold &amp; De Wet: 47 M

**MARSILEACEAE****MARSILEA** L. 0203100**macrocarpa** C.Presl

Arnold &amp; De Wet: 50 L

**OPHIOGLOSSACEAE****OPHIOGLOSSUM** L. 0115200**polyphyllum** A.Braun

Arnold &amp; De Wet: 48 L

**vulgatum** L. subsp. **africanum** Pocock ex J.E.Burrows  
var. **africanum**

Germishuizen &amp; Meyer: 78 L

**POLYPODIACEAE****PLEOPELTIS** Humb. & Bonpl. ex Willd. 0164900**macrocarpa** (Bory ex Willd.) Kaulf.

Arnold &amp; De Wet: 55 L

**POLYPODIUM** L. 0163700**vulgare** L.

Arnold &amp; De Wet: 55 M

**PSILOTACEAE****PSILOTUM** Sw. 0110100**nudum** (L.) P.Beauv.

Germishuizen &amp; Meyer: 80 L

**PTERIDACEAE****ADIANTUM** L. 0138500**capillus-veneris** L.

Germishuizen &amp; Meyer: 80 L, M, S

**poiretii** Wikstr.*(A. thalictroides* sensu Sim)

Arnold &amp; De Wet: 52; Germishuizen &amp; Meyer: 80 L, F, M

**ANOGRAMMA** Link 0132200**leptophylla** (L.) Link

Germishuizen &amp; Meyer: 80 L

**CHEILANTHES** Sw. 0136000**capensis** (Thunb.) Sw.

Germishuizen &amp; Meyer: 81 F

**eckloniana** (Kuntze) Mett.*(Notholaena eckloniana* Kuntze)

Arnold &amp; De Wet: 52; Germishuizen &amp; Meyer: 81 L, F, M, S

**hirta** Sw.

Germishuizen &amp; Meyer: 81 M

**multifida** (Sw.) Sw.*(C. multifida* (Sw.) Sw. subsp. *lacerata* N.C.Anthony & Schelpe)

Germishuizen &amp; Meyer: 81 L

**quadrripinnata** (Forssk.) Kuhn*(Pellaea quadrripinnata* (Forssk.) Prantl)

Germishuizen &amp; Meyer: 81 L, F, M

**viridis** (Forssk.) Sw. var. **viridis***(Pellaea viridis* (Forssk.) Prantl var. *viridis*)

Germishuizen &amp; Meyer: 82 L, S

**PELLAEA** Link 0136800**calomelanos** (Sw.) Link var. **calomelanos**

Germishuizen &amp; Meyer: 82 L, S

**PTERIS** L. 0140600**cretica** L.

Germishuizen &amp; Meyer: 83 L, F, M

**vittata** L.

Germishuizen &amp; Meyer: 83 L

**SELAGINELLACEAE****SELAGINELLA** P.Beauv. 0113200**cafferorum** (Milde) Hieron.

- Arnold & De Wet: 47 L  
**dregei** (C.Presl) Hieron.  
 Arnold & De Wet: 47 L  
**mittenii** Baker  
 Arnold & De Wet: 47 L

## WOODSIACEAE

- ATHYRIUM** Roth 0194100  
**scandicium** (Willd.) C.Presl  
 Germishuizen & Meyer: 86 M

- schimperi** Mougl. ex Fée  
 Germishuizen & Meyer: 86 M

- CYSTOPTERIS** Bernh. 0195100  
**fragilis** (L.) Bernh.  
 Germishuizen & Meyer: 86 L, M

- WOODSIA** R.Br. 0195500  
**montevidensis** (Spreng.) Hieron.  
 (*W. montevidensis* (Spreng.) Hieron. var. *burgessiana* (Gerrard ex  
 Hook. & Baker) Schelpe)  
 Germishuizen & Meyer: 86 M

## GYMNOSPERMS

## CUPRESSACEAE

- CUPRESSUS** L. 0043000  
 \***arizonica** Greene  
 (*P. glabra* Sudw.)  
 Arnold & De Wet: 62 L  
 \***sempervirens** L. var. *sempervirens*  
 Von Breitenbach: 16 L

## PINACEAE

- PINUS** L. 0022000  
 \***halepensis** Mill. var. *halepensis*

- Germishuizen & Meyer: 88 L, F, M, S  
 \***patula** Schldtl. & Cham. var. *patula*  
 Germishuizen & Meyer: 88 L, F, M, S  
 \***pinaster** Aiton  
 (*P. maritima* Poir)  
 Von Breitenbach: 11 L, F, M, S  
 \***radiata** D.Don  
 (*P. insignis* Dougl.)  
 Arnold & De Wet: 62 L, F, M, S  
 \***roxburghii** Sarg.  
 (*P. longifolia* Roxb.)  
 Von Breitenbach: 11 L, F, M, S

## DICOTYLEDONS

## ACANTHACEAE

- ADHATODA** Mill. 8094020  
**andromeda** (Lindau) C.B.Clarke  
 (*Duvernoia andromeda* Lindau)  
 Pooley (1998): 202  
**BLEPHARIS** Juss. 7980000  
**espinosa** E.Phillips  
 Germishuizen & Meyer: 95  
**subvolubilis** C.B.Clarke  
 Arnold & De Wet: 659; Germishuizen & Meyer: 96  
 Possibly occurring in Lesotho

- CRABBEA** Harv. 7972000  
**acaulis** N.E.Br.  
 Arnold & De Wet: 656 L

- ISOGLOSSA** Oerst. 8079000  
**grantii** C.B.Clarke  
 Arnold & De Wet: 663 L  
**macowanii** C.B. Clarke  
 Arnold & De Wet: 663 F

## ACHARIACEAE

- GUTHRIEA** Bolus 5376000  
**capensis** Bolus  
 Arnold & De Wet: 512 F, M

## AMARANTHACEAE

- ACHYRANTHES** L. 2328000  
 \***aspera** L. var. *aspera*  
 (*A. aspera* L. var. *obtusifolia* (Lam.) Suess.)  
 Pooley (1998): 528 L  
 \***aspera** L. var. *sicula* L.  
 (*A. argentea* Lam.)  
 (*A. sicula* (L.) All.)  
 Arnold & De Wet: 248 L

- ALTERNANTHERA** Forssk. 2335000  
 \***nodiflora** R.Br.  
 (*A. sessilis* L. var. *nodiflora* (R.Br.) Kuntze)  
 Arnold & De Wet: 249 L  
 \***pungens** Kunth  
 (*Achyranthes repens* L.)  
 (*A. repens* sensu (L.) Link, non J.F.Gmel.)  
 (*A. achyrantha* R.Br.)  
 Arnold & De Wet: 249 L, F

- AMARANTHUS** L. 2299000  
 \***deflexus** L.  
 (*A. viridis* sensu T.Cooke & C.H.Wright, non L.)  
 Arnold & De Wet: 245 L  
 \***hybridus** L. subsp. *hybridus* var. *hybridus*  
 (*A. paniculatus* sensu T.Cooke & C.H.Wright)  
 (*A. powellii* S.Watson)  
 Arnold & De Wet: 245 L  
**thunbergii** Moq.  
 Arnold & De Wet: 246 L, F

<b>CYATHULA</b> Blume	2312000
<i>cylindrica</i> Moq. var. <i>cylindrica</i> ( <i>Achyranthes cylindrica</i> Bojer) ( <i>C. albida</i> Lopr.) ( <i>Pupalia alopecurus</i> Fenzl ex Drège) Germishuizen & Meyer: 113	L
<i>uncinulata</i> (Schrad.) Schinz ( <i>C. globulifera</i> Moq.) Arnold & De Wet: 247	L, F

<b>GOMPHRENA</b> L.	2338000
* <i>celosioides</i> Mart. ( <i>G. celosioides</i> Mart. forma <i>villosa</i> Suess.) ( <i>G. decumbens</i> Jacq.) Arnold & De Wet: 249	L

## ANACARDIACEAE

<b>RHUS</b> L.	4594000
<i>burchellii</i> Sond. ex Engl. ( <i>R. undulata</i> Jacq. var. <i>burchellii</i> (Sond) Schönland) ( <i>R. undulata</i> Jacq. var. <i>tricrenata</i> (Engl.) R.Fern.) Arnold & De Wet: 476	L, F, S
<i>dentata</i> Thunb. Arnold & De Wet: 477	L, F, M, S
<i>discolor</i> E.Mey. ex Sond. Arnold & De Wet: 477	M
<i>divaricata</i> Eckl. & Zeyh. ( <i>R. dentata</i> Thunb. var. <i>fulvescens</i> (Engl.) Burtt Davy) Arnold & De Wet: 477	L, F, M, S
<i>dregeana</i> Sond. Arnold & De Wet: 477	L, F, M, S
<i>erosa</i> Thunb. Arnold & De Wet: 477	L, F, S
<i>gerrardii</i> (Harv. ex Engl.) Diels ( <i>R. gerrardii</i> (Harv. ex Engl.) Diels var. <i>basutorum</i> Schönland) ( <i>R. gerrardii</i> (Harv. ex Engl.) Diels var. <i>latifolia</i> Schönland) ( <i>R. montana</i> Diels var. <i>basutorum</i> (Schönland) R.Fern.) ( <i>R. montana</i> Diels var. <i>gerrardii</i> (Harv. ex Engl.) R.Fern.) ( <i>R. montana</i> Diels var. <i>latitifolia</i> (Schönland) R.Fern.) Pooley (1993): 254	L, S
<i>grandidens</i> Harv. ex Engl. Pooley (1993): 254	L
<i>lancea</i> L.f. Venter & Venter: 102	L, M
<i>leptodictya</i> Diels Van Wyk & Van Wyk: 404	L
<i>pyroides</i> Burch. var. <i>gracilis</i> (Engl.) Burtt Davy ( <i>R. pyroides</i> Burch. var. <i>transvaalensis</i> Schönland) Arnold & De Wet: 478	L, M, S
<i>pyroides</i> Burch. var. <i>pyroides</i> Arnold & De Wet: 478	L, F, S

<b>SCHINUS</b> L.	4582000
* <i>molle</i> L. Van Wyk & Van Wyk: 434	L

## APIACEAE

<b>ALEPIDEA</b> F.Delaroche	5922000
<i>amatymbica</i> Eckl. & Zeyh. var. <i>amatymbica</i> Arnold & De Wet: 527	F, M

<i>galpinii</i> Dummer Arnold & De Wet: 528	M
<i>longifolia</i> E.Mey. var. <i>angusta</i> Dummer Arnold & De Wet: 528	F
<i>longifolia</i> E.Mey. var. <i>longifolia</i> Arnold & De Wet: 528	F
<i>natalensis</i> J.M.Wood & M.S.Evans ( <i>A. baurii</i> Kuntze) Pooley (1998): 160	M
<i>pilifera</i> Weim. ( <i>A. ciliaris</i> F.Delaroche) Arnold & De Wet: 528	L
<i>pusilla</i> Weim. Arnold & De Wet: 528	M
<i>serrata</i> Eckl. & Zeyh. var. <i>serrata</i> Arnold & De Wet: 528	L, F
<i>setifera</i> N.E.Br. Arnold & De Wet: 528	L, M
<i>thodei</i> Dummer Arnold & De Wet: 528	M
<i>woodii</i> Oliv. ( <i>A. tysonii</i> Dummer) Arnold & De Wet: 528	F, M

<b>ANTHRISCUS</b> Pers.	5938000
* <i>sylvestris</i> (L.) Hoffm. var. <i>sylvestris</i> Germishuizen & Meyer: 125	F

<b>APIUM</b> L.	6004000
* <i>graveolens</i> L. Arnold & De Wet: 530	S

<b>BERULA</b> W.D.J.Koch	6038010
<i>erecta</i> (Huds.) Coville subsp. <i>thunbergii</i> (DC.) B.L.Burtt ( <i>Sium thunbergii</i> DC.) Pooley (1998): 296	L, M

<b>BUPLEURUM</b> L.	5994000
<i>mundii</i> Cham. & Schltdl. Arnold & De Wet: 529	L, M

<b>CENTELLA</b> L.	5894000
<i>asiatica</i> (L.) Urb. Arnold & De Wet: 526	L
<i>coriacea</i> Nannf. Arnold & De Wet: 526	M, S
<i>glabrata</i> L. var. <i>natalensis</i> Adamson Arnold & De Wet: 526	M

<b>CICLOSPERMUM</b> Lag.	6004010
* <i>leptophyllum</i> (Pers.) Sprague ( <i>Apium leptophyllum</i> (Pers.) F.Muell. ex Benth.) Arnold & De Wet: 530	L, M

<b>CONIUM</b> L.	5970000
<i>chaerophylloides</i> (Thunb.) Sond. Arnold & De Wet: 529	L, F, M
<i>fontanum</i> Hilliard & B.L.Burtt var. <i>alticola</i> Hilliard & B.L.Burtt Arnold & De Wet: 529	M

<b>fontanum</b> Hilliard & B.L.Burt var. <b>fontanum</b> Arnold & De Wet: 529	M	<b>humilis</b> (E.Mey.) Schltr. Arnold & De Wet: 571	M
<b>HETEROMORPHA</b> Cham. & Schltld. 5992000		<b>macropus</b> (Schltr.) Schltr. Arnold & De Wet: 571	M
<b>arborescens</b> (Spreng.) Cham. & Schltld. var. <b>abyssinica</b> ( <i>Bupleurum trifoliatum</i> H.L.Wendl.) ( <i>H. trifoliata</i> (H.L.Wendl.) Eckl. & Zeyh.) Germishuizen & Meyer: 129	M	<b>multicaulis</b> (E.Mey.) Schltr. Arnold & De Wet: 571	L, F, M, S
<b>arborescens</b> (Spreng.) Cham. & Schltld. var. <b>arborescens</b> ( <i>Bupleurum arborescens</i> Thunb., non Jacq., nom. illeg.) Germishuizen & Meyer: 129	L, M, S	<b>stellifera</b> Schltr. Pooley (1998): 418	L, F, M
<b>PEUCEDANUM</b> L. 6116000		<b>xysmalobioides</b> Hilliard & B.L.Burt Arnold & De Wet: 572	M
<b>caffrum</b> (Meisn.) E.Phillips ( <i>P. connatum</i> E.Mey.) ( <i>Seseli caffrum</i> Meisn.) Arnold & De Wet: 533	L, F	<b>ASPIDOGLOSSUM</b> E.Mey. 6778010	
<b>capense</b> (Thunb.) Sond. var. <b>lanceolatum</b> Sond. ( <i>P. laevigatum</i> (Aiton) H.Wolff) Arnold & De Wet: 533	L, S	<b>araneiferum</b> (Schltr.) Kupicha ( <i>Schizoglossum araneiferum</i> Schltr.) Arnold & De Wet: 568	M
<b>thodei</b> Arnold Arnold & De Wet: 533	M	<b>biflorum</b> E.Mey. Arnold & De Wet: 568	L, F
<b>PIMPINELLA</b> L. 6033000		<b>interruptum</b> (E.Mey.) Bullock ( <i>Schizoglossum altissimum</i> Schltr.) ( <i>Schizoglossum barberae</i> Schltr.) ( <i>Schizoglossum interruptum</i> (E.Mey.) Schltr.) Arnold & De Wet: 569	L
<b>caffra</b> (Eckl. & Zeyh.) D.Dietr. Arnold & De Wet: 531	L, M	<b>lamellatum</b> (Schltr.) Kupicha ( <i>Schizoglossum lamellatum</i> Schltr.) Arnold & De Wet: 569	L, F
<b>stadensis</b> Eckl. & Zeyh. D.Dietr. Arnold & De Wet: 531	M	<b>BRACHYSTELMA</b> R.Br. 6870000	
<b>POLEMANNIA</b> Eckl. & Zeyh. 6045000		<b>alpinum</b> R.A.Dyer Arnold & De Wet: 573	M
<b>montana</b> Schltr. & H.Wolff Arnold & De Wet: 531	F, M	<b>circinatum</b> E.Mey. ( <i>B. galpinii</i> (Schltr.) N.E.Br.) ( <i>B. pallidum</i> (Schltr.) N.E.Br.) ( <i>Dichaelia circinata</i> (E.Mey.) Schltr.) Arnold & De Wet: 573	F
<b>simplicior</b> Hilliard & B.L.Burt Arnold & De Wet: 531	M	<b>foetidum</b> Schltr. ( <i>B. rehmannii</i> Schltr.) Arnold & De Wet: 573	F, M, S
<b>SANICULA</b> L. 5918000		<b>praelongum</b> S.Moore Arnold & De Wet: 574	F
<b>elata</b> Buch.-Ham. ex D.Don ( <i>S. europaea</i> sensu Sond.) Arnold & De Wet: 527	M	<b>CORDYLOGYNE</b> E.Mey. 6783000	
<b>APOCYNACEAE</b>		<b>globosa</b> E.Mey. Arnold & De Wet: 570	L, F
<b>ANISOTOMA</b> Fenzl 6868000		<b>CYNANCHUM</b> L. 6834000	
<b>pedunculata</b> N.E.Br. Pooley (1998): 582	L, F	<b>virens</b> (E.Mey.) D.Dietr. Arnold & De Wet: 572	L
<b>ARAUJIA</b> Brot. 6771000		<b>GOMPHOCARPUS</b> R.Br. 6787000	
<b>*sericifera</b> Brot. Arnold & De Wet: 566	L	<b>fruticosus</b> (L.) Aiton f. subsp. <b>decipiens</b> (N.E.Br.) Goyder & Nicholas ( <i>Asclepias decipiens</i> N.E.Br.) Germishuizen & Meyer: 149	F, M
<b>ASCLEPIAS</b> L. 6791000		<b>fruticosus</b> (L.) Aiton f. subsp. <b>fruticosus</b> ( <i>Asclepias fruticosa</i> L.) Germishuizen & Meyer: 149	L, F, M, S
<b>adscendens</b> (Schltr.) Schltr. Arnold & De Wet: 571	M	<b>MIRAGLOSSUM</b> Kupicha 6778020	
<b>aurea</b> (Schltr.) Schltr. Arnold & De Wet: 571	L, F	<b>pulchellum</b> (Schltr.) Kupicha ( <i>Schizoglossum pulchellum</i> Schltr.) Arnold & De Wet: 569	F, M
<b>cucullata</b> (Schltr.) Schltr. Arnold & De Wet: 571	M		
<b>eminens</b> (Harv.) Schltr. Arnold & De Wet: 571	L, M		
<b>gibba</b> (E.Mey.) Schltr. var. <b>gibba</b> Arnold & De Wet: 571	L, F, M, S		

<b>PACHYCARPUS</b> E.Mey.	6787010
<b>concolor</b> E.Mey.	
Pooley (1998): 580	M
<b>dealbatus</b> E.Mey.	
Pooley (1998): 548	M
<b>grandiflorus</b> (L.f.) E.Mey. subsp. <i>grandiflorus</i>	
Pooley (1998): 580	M
<b>macrochilus</b> (Schltr.) N.E.Br.	
Arnold & De Wet: 570	L, F, M
<b>natalensis</b> N.E.Br.	
Pooley (1998): 548	L
<b>rigidus</b> E.Mey.	
Arnold & De Wet: 570	L
<b>vexillaris</b> E.Mey.	
Arnold & De Wet: 571	M
<b>PARAPODIUM</b> E.Mey.	6762000
<b>costatum</b> E.Mey.	
Arnold & De Wet: 566	L
<b>PENTARRHINUM</b> E.Mey.	6810000
<b>insipidum</b> E.Mey.	
Germishuizen & Meyer: 161	L
<b>PERIGLOSSUM</b> Decne.	6783010
<b>angustifolium</b> Decne.	
Arnold & De Wet: 570	F
<b>mackenii</b> Harv.	
Arnold & De Wet: 570	L
<b>RAPHIONACME</b> Harv.	6747000
<b>hirsuta</b> (E.Mey.) R.A.Dyer ex E.Phillips	
(R. <i>divaricata</i> Harv.)	
Arnold & De Wet: 565	L, M, S
<b>RIOCREUXIA</b> Decne.	6875000
<b>burchellii</b> K.Schum.	
(R. <i>flanagani</i> Schltr. subsp. <i>segregata</i> R.A.Dyer)	
Arnold & De Wet: 576	L, M
<b>torulosa</b> Decne.	
(R. <i>torulosa</i> Decne. var. <i>longidens</i> N.E.Br.)	
(R. <i>torulosa</i> Decne. var. <i>obsoleta</i> N.E.Br.)	
(R. <i>torulosa</i> Decne. var. <i>tomentosa</i> N.E.Br.)	
Arnold & De Wet: 576	L, F
<b>SARCOSTEMMA</b> R.Br.	6849000
<b>viminale</b> (L.) R.Br. subsp. <i>viminale</i>	
Germishuizen & Meyer: 165	F
<b>SCHIZOGLOSSUM</b> E.Mey.	6778000
<b>atropurpureum</b> E.Mey. subsp. <i>atropurpureum</i>	
Arnold & De Wet: 566	L, F, M
<b>bidens</b> E.Mey. subsp. <i>bidens</i>	
(S. <i>truncatum</i> Schltr.)	
Arnold & De Wet: 567	F, M, S
<b>elingue</b> N.E.Br. subsp. <i>elingue</i>	
Pooley (1998): 166	Possibly occurring in Lesotho
<b>elingue</b> N.E.Br. subsp. <i>purpureum</i> Kupicha	
Arnold & De Wet: 567	M
<b>SISYRANTHUS</b> E.Mey.	6861000
<b>imberbis</b> Harv.	

Arnold & De Wet: 573	F
<b>randii</b> S.Moore	
Arnold & De Wet: 573	F

<b>STAPELIA</b> L.	6885000
<b>grandiflora</b> Masson	
(S. <i>ambigua</i> Masson var. <i>ambigua</i> )	
(S. <i>ambigua</i> Masson var. <i>fulva</i> Sweet)	
(S. <i>desmetiana</i> N.E.Br.)	
(S. <i>desmetiana</i> N.E.Br. var. <i>apicalis</i> N.E.Br.)	
(S. <i>desmetiana</i> N.E.Br. var. <i>desmetiana</i> )	
(S. <i>desmetiana</i> N.E.Br. var. <i>fergusoniae</i> R.A.Dyer)	
(S. <i>desmetiana</i> N.E.Br. var. <i>pallida</i> N.E.Br.)	
(S. <i>flavistrostris</i> N.E.Br.)	
(S. <i>senilis</i> N.E.Br.)	
Arnold & De Wet: 581	L, S

<b>STENOSTELMA</b> Schltr.	6789000
<b>corniculatum</b> (E.Mey.) Bullock	
( <i>Schizoglossum corniculatum</i> (E.Mey.) R.A.Dyer)	
Arnold & De Wet: 571	L

<b>XYSMALOBIMUM</b> R.Br.	6777000
<b>involutratum</b> (E.Mey.) Decne.	
Arnold & De Wet: 566	F
<b>parviflorum</b> Harv. ex Scott-Elliot	
Arnold & De Wet: 566	M
<b>prunelloides</b> Turcz.	
Arnold & De Wet: 566	M
<b>stockenstromense</b> Scott-Elliot	
Arnold & De Wet: 566	F, M
<b>undulatum</b> (L.) Aiton f. var. <i>undulatum</i>	
Germishuizen & Meyer: 177	L, M

## AQUIFOLIACEAE

<b>ILEX</b> L.	4614000
<b>mitis</b> (L.) Radlk. var. <i>mitis</i>	
(I. <i>capensis</i> Sond.)	
Germishuizen & Meyer: 177	L

## ARALIACEAE

<b>CUSSONIA</b> Thunb.	5872000
<b>paniculata</b> Eckl. & Zeyh. subsp. <i>sinuata</i> (Reyneke & Kok) De Winter	
(C. <i>paniculata</i> Eckl. & Zeyh. var. <i>sinuate</i> Reyneke & Kok)	
Arnold & De Wet: 525	L, F, M, S

## ASTERACEAE

<b>ACANTHOSPERMUM</b> Schrank	9130000
<b>*glabratum</b> (DC.) Wild	
(A. <i>austale</i> auctt., non (Loefl.) Kuntze)	
Arnold & De Wet: 743	L
<b>ACHILLEA</b> L.	9332000
<b>*millefolium</b> L.	
(A. <i>millefolium</i> L. subsp. <i>lanulosa</i> (Nutt.) Piper)	
Arnold & De Wet: 751	L

<b>AMBROSIA L.</b>	<b>9146000</b>		
* <i>psilostachya</i> DC.			
Arnold & De Wet: 743		F	
<b>AMPHIGLOSSA DC.</b>	<b>9046000</b>		
<i>triflora</i> DC.			
( <i>Helichrysum armatum</i> Dinter ex Merxm., nom. nud.)			
( <i>Pterothrix spinescens</i> DC.)			
Germishuizen & Meyer: 181		L, F, M	
<b>ARCTOTHECA J.C.Wendl.</b>	<b>9432020</b>		
<i>calendula</i> (L.) Levyns			
( <i>A. calendulaceum</i> (L.) Lewin)			
( <i>Arctotis calendula</i> L.)			
( <i>Cryptostenma calendulaceum</i> (L.) R.Br.)			
Arnold & De Wet: 788		M	
<b>ARCTOTIS L.</b>	<b>9432000</b>		
<i>arctotoides</i> (L.f.) O.Hoffm.			
( <i>Osteospermum arctotoides</i> L.f.)			
( <i>Venidium arctotoides</i> (L.f.) Less.)			
( <i>Venidium decurrens</i> Less.)			
Arnold & De Wet: 786		L, M	
<i>leiocarpa</i> Harv.			
( <i>A. karasmontana</i> Dinter)			
( <i>A. macrostylis</i> Lewin)			
( <i>A. microcephala</i> S.Moore)			
Arnold & De Wet: 787			Possibly occurring in Lesotho
<i>microcephala</i> (DC.) Beauverd			
( <i>Venidium microcephalum</i> DC.)			
Arnold & De Wet: 787		M	
<i>venusta</i> Norl.			
( <i>A. stoechadifolia</i> auctt., non P.J.Bergius)			
Arnold & De Wet: 788		L, F	
<b>ARTEMISIA L.</b>	<b>9358000</b>		
<i>afra</i> Jacq. ex Willd.			
Arnold & De Wet: 755		L, F, M, S	
<b>ASTER L.</b>	<b>8900000</b>		
<i>bakerianus</i> Burtt Davy ex C.A.Sm.			
( <i>A. asper</i> J.M.Wood & M.S.Evans)			
( <i>A. bakerianus</i> Burtt Davy ex C.A.Sm. subsp. <i>angustifolius</i> Lippert)			
( <i>A. bakerianus</i> Burtt Davy ex C.A.Sm. subsp. <i>intermedius</i> Lippert)			
Arnold & De Wet: 706		F, M, S	
<i>crucifolius</i> (Thell.) Lippert			
( <i>Felicia erucifolia</i> Thell.)			
( <i>Felicia pinnatifida</i> J.M.Wood & M.S.Evans)			
Arnold & De Wet: 707		M	
<i>perfoliatus</i> Oliv.			
Arnold & De Wet: 707		M	
* <i>squamatus</i> (Spreng.) Hieron.			
( <i>Conyza squamata</i> Spreng.)			
Arnold & De Wet: 708		L	
<b>ATHRIXIA Ker Gawl.</b>	<b>9055000</b>		
<i>angustissima</i> DC.			
Arnold & De Wet: 738		M	
<i>arachnoidea</i> J.M.Wood & M.S.Evans ex J.M.Wood			
Arnold & De Wet: 738			Possibly occurring in Lesotho
<i>elata</i> Sond.			
Arnold & De Wet: 738		L, F	
			<i>fontana</i> MacOwan
			( <i>A. drakensbergensis</i> Thell.)
			Arnold & De Wet: 738
			F, M
			<b>BERKHEYA Ehrh.</b>
			<b>9438000</b>
			<i>bupthalmoides</i> (DC.) Schltr.
			( <i>Stobaea bupthalmoides</i> DC.)
			Arnold & De Wet: 793
			L
			<i>cirsifolia</i> (DC.) Roessler
			( <i>B. alba</i> E.Phillips)
			( <i>Stobaea cirsifolia</i> DC.)
			Arnold & De Wet: 793
			F, M
			<i>discolor</i> (DC.) O.Hoffm. & Muschl.
			( <i>B. kuntzei</i> O.Hoffm.)
			( <i>B. microcephala</i> (DC.) R.A.Dyer)
			( <i>B. polyacantha</i> S.Moore)
			Arnold & De Wet: 794
			L, F, M
			<i>maritima</i> J.M.Wood & M.S.Evans
			Pooley (1998): 336
			L, M
			<i>montana</i> J.M.Wood & M.S.Evans
			( <i>B. arctifolia</i> O.Hoffm.)
			( <i>B. bilabiata</i> N.E.Br.)
			Arnold & De Wet: 794
			M
			<i>multijuga</i> (DC.) Roessler
			( <i>Stobaea grandifolia</i> DC.)
			( <i>Stobaea multijuga</i> DC.)
			Arnold & De Wet: 794
			F, M
			<i>onopordifolia</i> (DC.) O.Hoffm. ex Burtt Davy var.
			<i>onopordifolia</i>
			( <i>Stobaea onopordifolia</i> DC.)
			Arnold & De Wet: 795
			L
			<i>pinnatifida</i> (Thunb.) Thell. subsp. <i>stobaeoides</i> (Harv.)
			Roessler
			( <i>B. stobaeoides</i> Harv.)
			Arnold & De Wet: 795
			L
			<i>purpurea</i> (DC.) Mast.
			( <i>Stobaea purpurea</i> DC.)
			Arnold & De Wet: 795
			M
			<i>rhapontica</i> (DC.) Hutch. & Burtt Davy subsp. <i>aristosa</i>
			(DC.) Roessler var. <i>aristosa</i>
			( <i>Stobaea aristosa</i> DC.)
			Arnold & De Wet: 795
			F, M
			<i>rhapontica</i> (DC.) Hutch. & Burtt Davy subsp. <i>aristosa</i>
			(DC.) Roessler var. <i>exalata</i> Roessler
			( <i>B. evansii</i> Schltr.)
			Arnold & De Wet: 795
			F
			<i>rhapontica</i> (DC.) Hutch. & Burtt Davy subsp.
			<i>rhapontica</i>
			( <i>Stobaea rhapontica</i> DC.)
			Arnold & De Wet: 795
			F
			<i>rosulata</i> Roessler
			( <i>B. grandiflora</i> Willd. var. <i>alternifolia</i> E.Phillips)
			Arnold & De Wet: 795
			F, M
			<i>setifera</i> DC.
			( <i>Crocodylodes setiferum</i> (DC.) Kuntze)
			Arnold & De Wet: 795
			L, F, M, S
			<i>speciosa</i> (DC.) O.Hoffm. subsp. <i>speciosa</i>
			( <i>Stobaea speciosa</i> DC.)
			Arnold & De Wet: 795
			F
			<b>BIDENS L.</b>
			<b>9237000</b>
			* <i>bipinnata</i> L.

Arnold & De Wet: 746	L, M	( <i>C. microcephala</i> DC.)	
<b>*pilosa</b> L.		Arnold & De Wet: 753	L
( <i>B. leucantha</i> (L.) Willd.)		<b>australis</b> (Spreng.) Hook.f.	
Arnold & De Wet: 746	L	( <i>Anacyclus australis</i> Spreng.)	
		Arnold & De Wet: 753	L
<b>CHRYSANTHEMOIDES</b> Fabr.	9427020	<b>hispida</b> (DC.) Harv.	
<b>monilifera</b> (L.) Norl. subsp. <b>canescens</b> (DC.) Norl.		( <i>Tanacetum hispidum</i> DC.)	
( <i>Osteospermum pisiferum</i> L. var. <i>canescens</i> DC.)		Arnold & De Wet: 753	M
Arnold & De Wet: 782	L, F	<b>lineariloba</b> (DC.) Hilliard	
		( <i>C. sericea</i> Thunb., nom. nud.)	
<b>CHRYSOCOMA</b> L.	8930000	( <i>Tanacetum linearilobum</i> DC.)	
<b>ciliata</b> L.		Arnold & De Wet: 753	M
( <i>Aster discoideus</i> Sond.)		<b>paludosa</b> Hilliard	
( <i>C. microcephala</i> DC.)		Arnold & De Wet: 753	M
( <i>C. tenuifolia</i> P.J.Bergius)		<b>radicalis</b> (Killick & C.Claassen) Hilliard & B.L.Burt	
Arnold & De Wet: 715	L, F, M, S	( <i>Schistostephium radicale</i> Killick & C.Claassen)	
		Arnold & De Wet: 754	M
<b>CINERARIA</b> L.	9406000	<b>socialis</b> Hilliard	
<b>aspera</b> Thunb.		Arnold & De Wet: 754	L
Arnold & De Wet: 759	L, F, M		
<b>britteniae</b> Hutch. & R.A.Dyer		<b>CREPIS</b> L.	9605000
Arnold & De Wet: 759	M	<b>hypochaeridea</b> (DC.) Thell.	
<b>dieterlenii</b> E.Phillips		( <i>Anisoramphus hypochaerideus</i> DC.)	
Arnold & De Wet: 759	L, M	( <i>C. hypochaeridea</i> (DC.) Thell. var. <i>genuina</i> Thell.)	
<b>geifolia</b> (L.) L.		( <i>C. hypochaeridea</i> (DC.) Thell. var. <i>junodiana</i> Thell.)	
Arnold & De Wet: 759	F	Arnold & De Wet: 802	F
<b>lobata</b> L'Hér.			
Arnold & De Wet: 759	M	<b>DENEKIA</b> Thunb.	8949000
<b>lyratiformis</b> Cron		<b>capensis</b> Thunb.	
( <i>C. lyrata</i> DC.)		( <i>Amphidoxa glandulosa</i> Klatt)	
Germishuizen & Meyer: 203	L, M	( <i>D. glabrata</i> DC.)	
		Arnold & De Wet: 717	L, F, M
<b>CIRSIUM</b> Mill. emended Scop.	9462000		
<b>*vulgare</b> (Savi) Ten.		<b>DICOMA</b> Cass.	9501000
( <i>Carduus vulgare</i> Savi)		<b>anomala</b> Sond. subsp. <b>anomala</b>	
Arnold & De Wet: 798	L, F, M, S	( <i>D. anomala</i> Sond. subsp. <i>cirsioides</i> (Harv.) Wild)	
		( <i>D. anomala</i> Sond. var. <i>cirsioides</i> Harv.)	
<b>CONYZA</b> Less.	8926000	Arnold & De Wet: 799	L, F, M, S
<b>*bonariensis</b> (L.) Cronquist			
Arnold & De Wet: 714	L	<b>DIMORPHOTHECA</b> Vaill. ex Moench	9425000
<b>*canadensis</b> (L.) Cronquist		<b>caulescens</b> (Harv.) Harv.	
( <i>Erigeron canadensis</i> L.)		( <i>Dimorphotheca dekindtii</i> O.Hoffm.)	
Arnold & De Wet: 714	L	( <i>Osteospermum caulescens</i> Harv.)	
<b>*chilensis</b> Spreng.		Pooley (1998): 218	L, M, F
Arnold & De Wet: 714	F	<b>jucunda</b> E.Phillips	
<b>obscura</b> DC.		( <i>Osteospermum jucundum</i> (E.Phillips) Norl.)	
( <i>Webbia kraussii</i> Sch.Bip.)		Germishuizen & Meyer: 211	F, M
Arnold & De Wet: 714	F	<b>zeyheri</b> Sond.	
<b>pinnata</b> (L.f.) Kuntze		Germishuizen & Meyer: 212	L, M
( <i>C. pinnatilobata</i> DC.)			
Arnold & De Wet: 714	F, M	<b>ERIOCEPHALUS</b> L.	9320000
( <i>Erigeron pinnatus</i> L.f.)		<b>eximius</b> DC.	
<b>podocephala</b> DC.		Arnold & De Wet: 747	F, M
Arnold & De Wet: 714	L, F, M	<b>tenuifolius</b> DC.	
		( <i>E. punctulatus</i> DC. var. <i>tenuifolius</i> (DC.) Harv.)	
<b>COSMOS</b> Cav.	9238000	Arnold & De Wet: 747	L, F, M, S
<b>*bipinnatus</b> Cav.			
( <i>Bidens formosa</i> (Bonato) Sch.Bip.)		<b>EUMORPHIA</b> DC.	9323000
Germishuizen & Meyer: 205	L, F	<b>prostrata</b> Bolus	
		Arnold & De Wet: 748	M
<b>COTULA</b> L.	9351000	<b>sericea</b> J.M.Wood & M.S.Evans subsp. <b>sericea</b>	
<b>anthemoides</b> L.		Arnold & De Wet: 748	M

<b>EURYOPS</b> (Cass.) Cass.	<b>9417000</b>	
<b>acraeus</b> M.D.Hend.		
Arnold & De Wet: 770	M	
<b>annae</b> E.Phillips		
( <i>E. oligoglossus</i> DC., pro parte)		
( <i>E. racemosus</i> auctt., non DC.)		
Arnold & De Wet: 770	L, M	
<b>candollei</b> Harv.		
( <i>E. galpinii</i> E.Phillips, nom. illeg.)		
Arnold & De Wet: 770	M	
<b>decumbens</b> B.Nord.		
( <i>E. montanus</i> auctt., pro parte, non Schltr.; E.Phillips)		
Arnold & De Wet: 770	F, M	
<b>empetrifolius</b> DC.		
( <i>E. ciliatus</i> Harv.)		
( <i>E. densifolius</i> Sond., ex Harv.)		
( <i>E. sulcatus</i> auctt., non (Thunb.) Harv.)		
Arnold & De Wet: 771	M	
<b>evansii</b> Schltr. subsp. <b>dendroides</b> B.Nord.		
Arnold & De Wet: 771	F, M, S	
<b>evansii</b> Schltr. subsp. <b>evansii</b>		
( <i>E. dieterleniae</i> J.M.Wood)		
Arnold & De Wet: 771	F	
<b>evansii</b> Schltr. subsp. <b>parvus</b> B.Nord.		
Arnold & De Wet: 771	M	
<b>inops</b> B.Nord.		
Arnold & De Wet: 771	M	
<b>montanus</b> Schltr.		
Arnold & De Wet: 771	M	
<b>oligoglossus</b> DC. subsp. <b>oligoglossus</b>		
( <i>E. triqueter</i> Less., ex Harv.)		
Arnold & De Wet: 772	S	
<b>tysonii</b> E.Phillips		
( <i>E. krookii</i> Gand.)		
( <i>E. lateriflorus</i> auctt., non (L.f.) DC.)		
( <i>E. lateriflorus</i> (L.f.) DC. var. <i>oblongifolia</i> O.Hoffm.)		
Arnold & De Wet: 773	F, M, S	
<b>virgineus</b> (L.f.) DC.		
( <i>E. flabelliformis</i> Cass., nom. illeg.)		
( <i>Othoma virginea</i> L.f.)		
Arnold & De Wet: 773		Possibly occurring in Lesotho
<b>FELICIA</b> Cass.	<b>8919000</b>	
<b>caespitosa</b> Grau		
Arnold & De Wet: 709	M	
<b>drakensbergensis</b> J.M.Wood & M.S.Evans		
( <i>F. amelloides</i> Schltr.)		
Arnold & De Wet: 709	M	
<b>filifolia</b> (Vent.) Burt Davy subsp. <b>filifolia</b>		
( <i>Aster filifolius</i> Vent.)		
( <i>Diplopappus filifolius</i> (Vent.) DC.)		
( <i>Diplopappus teretifolius</i> Less.)		
Arnold & De Wet: 710	L, F, M, S	
<b>hyssopifolia</b> (P.J.Bergius) Nees subsp. <b>polyphylla</b> (Harv.) Grau		
( <i>Aster serrulatus</i> Harv. var. <i>densus</i> Harv.)		
( <i>Aster serrulatus</i> Harv. var. <i>polyphyllus</i> Harv.)		
Arnold & De Wet: 710	L	
<b>linearis</b> N.E.Br.		
( <i>F. lingulata</i> Klatt ex Schinz)		
Arnold & De Wet: 711	M	
<b>monocephala</b> Grau		
Arnold & De Wet: 711		L, M
<b>muricata</b> (Thunb.) Nees subsp. <b>muricata</b>		
( <i>Aster muricatus</i> Thunb.)		
( <i>Aster muricatus</i> Thunb. var. <i>chrysocomoides</i> Sond.)		
( <i>Aster villosus</i> Thunb., pro parte)		
Arnold & De Wet: 711	L, F, M	
<b>petiolata</b> (Harv.) N.E.Br.		
( <i>Aster petiolatus</i> Harv.)		
Arnold & De Wet: 711	L, F, M	
<b>quinquenervia</b> (Klatt) Grau		
( <i>Aster quinquenervius</i> Klatt)		
( <i>Aster woodii</i> Klatt)		
Arnold & De Wet: 711	M	
<b>rosulata</b> Yeo		
( <i>Agathaea natalensis</i> Sch.Bip.)		
( <i>Aster natalensis</i> (Sch.Bip.) Harv.)		
( <i>F. natalensis</i> (Sch.Bip.) Schltr.)		
Arnold & De Wet: 711	M	
<b>uliginosa</b> (J.M.Wood & M.S.Evans) Grau		
( <i>Aster uliginosus</i> J.M.Wood & M.S.Evans)		
Arnold & De Wet: 712	M	
<b>GALINSOGA</b> Ruiz & Pav.	<b>9246000</b>	
* <b>parviflora</b> Cav.		
( <i>Adventina ciliata</i> Raf.)		
Arnold & De Wet: 746	L, F	
<b>GARULEUM</b> Cass.	<b>9426000</b>	
<b>woodii</b> Schinz		
Arnold & De Wet: 779	L, M	
<b>GAZANIA</b> Gaertn.	<b>9434000</b>	
<b>krebsiana</b> Less. subsp. <b>krebsiana</b>		
( <i>G. lineariloba</i> DC.)		
( <i>G. mucronata</i> DC.)		
( <i>G. oxyloba</i> DC.)		
Arnold & De Wet: 790	L, F, M, S	
<b>krebsiana</b> Less. subsp. <b>serrulata</b> (DC.) Roessler		
( <i>G. bracteata</i> N.E.Br.)		
( <i>G. canescens</i> Harv.)		
( <i>G. montana</i> Spreng.)		
( <i>G. nivea</i> auctt., non Less.)		
( <i>G. pygmaea</i> Sond.)		
( <i>G. schinzii</i> O.Hoffm.)		
( <i>G. serrulata</i> DC.)		
Arnold & De Wet: 790	L, F	
<b>linearis</b> (Thunb.) Druce var. <b>linearis</b>		
( <i>G. kraussii</i> Sch.Bip.)		
( <i>G. longiscapa</i> DC.)		
( <i>G. pinnata</i> (Thunb.) Less. var. <i>multijuga</i> (DC.) Harv.)		
( <i>G. subulata</i> R.Br.)		
( <i>Gorteria linearis</i> Thunb.)		
Germishuizen & Meyer: 229	L	
<b>GEIGERIA</b> Griess.	<b>9090000</b>	
<b>aspera</b> Harv. var. <b>aspera</b>		
Arnold & De Wet: 741	L	
<b>filifolia</b> Mattf.		
( <i>G. africana</i> Griess. subsp. <i>filifolia</i> (Mattf.) Merxm.)		
( <i>G. passerinoides</i> Harv., pro parte)		
Arnold & De Wet: 741	S	

<b>GERBERA L.</b>	<b>9528000</b>			Arnold & De Wet: 723	L, M
<b>ambigua</b> (Cass.) Sch.Bip.				<b>appendiculatum</b> (L.f.) Less.	
( <i>G. discolor</i> Harv.)				( <i>Gnaphalium appendiculatum</i> L.f.)	
Pooley (1998): 220	L, M			Arnold & De Wet: 723	L
<b>piloselloides</b> (L.) Cass.				<b>argentissimum</b> J.M.Wood	
( <i>Arnica piloselloides</i> L.)				Arnold & De Wet: 723	M
( <i>Piloselloides hirsuta</i> (Forssk.) C.Jeffrey)				<b>aurconitens</b> Sch.Bip.	
Arnold & De Wet: 800	L, M, S			Arnold & De Wet: 723	F
<b>viridifolia</b> (DC.) Sch.Bip.				<b>aureum</b> (Houtt.) Merr. var. <b>monocephalum</b> (DC.)	
( <i>G. burchellii</i> Dummer)				Hilliard	
( <i>G. glandulosa</i> Dummer)				( <i>H. fulgidum</i> (L.f.) Willd. var. <b>monocephalum</b> DC.)	
( <i>G. plantaginea</i> Harv.)				( <i>H. fulgidum</i> (L.f.) Willd. var. <b>nanum</b> DC.)	
Germishuizen & Meyer: 232	L			Arnold & De Wet: 724	F, M
<b>GNAPHALIUM L.</b>	<b>8992000</b>			<b>basalticum</b> Hilliard	
<b>austroafricanum</b> Hilliard				( <i>Gnaphalium alticolum</i> Compton)	
Arnold & De Wet: 719	L, M			Arnold & De Wet: 724	M
<b>confine</b> Harv.				<b>bellidiastrum</b> Moeser	
( <i>G. drakensbergense</i> Markötter)				Arnold & De Wet: 724	L, F, M
Arnold & De Wet: 719	L			<b>bellum</b> Hilliard	
<b>filagopsis</b> Hilliard & B.L.Burt				Arnold & De Wet: 724	M
( <i>Amphidoxa filaginea</i> Ficalho & Hiern)				<b>caespititium</b> (DC.) Harv.	
( <i>Amphidoxa filaginea</i> Ficalho & Hiern var. <i>transiens</i> Merxm.)				( <i>H. lineare</i> DC. var. <i>caespititium</i> DC.)	
Arnold & De Wet: 719	L			Arnold & De Wet: 724	L, F, M, S
<b>griquense</b> Hilliard & B.L.Burt				<b>callicomum</b> Harv.	
( <i>Amphidoxa adscendens</i> O.Hoffm. ex Zahlbr.)				Hilliard: 68	L, F, M
Arnold & De Wet: 719	M			<b>cephaloideum</b> DC.	
<b>limicola</b> Hilliard				( <i>H. adscendens</i> sensu Moeser, non (Thunb.) Less)	
Arnold & De Wet: 719	M			( <i>H. adscendens</i> (Thunb.) Less. var. <i>cephaloideum</i> (DC.) Moeser)	
				( <i>H. campaneum</i> S.Moore)	
				Arnold & De Wet: 724	L, F, M
<b>GYMNOPEPTZIA Benth.</b>	<b>9364000</b>			<b>chionosphaerum</b> DC.	
<b>bifurcata</b> Benth.				( <i>H. pondoense</i> Schltr.)	
( <i>Athanasia turbinata</i> Burt Davy)				( <i>H. randii</i> S.Moore)	
( <i>G. pilifera</i> N.E.Br.)				Arnold & De Wet: 724	L, F, S
Arnold & De Wet: 755	F, M			<b>confertum</b> N.E.Br.	
				Arnold & De Wet: 724	M
<b>HAPLOCARPHA Less.</b>	<b>9432030</b>			<b>cooperi</b> Harv.	
<b>nervosa</b> (Thunb.) P.Beauv.				Arnold & De Wet: 724	L, F, M
( <i>H. hirsuta</i> (Less.) P.Beauv.)				<b>cymosum</b> (L.) D.Don subsp. <b>calvum</b> Hilliard	
( <i>H. ovata</i> Lewin)				( <i>H. infaustum</i> J.M.Wood & M.S.Evans var. <i>discolor</i> Moeser)	
( <i>H. serrata</i> Lewin)				Arnold & De Wet: 725	M
Arnold & De Wet: 789	M			<b>dasycephalum</b> O.Hoffm.	
<b>scaposa</b> Harv.				Arnold & De Wet: 725	L, F
( <i>H. thunbergii</i> DC.)				<b>dregeanum</b> Sond. & Harv.	
Arnold & De Wet: 789	L, F, M, S			Arnold & De Wet: 725	L
<b>HELICHRYSUM Mill.</b>	<b>9006000</b>			<b>ecklonis</b> Sond.	
<b>adenocarpum</b> DC. subsp. <b>adenocarpum</b>				( <i>H. calocephalum</i> Schltr.)	
Arnold & De Wet: 723	M			( <i>H. lamprocephalum</i> Bolus)	
<b>albirosulatum</b> Killick				( <i>H. scapiforme</i> Moeser)	
Arnold & De Wet: 723	M			Arnold & De Wet: 725	F, M
<b>albo-brunneum</b> S.Moore				<b>elegantissimum</b> DC.	
( <i>H. setigerum</i> Bolus)				Arnold & De Wet: 725	L, M, S
( <i>H. setigerum</i> Bolus var. <i>minor</i> Bolus)				<b>evansii</b> Hilliard	
Arnold & De Wet: 723	F, M			( <i>H. alticolum</i> Bolus var. <i>montanum</i> Bolus)	
<b>album</b> N.E.Br.				Arnold & De Wet: 725	F, M
Arnold & De Wet: 723	Possibly occurring in Lesotho			<b>flanagani</b> Bolus	
<b>ammitophilum</b> Hilliard				Arnold & De Wet: 725	M
Arnold & De Wet: 723	F			<b>glaciale</b> Hilliard	
<b>anomalum</b> Less.				Arnold & De Wet: 726	M
( <i>H. anomalum</i> Less. var. <i>ovatum</i> Harv.)				<b>glomeratum</b> Klatt	
( <i>H. anomalum</i> Less. var. <i>turbinatum</i> Harv.)				Arnold & De Wet: 726	M
				<b>grandibracteatum</b> M.D.Hend.	

Arnold & De Wet: 726	M	Arnold & De Wet: 728	L, F, M, S
<b>griseolanatum</b> Hilliard		<b>oreophilum</b> Klatt	
( <i>H. epapposum</i> Bolus var. <i>robustum</i> Bolus)		Arnold & De Wet: 728	M
( <i>H. inerne</i> Moeser var. <i>brachycladum</i> Moeser)		<b>pagophilum</b> M.D.Hend.	
Arnold & De Wet: 726	M	Arnold & De Wet: 728	M
<b>gymnocomum</b> DC.		<b>paleatum</b> Hilliard	
Arnold & De Wet: 726	M	Arnold & De Wet: 728	M
<b>herbaceum</b> (Andrews) Sweet		<b>pallidum</b> DC.	
( <i>H. squamosum</i> auctt., non (Jacq.) Thunb.)		( <i>H. agrostophilum</i> Klatt, pro parte)	
( <i>Xeranthemum herbaceum</i> Andrews)		( <i>H. agrostophilum</i> Klatt var. <i>nemorosum</i> Bolus)	
Arnold & De Wet: 726	F	( <i>H. undatum</i> (J.M.Gmel.) Less. var. <i>agrostophilum</i> (Klatt) Moeser)	
<b>heterolasium</b> Hilliard		Arnold & De Wet: 728	L, M
Arnold & De Wet: 726	M	<b>palustre</b> Hilliard	
<b>infaustum</b> J.M.Wood & M.S.Evans		Arnold & De Wet: 728	M
( <i>Calomeria infausta</i> (J.M.Wood & M.S.Evans) Heine)		<b>paronychioides</b> DC.	
( <i>Humica infausta</i> (J.M.Wood & M.S.Evans) S.Moore)		Arnold & De Wet: 728	L
Arnold & De Wet: 726	F, M	<b>pedunculatum</b> Hilliard & B.L.Burt	
<b>inornatum</b> Hilliard & B.L.Burt		( <i>H. pedunculare</i> auctt., non (L.) DC.)	
Arnold & De Wet: 726	Possibly occurring in Lesotho	Arnold & De Wet: 728	L
<b>krOOKii</b> Moeser		<b>platypterum</b> DC.	
Arnold & De Wet: 726	L, F, M	( <i>Cassinia alba</i> O.Hoffm.)	
<b>lineare</b> DC.		( <i>Gnaphalium amplus</i> Kuntze)	
( <i>H. seineri</i> Moeser)		Arnold & De Wet: 728	F, M
Arnold & De Wet: 727	M	<b>praecurrens</b> Hilliard	
<b>lineatum</b> Bolus		Arnold & De Wet: 728	M
Arnold & De Wet: 727	M	<b>psilolepis</b> Harv.	
<b>marginatum</b> DC.		Arnold & De Wet: 728	F, M
Arnold & De Wet: 727	M	<b>retortoides</b> N.E.Br.	
<b>melanacme</b> DC.		Arnold & De Wet: 729	M
( <i>H. kuntzei</i> (Kuntze) Moeser)		<b>rugulosum</b> Less.	
( <i>H. pullulum</i> Burt Davy)		Arnold & De Wet: 729	L, F, M
( <i>H. tenuiculum</i> sensu Hilliard, non DC.)		<b>sessilioides</b> Hilliard	
Arnold & De Wet: 727	L, F, M, S	( <i>H. aretioides</i> Thell.)	
<b>miconiifolium</b> DC.		( <i>H. sessile</i> auctt., non DC.)	
Arnold & De Wet: 727	L, F, M	Arnold & De Wet: 729	M
<b>milfordiae</b> Killick		<b>simillimum</b> DC.	
Arnold & De Wet: 727	M	Arnold & De Wet: 729	M
<b>montanum</b> DC.		<b>spiralepis</b> Hilliard & B.L.Burt	
( <i>H. splendidum</i> (Thunb.) Less. var. <i>montanum</i> (DC.) Harv.)		( <i>H. involucreatum</i> Klatt)	
Arnold & De Wet: 727	M	( <i>Leontonyx squarrosus</i> DC.)	
<b>monticola</b> Hilliard		( <i>Leontonyx tomentosus</i> Cass.)	
Arnold & De Wet: 727	M	Arnold & De Wet: 730	F, M
<b>mundtii</b> Harv.		<b>splendidum</b> (Thunb.) Less.	
Arnold & De Wet: 727	F	( <i>Gnaphalium splendidum</i> Thunb.)	
<b>nanum</b> Klatt		( <i>H. strictum</i> (Lam.) Druce)	
Arnold & De Wet: 727	M	Arnold & De Wet: 730	L, F, M
<b>nudifolium</b> (L.) Less. var. <b>nudifolium</b>		<b>spodiophyllum</b> Hilliard & B.L.Burt	
( <i>Gnaphalium nudifolium</i> L.)		Arnold & De Wet: 730	M
( <i>Gnaphalium plantaginifolium</i> Kuntze)		<b>subfalcatum</b> Hilliard	
( <i>H. asperifolium</i> Moeser)		Arnold & De Wet: 730	M
( <i>H. coriaceum</i> Harv.)		<b>subglomeratum</b> Less.	
( <i>H. leiopodium</i> DC.)		( <i>H. subglomeratum</i> Less. var. <i>lingulatum</i> Harv.)	
( <i>H. plantaginifolium</i> O.Hoffm. ex Moeser)		Arnold & De Wet: 730	L, M
Germishuizen & Meyer: 242	L, F, M,	<b>sutherlandii</b> Harv.	
<b>nudifolium</b> (L.) Less. var. <b>pilosellum</b> (L.f.) Beentje		( <i>H. pulvinatum</i> O.Hoffm. ex Kuntze)	
( <i>Gnaphalium pilosellum</i> L.f.)		( <i>H. sutherlandii</i> Harv. var. <i>semiglabrum</i> N.E.Br.)	
( <i>H. latifolium</i> (Thunb.) Less.)		Arnold & De Wet: 730	L, F, M
( <i>H. pedunculare</i> (L.) DC. var. <i>pilosellum</i> (L.f.) Harv.)		<b>swynnertonii</b> S.Moore	
( <i>H. pilosellum</i> (L.f.) Less.)		Hilliard: 258	M
Germishuizen & Meyer: 242	F, M	<b>tenax</b> M.D.Hend. var. <b>tenax</b>	
<b>odoratissimum</b> (L.) Sweet		( <i>H. fulgidum</i> (L.f.) Willd. var. <i>subnudatum</i> DC.)	
( <i>Gnaphalium odoratissimum</i> L.)		Arnold & De Wet: 730	M

<b>trilineatum</b> DC.			( <i>Gnaphalium muricatum</i> L.)	
Arnold & De Wet: 730	M		( <i>M. ericoides</i> Sieber ex DC.)	
<b>umbraculigerum</b> Less.			( <i>M. umbellata</i> Cass.)	
( <i>H. coactum</i> M.D.Hend.)			Van Wyk & Van Wyk: 60	Possibly occurring in Lesotho
Pooley (1998): 316	M			
<b>withbergense</b> Bolus			<b>NIDORELLA</b> Cass.	8925000
( <i>H. splenditum</i> (Thunb.) Less. var. <i>basuticum</i> E.Phillips)			<b>agria</b> Hilliard	
Arnold & De Wet: 730	M		Arnold & De Wet: 713	M
<b>zeyheri</b> Less.			<b>anomala</b> Steetz	
( <i>H. zeyheri</i> Less. var. <i>burchellii</i> (DC.) Harv.)			( <i>N. angustifolia</i> O.Hoffm.)	
( <i>H. zeyheri</i> Less. var. <i>intermedium</i> (DC.) Harv.)			( <i>N. depauperata</i> Harv.)	
Arnold & De Wet: 731	S		( <i>N. solidaginea</i> auctt., non DC.; Wild)	
			Arnold & De Wet: 713	L, F, M
<b>HETEROMMA</b> Benth.	8931000		<b>auriculata</b> DC.	
<b>decurrens</b> (DC.) O.Hoffm.			( <i>N. auriculata</i> DC. subsp. <i>polycephala</i> (DC.) Wild)	
( <i>Chrysocoma decurrens</i> DC.)			( <i>N. diversifolia</i> Spreng. ex Steetz)	
( <i>Senecio evansii</i> N.E.Br.)			( <i>N. kraussii</i> (Sch.Bip. ex Walp.) Harv.)	
Arnold & De Wet: 715	M		Arnold & De Wet: 713	L, F, M
<b>HYPOCHAERIS</b> L.	9572000		<b>resedifolia</b> DC. subsp. <i>resedifolia</i>	
<b>*glabra</b> L.			( <i>N. densifolia</i> O.Hoffm.)	
( <i>H. capensis</i> Less.)			( <i>N. hirta</i> DC.)	
Arnold & De Wet: 801	L		( <i>N. krookii</i> O.Hoffm.)	
<b>*radicata</b> L.			Arnold & De Wet: 713	L, M
Arnold & De Wet: 801	L, F, M		<b>undulata</b> (Thunb.) Sond. ex Harv.	
			( <i>Chrysocoma undulata</i> Thunb.)	
<b>INULANTHERA</b> Källersjö	9326010		( <i>N. amplexicaulis</i> DC.)	
<b>thodei</b> (Bolus) Källersjö			( <i>N. longifolia</i> DC.)	
( <i>Athanasia thodei</i> Bolus)			Arnold & De Wet: 713	M
Arnold & De Wet: 750	F, M			
<b>LACTUCA</b> L.	9596000		<b>NOLLETIA</b> Cass.	8929000
<b>inermis</b> Forssk.			<b>ciliaris</b> (DC.) Steetz	
( <i>L. capensis</i> Thunb.)			( <i>Leptothamnus ciliaris</i> DC.)	
( <i>L. pallidicoerulea</i> Dinter)			Arnold & De Wet: 714	L
Germishuizen & Meyer: 251	M			
<b>*serriola</b> L.			<b>ONCOSIPHON</b> Källersjö	9366020
( <i>L. scariola</i> L.)			<b>piluliferum</b> (L.f.) Källersjö	
( <i>L. virosa</i> auctt., non L.)			( <i>Cotula globifera</i> Thunb.)	
Arnold & De Wet: 802	F, M		( <i>Cotula pilulifera</i> L.f.)	
			( <i>Matricaria globifera</i> (Thunb.) Fenzl ex Harv.)	
<b>LASIOSPERMUM</b> Lag.	9321000		Arnold & De Wet: 756	L
<b>bipinnatum</b> (Thunb.) Druce			<b>OSTEOSPERMUM</b> L.	9427000
( <i>Lidbeckia bipinnata</i> Thunb.)			<b>muricatum</b> E.Mey. ex DC. subsp. <i>muricatum</i>	
Arnold & De Wet: 747	L, F, M		( <i>O. hamiltoni</i> S.Moore)	
			( <i>Oligocarpus calendulaceus</i> auctt., non Less.; Dinter)	
<b>MACOWANIA</b> Oliv.	9053000		Arnold & De Wet: 781	M
<b>glandulosa</b> N.E.Br.		Possibly occurring in Lesotho	<b>thodei</b> Markötter	
Arnold & De Wet: 738			( <i>O. monticola</i> Norl.)	
<b>pulvinaris</b> N.E.Br.			Arnold & De Wet: 782	M
Arnold & De Wet: 738	L, M			
<b>sororis</b> Compton			<b>OTHONNA</b> L.	9420000
Arnold & De Wet: 738	M		<b>carnosa</b> Less. var. <i>carnosa</i>	
			( <i>Cineraria cacalioides</i> L.f.)	
<b>METALASIA</b> R.Br.	9043000		Arnold & De Wet: 774	M
<b>densa</b> (Lam.) P.O.Karis			<b>natalensis</b> Sch.Bip.	
( <i>Gnaphalium densum</i> Lam.)			( <i>O. scapigera</i> Harv.)	
( <i>M. aristata</i> DC.)			Arnold & De Wet: 775	F, M
( <i>M. polyanthos</i> (Thunb.) D.Don)				
( <i>M. stricta</i> Less.)			<b>PEGOLETTIA</b> Cass.	9073000
Arnold & De Wet: 733	L, F		<b>retrofracta</b> (Thunb.) Kies	
<b>muricata</b> (L.) D.Don			( <i>Eupatorium retrofractum</i> Thunb.)	
			( <i>Fresenia foliosa</i> Klatt)	

<p>(<i>P. acuminata</i> DC.) Arnold &amp; De Wet: 740</p>	M	<p><b>SCHKUHRIA</b> Roth 9291000 *<i>pinnata</i> (Lam.) Cabrera (<i>S. bonariensis</i> Hook. &amp; Arn.) Arnold &amp; De Wet: 746</p>	L, M
<p><b>PENTZIA</b> Thunb. 9366000 <i>cooperi</i> Harv. Arnold &amp; De Wet: 755 <i>globosa</i> Less. (<i>P. globifera</i> Licht. ex Less.) Arnold &amp; De Wet: 755 <i>tortuosa</i> (DC.) Fenzl ex Harv. (<i>Tanacetum tortuosum</i> DC.) Arnold &amp; De Wet: 756</p>	L, F, M	<p><b>SENECIO</b> L. 9411000 <i>achilleifolius</i> DC. (<i>S. achilleifolius</i> DC. var. <i>glanduloso-scaber</i> Thell.) (<i>S. achilleifolius</i> DC. var. <i>glaucescens</i> (DC.) Harv.) Arnold &amp; De Wet: 760 <i>adnatus</i> DC. (<i>S. pauciligulatus</i> R.A.Dyer &amp; C.A.Sm.) Arnold &amp; De Wet: 760 <i>affinis</i> DC. (<i>Hertia natalensis</i> O.Hoffm. ex Kuntze) (<i>S. albanensis</i> DC. var. <i>leiophyllus</i> Harv.) (<i>S. albanensis</i> DC. var. <i>pseudodecurrans</i> Thell.) Arnold &amp; De Wet: 760 <i>albanensis</i> DC. var. <i>doroniciflorus</i> (DC.) Harv. (<i>S. doroniciflorus</i> DC.) (<i>S. firbrosus</i> O.Hoffm. ex Kuntze) Arnold &amp; De Wet: 760 <i>arabidifolius</i> O.Hoffm. Arnold &amp; De Wet: 761 <i>asperulus</i> DC. Arnold &amp; De Wet: 761 <i>barbatus</i> DC. (<i>S. thyrsoideus</i> DC.) Arnold &amp; De Wet: 761 <i>brachypodus</i> DC. (<i>S. natalensis</i> Sch.Bip.) Arnold &amp; De Wet: 761 <i>brevidentatus</i> M.D.Hend. Arnold &amp; De Wet: 761 <i>bupleuroides</i> DC. (<i>S. bupleuroides</i> DC. var. <i>denticulatus</i> DC.) (<i>S. bupleuroides</i> DC. var. <i>falcatus</i> Sch.Bip.) Arnold &amp; De Wet: 761 <i>burchellii</i> DC. Arnold &amp; De Wet: 761 <i>caloneotes</i> Hilliard Arnold &amp; De Wet: 761 <i>conrathii</i> N.E.Br. (<i>S. pachythesis</i> E.Phillips &amp; C.A.Sm.) Arnold &amp; De Wet: 762 <i>coronatus</i> (Thunb.) Harv. (<i>Cineraria coronata</i> Thunb.) (<i>S. lasiorhizoides</i> Sch.Bip.) (<i>S. lasiorhizus</i> DC.) Arnold &amp; De Wet: 762 <i>crenulatus</i> Thunb. Arnold &amp; De Wet: 762 <i>cryptolanatus</i> Killick Arnold &amp; De Wet: 762 <i>decurrans</i> DC. Arnold &amp; De Wet: 762 <i>discodegeanus</i> Hilliard &amp; B.L.Burtt (<i>S. dregeanus</i> DC. var. <i>discoideus</i> DC.) Arnold &amp; De Wet: 762 <i>dissimulans</i> Hilliard Arnold &amp; De Wet: 762 <i>erubescens</i> Aiton var. <i>crepidifolius</i> DC.</p>	M
<p><b>PRINTZIA</b> Cass. 9059000 <i>auriculata</i> Harv. (<i>P. densifolia</i> J.M.Wood &amp; M.S.Evans) (<i>P. laxa</i> N.E.Br.) Arnold &amp; De Wet: 739 <i>nutans</i> (Bolos) Leins (<i>Bojeria nutans</i> Bolos) Arnold &amp; De Wet: 739 <i>pyrifolia</i> Less. Arnold &amp; De Wet: 739</p>	L, F, M, S	<p><i>possibly occurring in Lesotho</i></p>	F
<p><b>PSEUDOGNAPHALIUM</b> Kirp. 8992050 <i>luteo-album</i> (L.) Hilliard &amp; B.L.Burtt (<i>Gnaphalium luteo-album</i> L.) Arnold &amp; De Wet: 721 <i>oligandrum</i> (DC.) Hilliard &amp; B.L.Burtt (<i>Gnaphalium oligandrum</i> (DC.) Hilliard &amp; B.L.Burtt) Arnold &amp; De Wet: 721 <i>undulatum</i> (L.) Hilliard &amp; B.L.Burtt (<i>Gnaphalium undulatum</i> L.) (<i>Helichrysum montosicolum</i> Gand.) Arnold &amp; De Wet: 721</p>	L, F, M		L, F, M, S
<p><b>PULICARIA</b> Gaertn. 9078000 <i>scabra</i> (Thunb.) Druce (<i>Erigeron scabrum</i> Thunb.) (<i>Inula capensis</i> Spreng.) (<i>P. capensis</i> DC.) Arnold &amp; De Wet: 740</p>	L		L, M, S
<p><b>RELHANIA</b> L'Hér. emended K.Bremer 9050000 <i>acerosa</i> (DC.) K.Bremer (<i>Nestlera acerosa</i> (DC.) Harv.) (<i>Polychaetia acerosa</i> DC.) Arnold &amp; De Wet: 736 <i>dieterlenii</i> (E.Phillips) K.Bremer (<i>Nestlera dieterlenii</i> E.Phillips) Arnold &amp; De Wet: 736</p>	L, F, M, S		L, F, M, S
<p><b>SCHISTOSTEPHIUM</b> Less. 9356000 <i>crataegifolium</i> (DC.) Fenzl ex Harv. (<i>S. villosum</i> Hutch.) (<i>Tanacetum consanguineum</i> DC.) (<i>Tanacetum crataegifolium</i> DC.) Arnold &amp; De Wet: 754 <i>griseum</i> (Harv.) Hutch. (<i>Tanacetum griseum</i> Harv.) Arnold &amp; De Wet: 754</p>	L, F, M		M

Arnold & De Wet: 762	M	Arnold & De Wet: 766	M
<b>erubescens</b> Aiton var. <b>dichotomus</b> DC.		<b>pterophorus</b> DC.	
Germishuizen & Meyer: 285	L	( <i>S. pterophorus</i> DC. var. <i>apterus</i> DC.)	
<b>erubescens</b> Aiton var. <b>erubescens</b>		Arnold & De Wet: 766	S
( <i>S. erubescens</i> Aiton var. <i>lyratus</i> Harv.)		<b>qathlambanus</b> Hilliard	
( <i>S. vernoniodes</i> Sch.Bip.)		Arnold & De Wet: 767	M
Arnold & De Wet: 762	Possibly occurring in Lesotho	<b>radicans</b> (L.f.) Sch.Bip.	
<b>glaberrimus</b> DC.		( <i>Kleinia radicans</i> (L.f.) Haw.)	
( <i>S. bupleuriformis</i> Sch.Bip.)		( <i>S. adenocalyx</i> Dinter)	
( <i>S. bupleuroides</i> DC. var. <i>latifolius</i> Harv.)		Arnold & De Wet: 767	S
( <i>S. inophyllus</i> E.Phillips & C.A.Sm.)		<b>reptans</b> Turcz.	
Arnold & De Wet: 763	L, F, M	Arnold & De Wet: 767	M
<b>gramineus</b> Harv.		<b>retrorsus</b> DC.	
Arnold & De Wet: 763	M	( <i>S. graminicolus</i> C.A.Sm.)	
<b>harveianus</b> MacOwan		( <i>S. latifolius</i> DC. var. <i>retrorsus</i> (DC.) Harv.)	
( <i>S. vimineus</i> Harv., non DC)		( <i>S. latifolius</i> DC. var. <i>subdentatus</i> DC.)	
Arnold & De Wet: 763	L, M	Arnold & De Wet: 767	L
<b>hastatus</b> L.		<b>rhomboideus</b> Harv.	
( <i>S. hastulatus</i> L.)		( <i>S. dieterlenii</i> E.Phillips)	
Arnold & De Wet: 763	L, F, M	Arnold & De Wet: 767	L, F, M
<b>hieracioides</b> DC.		<b>ruwenzoriensis</b> S.Moore	
( <i>S. johannesburgensis</i> S.Moore)		( <i>S. othonniformis</i> Fourc.)	
Arnold & De Wet: 763	L, F, M	( <i>S. paucifolius</i> DC.)	
<b>hypochoerideus</b> DC.		Arnold & De Wet: 767	F
( <i>S. prionites</i> MacOwan)		<b>saniensis</b> Hilliard & B.L.Burt	
Arnold & De Wet: 764	L, M	Arnold & De Wet: 767	M
<b>inaequidens</b> DC.		<b>scitus</b> Hutch. & Burt Davy	
( <i>S. burchellii</i> DC., pro parte)		Arnold & De Wet: 767	M
Arnold & De Wet: 764	L, M	<b>seminiveus</b> J.M.Wood & M.S.Evans	
<b>ingeliensis</b> Hilliard		Arnold & De Wet: 767	M
Arnold & De Wet: 764	M	<b>serratuloides</b> DC.	
<b>inornatus</b> DC.		( <i>S. serratuloides</i> DC. var. <i>glabratus</i> DC.)	
( <i>S. caulopterus</i> DC.)		Pooley (1998): 328	F, M
( <i>S. diversidentatus</i> Muschl.)		<b>serrulatus</b> DC.	
( <i>S. fraudulentus</i> E.Phillips & C.A.Sm.)		Arnold & De Wet: 767	M
Arnold & De Wet: 764	L, F, M	<b>speciosus</b> Willd.	
<b>isatideus</b> DC.		( <i>S. concolor</i> DC.)	
Arnold & De Wet: 764	L, F, M	Arnold & De Wet: 768	L, M
<b>macrocephalus</b> DC.		<b>subcoriaceus</b> Schltr.	
( <i>S. gyrophyllus</i> Klatt)		( <i>S. basutensis</i> Thell.)	
Arnold & De Wet: 765	F, M	Arnold & De Wet: 768	F, S
<b>macrospermus</b> DC.		<b>submontanus</b> Hilliard & B.L.Burt	
Arnold & De Wet: 765	M	Arnold & De Wet: 768	Possibly occurring in Lesotho
<b>madagascariensis</b> Poir.		<b>subrubriflorus</b> O.Hoffm.	
( <i>S. burchellii</i> auctt., non DC.)		( <i>S. pseudo-rhyncholaenus</i> Thell. excl. var. <i>auriculatus</i> Thell.)	
( <i>S. jumodanus</i> O.Hoffm.)		Arnold & De Wet: 768	F, M
Pooley (1998): 326	L	<b>tanacetopsis</b> Hilliard	
<b>othonniflorus</b> DC.		( <i>S. tanacetoides</i> Sond. ex Harv.)	
( <i>Brachyrhynchus eupatorioides</i> Less.)		Arnold & De Wet: 768	L, F, M
( <i>Doria denticulata</i> Thunb.)		<b>tugelensis</b> J.M.Wood & M.S.Evans	
Arnold & De Wet: 765	L, F, M	Arnold & De Wet: 768	M
<b>paucicalyculatus</b> Klatt		<b>*vulgaris</b> L.	
( <i>S. launayaefolius</i> O.Hoffm.)		Arnold & De Wet: 769	L
Arnold & De Wet: 766	M		
<b>polyodon</b> DC. var. <b>polyodon</b>		<b>SONCHUS</b> L.	9595000
( <i>S. breyeri</i> S.Moore)		<b>*asper</b> (L.) Hill subsp. <b>asper</b>	
( <i>S. metallicorum</i> S.Moore)		( <i>S. oleraceus</i> L. var. <i>asper</i> L.)	
( <i>S. versicolor</i> Hiern)		Arnold & De Wet: 802	L
Arnold & De Wet: 766	M	<b>dregeanus</b> DC.	
<b>polyodon</b> DC. var. <b>subglaber</b> (Kuntze) Hilliard & B.L.Burt		( <i>S. ecklonianus</i> DC.)	
( <i>S. concolor</i> DC. var. <i>subglaber</i> O.Hoffm. ex Kuntze)		Arnold & De Wet: 802	L
		<b>integrifolius</b> Harv. var. <b>integrifolius</b>	

Arnold & De Wet: 802	L
<b>integrifolius</b> Harv. var. <b>schlechteri</b> R.E.Fr.	
Arnold & De Wet: 802	L
<b>nanus</b> Sond. ex Harv.	
Arnold & De Wet: 802	L
<b>*oleraceus</b> L.	
Pooley (1998): 338	L
<b>STOEBE</b> L.	9037000
<b>vulgaris</b> Levyns	
Arnold & De Wet: 732	L, F
<b>TAGETES</b> L.	9311000
<b>*minuta</b> L.	
Arnold & De Wet: 746	L, F, M
<b>TARAXACUM</b> F.H.Wigg.	9592000
<b>*brachyglossum</b> (Dahlst.) Dahlst.	
( <i>T. erythrospermum</i> Andrz. ex Besser subsp. <i>brachyglossum</i> Dahlst.)	
Arnold & De Wet: 801	M
<b>*eckmanii</b> Dahlst.	
Arnold & De Wet: 801	M
<b>*hamatiforme</b> Dahlst.	
Arnold & De Wet: 801	L
<b>*officinale</b> Weber sensu lato	
Arnold & De Wet: 801	M, S
<b>TARCHONANTHUS</b> L.	8937000
<b>camphoratus</b> L.	
( <i>T. abyssinicus</i> Sch.Bip. ex Schweinf. & Asch., nom. nud.)	
( <i>T. camphoratus</i> L. var. <i>litakumensis</i> (DC.) Harv.)	
Arnold & De Wet: 716	L, M, S
<b>minor</b> Less.	
Germishuizen & Meyer: 300	L, M, S
<b>TOLPIS</b> Adans.	9561000
<b>capensis</b> (L.) Sch.Bip.	
( <i>Hieracium capense</i> L.)	
Arnold & De Wet: 800	L
<b>TRAGOPOGON</b> L.	9579000
<b>*dubius</b> Scop.	
( <i>T. majus</i> Jacq.)	
Pooley (1998): 338	L, F, M, S
<b>*porrifolius</b> L.	
Arnold & De Wet: 801	M
<b>TRIPTERIS</b> Less.	9428000
<b>aghillana</b> DC. var. <b>aghillana</b>	
( <i>Osteospermum picridioides</i> DC.)	
( <i>Osteospermum</i> . <i>scariosum</i> DC. var. <i>scariosum</i> )	
( <i>T. flexuosa</i> Harv.)	
Germishuizen & Meyer: 302	M
<b>TROGLOPHYTON</b> Hilliard & B.L.Burt	8992020
<b>capillaceum</b> (Thunb.) Hilliard & B.L.Burt subsp.	
<b>diffusum</b> (DC.) Hilliard	
( <i>Helichrysum capillaceum</i> (Thunb.) Less. var. <i>diffusum</i> DC.)	
Arnold & De Wet: 720	M

<b>URSINIA</b> Gaertn.	9431000
<b>alpina</b> N.E.Br.	
Arnold & De Wet: 783	M
<b>montana</b> DC. subsp. <b>montana</b>	
( <i>U. brevicaulis</i> J.M.Wood & M.S.Evans)	
( <i>U. jacottetiana</i> Thell.)	
( <i>U. subintegrifolia</i> Bolus)	
Arnold & De Wet: 784	M
<b>nana</b> DC. subsp. <b>nana</b>	
( <i>U. abyssinica</i> Sch.Bip. ex Walp.)	
( <i>U. affinis</i> Harv.)	
( <i>U. annua</i> Less. ex Harv.)	
Arnold & De Wet: 784	L, M
<b>saxatilis</b> N.E.Br.	
Arnold & De Wet: 785	S
<b>VERNONIA</b> Schreb.	8751000
<b>capensis</b> (Houtt.) Druce	
( <i>V. pinifolia</i> (Lam.) Less.)	
Arnold & De Wet: 699	L, F
<b>hirsuta</b> (DC.) Sch.Bip. ex Walp.	
( <i>V. hirsuta</i> (DC.) Sch.Bip. ex Walp. var. <i>obtusifolia</i> Harv.)	
Arnold & De Wet: 700	L
<b>natalensis</b> Oliv. & Hiern	
Arnold & De Wet: 700	M
<b>oligocephala</b> (DC.) Sch.Bip. ex Walp.	
( <i>V. kraussii</i> Sch.Bip. ex Walp.)	
Arnold & De Wet: 700	L
<b>XANTHIUM</b> L.	9148000
<b>*spinolum</b> L.	
Arnold & De Wet: 743	L
<b>*strumarium</b> L.	
( <i>X. natalense</i> Widder)	
( <i>X. pungens</i> Wallr.)	
Arnold & De Wet: 743	L, M
<b>ZINNIA</b> L.	9155000
<b>*peruviana</b> (L.) L.	
( <i>Z. multiflora</i> L.)	
Arnold & De Wet: 743	L, F, S

BALSAMINACEAE

<b>IMPATIENS</b> L.	4856000
<b>hochstetteri</b> Warb. subsp. <b>hochstetteri</b>	
( <i>I. capensis</i> Thunb.)	
( <i>I. duthieae</i> L.Bolus)	
( <i>I. marlothiana</i> G.M.Schulze)	
Arnold & De Wet: 487	L

BASELLACEAE

<b>ANREDERA</b> Juss.	2428000
<b>*cordifolia</b> (Ten.) Steenis	
Arnold & De Wet: 303	L

BORAGINACEAE

<b>AFROTYSONIA</b> Rauschert	7072010
<b>glochidiata</b> (R.R.Mill) R.R.Mill	

<i>(Tysonia glochidiata</i> R.R.Mill)			
Pooley (1998): 180		M	
<b>ANCHUSA L.</b>	<b>7093000</b>		
<i>capensis</i> Thunb.		L, F, M	
Arnold & De Wet: 598			
<b>CYNOGLOSSUM L.</b>	<b>7064000</b>		
<i>alticola</i> Hilliard & B.L.Burtt		M	
Arnold & De Wet: 597			
<i>austroafricanum</i> Hilliard & B.L.Burtt			
( <i>C. austroafricanum</i> Weim., nom. nud.)			
Arnold & De Wet: 597		L, F, M	
<i>hispidum</i> Thunb.			
( <i>C. enerve</i> Turcz.)			
Arnold & De Wet: 597		L	
<i>lanceolatum</i> Forssk.			
( <i>C. micranthum</i> Desf.)			
Arnold & De Wet: 597		L, M	
<i>spelaum</i> Hilliard & B.L.Burtt			
( <i>C. basuticum</i> Weim. ex Jacot Guill.)			
Arnold & De Wet: 597		M	
<b>ECHIUM L.</b>	<b>7118000</b>		
<i>*plantagineum</i> L.			
( <i>E. lycopsis</i> L.)			
( <i>E. violaceum</i> L.)			
Arnold & De Wet: 600		L	
<i>*vulgare</i> L.			
Arnold & De Wet: 600		L	
<b>EHRETIA P.Browne</b>	<b>7043000</b>		
<i>rigida</i> (Thunb.) Druce subsp. <i>nervifolia</i> Retief & A.E.van Wyk			
Germishuizen & Meyer: 316		L	
<b>LAPPULA Moench</b>	<b>7073000</b>		
<i>*heteracantha</i> Ledeb.			
( <i>L. echinata</i> Gilib.)			
( <i>L. squarrosa</i> (L.) Dumort. subsp. <i>heteracantha</i> (Ledeb.) Chater)			
Germishuizen & Meyer: 317		L, F, M	
<b>LITHOSPERMUM L.</b>	<b>7109000</b>		
<i>afromontanum</i> Weim.		M	
Arnold & De Wet: 598			
<i>cinereum</i> A.DC.			
Arnold & De Wet: 598		L, F, M	
<i>papillosum</i> Thunb.			
Arnold & De Wet: 598		F, M	
<b>MYOSOTIS L.</b>	<b>7100000</b>		
<i>afropalustris</i> C.H.Wright			
Arnold & De Wet: 598		L, M	
<i>*sylvatica</i> Hoffm.			
Arnold & De Wet: 598		L, F, M	
<b>BRASSICACEAE</b>			
<b>APLANODES Marais</b>	<b>2875010</b>		
<i>doidgeana</i> Marais			
Arnold & De Wet: 317			Possibly occurring in Lesotho
<b>sisymbrioides</b> (Schltr.) Marais			
( <i>Heliophila sisymbrioides</i> Schltr.)			
Arnold & De Wet: 317			F, M
<b>BARBAREA R.Br.</b>	<b>2961000</b>		
<i>*verna</i> (Mill.) Asch.			
Arnold & De Wet: 321			M
<b>CAPSELLA Medik.</b>	<b>2986000</b>		
<i>*bursa-pastoris</i> (L.) Medik.			
( <i>Thlaspi bursa-pastoris</i> L.)			
Arnold & De Wet: 321			L, F
<b>CORONOPUS Zinn</b>	<b>2884000</b>		
<i>*didymus</i> (L.) Sm.			
( <i>Lepidium didymus</i> (L.) Sm.)			
Arnold & De Wet: 319			L
<b>ERUCASTRUM (DC.) C.Presl</b>	<b>2947000</b>		
<i>strigosum</i> (Thunb.) O.E.Schulz			
( <i>Brassica leptopetala</i> (DC.) Sond.)			
( <i>Brassica strigosa</i> (Thunb.) DC. var. <i>glabrata</i> Sond.)			
( <i>Sinapis leptopetala</i> DC.)			
Arnold & De Wet: 320			M, S
<b>HELIOPHILA L.</b>	<b>2875000</b>		
<i>alpina</i> Marais			
Arnold & De Wet: 314			M
<i>carnosa</i> (Thunb.) Steud.			
( <i>H. abrotanifolia</i> Banks ex DC., pro parte)			
( <i>H. abrotanifolia</i> Banks ex DC. var. <i>tenuiloba</i> Sond.)			
( <i>H. chamaemifolia</i> Eckl. & Zeyh.)			
Arnold & De Wet: 314			L, F, M, S
<i>formosa</i> Hilliard & B.L.Burtt			
Arnold & De Wet: 315			M
<i>rigidiuscula</i> Sond.			
( <i>H. virgata</i> sensu Eckl. & Zeyh.)			
Arnold & De Wet: 316			L, F, M
<i>suavissima</i> Burch. ex DC.			
( <i>H. basutica</i> E.Phillips)			
( <i>H. fascicularis</i> DC.)			
Arnold & De Wet: 317			L, M
<b>LEPIDIUM L.</b>	<b>2883000</b>		
<i>basuticum</i> Marais			
Arnold & De Wet: 318			M
<i>*bonariense</i> L.			
Arnold & De Wet: 318			L, M, S
<i>myriocarpum</i> Sond.			
Arnold & De Wet: 319			F, M
<i>schinzii</i> Thell.			
( <i>L. trifurcum</i> sensu Thell.)			
Arnold & De Wet: 319			F, M
<i>transvaalense</i> Marais			
Arnold & De Wet: 319			F, M
<i>trifurcum</i> Sond.			
( <i>L. divaricatum</i> Aiton subsp. <i>trifurcum</i> (Sond.) Marais)			
Arnold & De Wet: 319			L
<b>MATTHIOLA R.Br.</b>	<b>3042000</b>		
<i>torulosa</i> (Thunb.) DC.			
Arnold & De Wet: 322			M, S

<b>NASTURTIIUM R.Br.</b>	<b>2965000</b>
<b>*officinale R.Br.</b>	
( <i>Rorippa nasturtium-aquaticum</i> (L.) Hayek)	
Germishuizen & Meyer: 328	L, M
<b>RAPHANUS L.</b>	<b>2950000</b>
<b>*raphanistrum L.</b>	
Arnold & De Wet: 320	M
<b>RORIPPA Scop.</b>	<b>2965010</b>
<b>fluviatilis</b> (E.Mey. ex Sond.) Thell. var. <i>fluviatilis</i>	
( <i>Nasturtium fluviatile</i> E.Mey. ex Sond.)	
Arnold & De Wet: 321	L, F
<b>nudiuscula</b> Thell.	
( <i>Nasturtium elongatum</i> E.Mey. ex Burtt Davy)	
( <i>Nasturtium fluviatile</i> E.Mey. var. <i>brevistylum</i> Sond.)	
( <i>Nasturtium integrifolium</i> Szyszyl.)	
Arnold & De Wet: 321	L, F, M
<b>SISYMBRIUM L.</b>	<b>2917000</b>
<b>capense</b> Thunb.	
Arnold & De Wet: 319	L, F
<b>*orientale L.</b>	
( <i>S. strigosum</i> Thunb., pro parte)	
Arnold & De Wet: 319	L
<b>thellungii</b> O.E.Schulz	
( <i>Brassica pachypoda</i> Thell.)	
Arnold & De Wet: 320	L, F, M
<b>turczaninowii</b> Sond.	
( <i>S. burchellii</i> DC. var. <i>turczaninowii</i> (Sond.) O.E.Schulz)	
Arnold & De Wet: 320	L
<b>TURRITIS L.</b>	<b>3000000</b>
<b>*glabra L.</b>	
( <i>Arabis glabra</i> (L.) Bernh.)	
( <i>Arabis perfoliata</i> Lam.)	
( <i>T. dregeana</i> Sond.)	
Arnold & De Wet: 322	F, M

BUDDLEJACEAE

<b>BUDDLEJA L.</b>	<b>6473000</b>
<b>loricata</b> Leeuwenb.	
( <i>B. corrugata</i> (Benth.) E.Phillips)	
( <i>Chilanthus corrugatus</i> (Benth.) A.DC.)	
Arnold & De Wet: 558	L, F, M, S
<b>salviifolia</b> (L.) Lam.	
Arnold & De Wet: 558	L, F, M, S
<b>GOMPHOSTIGMA Turcz.</b>	<b>6470000</b>
<b>virgatum</b> (L.f.) Baill.	
Arnold & De Wet: 558	L, M, S

CACTACEAE

<b>OPUNTIA Mill.</b>	<b>5417000</b>
<b>*ficus-indica</b> (L.) Mill.	
Van Wyk & Gericke: 50	L, F, S

CAMPANULACEAE

<b>CRATEROCAPSA Hilliard &amp; B.L.Burtt</b>	<b>8668010</b>
--	----------------

<b>congesta</b> Hilliard & B.L.Burtt	
Arnold & De Wet: 691	L, M
<b>montana</b> (A.DC.) Hilliard & B.L.Burtt	
( <i>Wahlenbergia basutica</i> E.Phillips)	
( <i>Wahlenbergia montana</i> A.DC. var. <i>montana</i> )	
Arnold & De Wet: 691	L, M
<b>tarsodes</b> Hilliard & B.L.Burtt	
( <i>Wahlenbergia montana</i> A.DC. var. <i>angustisepala</i> Brehmer)	
( <i>Wahlenbergia montana</i> A.DC. var. <i>glabrata</i> Sond.)	
Pooley (1998): 494	M

<b>WAHLENBERGIA</b> Schrad. ex Roth	<b>8668000</b>
<b>albens</b> (Spreng. ex A.DC.) Lammers	
( <i>Lightfootia albens</i> Spreng. ex A.DC.)	
( <i>Lightfootia laricina</i> H.Buek, pro parte)	
Germishuizen & Meyer: 341	L
<b>androsacea</b> A.DC.	
( <i>W. arenaria</i> A.DC.)	
( <i>W. nudicaulis</i> A.DC.)	
( <i>W. perennis</i> Brehmer)	
( <i>W. rosulata</i> Brehmer)	
Arnold & De Wet: 688	L, F
<b>appressifolia</b> Hilliard & B.L.Burtt	
Arnold & De Wet: 688	M
<b>capillacea</b> (L.f.) A.DC. subsp. <i>capillacea</i>	
( <i>Campanula capillacea</i> L.f.)	
( <i>W. pinnata</i> Compton var. <i>simplicifolia</i> Compton)	
Arnold & De Wet: 688	L, F
<b>denticulata</b> (Burch.) A.DC. var. <i>denticulata</i>	
( <i>Campanula denticulate</i> Burch.)	
( <i>Lightfootia denticulata</i> (Burch.) Sond. var. <i>denticulata</i> )	
Germishuizen & Meyer: 342	L, M
<b>depressa</b> J.M.Wood & M.S.Evans	
Arnold & De Wet: 689	F
<b>dieterlenii</b> (E.Phillips) Lammers	
( <i>Lightfootia caledonica</i> Sond.)	
( <i>Lightfootia dieterlenii</i> E.Phillips)	
Germishuizen & Meyer: 342: 691	L
<b>doleritica</b> Hilliard & B.L.Burtt	
Arnold & De Wet: 689	Possibly occurring in Lesotho
<b>fasciculata</b> Brehmer	
Arnold & De Wet: 689	M
<b>grandiflora</b> Brehmer	
Pooley (1998): 206	L
<b>huttonii</b> (Sond.) Thulin	
( <i>Lightfootia huttonii</i> Sond.)	
Pooley (1998): 494	L
<b>krebsii</b> Cham. subsp. <i>krebsii</i>	
( <i>W. zeyheri</i> H.Buek)	
Arnold & De Wet: 689	L, F, M
<b>lycopodioides</b> Schltr. & Brehmer	
Arnold & De Wet: 689	F
<b>paniculata</b> (Thunb.) A.DC.	
( <i>Campanula paniculata</i> Thunb.)	
Arnold & De Wet: 690	L
<b>paucidentata</b> Schinz	
Arnold & De Wet: 690	L, F, M
<b>polytrichifolia</b> Schltr. subsp. <i>dracomontana</i> Hilliard & B.L.Burtt	
Arnold & De Wet: 690	M
<b>polytrichifolia</b> Schltr. subsp. <i>polytrichifolia</i>	
Arnold & De Wet: 690	L, M

**pulvillus-gigantis** Hilliard & B.L.Burt

Arnold &amp; De Wet: 690 M

**undulata** (L.f.) A.DC.*(Campanula undulata* L.f.)*(W. caledonica* Sond.)*(W. dinteri* Brehmer)

Arnold &amp; De Wet: 691 L, F, M

**virgata** Engl.*(W. subnuda* Conrath)

Arnold &amp; De Wet: 691 F

**CANNABACEAE****CANNABIS** L. 1973000**\*sativa** L. var. **sativa**

Germishuizen &amp; Meyer: 346 L, F, M, S

**CAPPARACEAE****CLEOME** L. 3082000**monophylla** L.

Pooley (1998): 384 F

**CARYOPHYLLACEAE****CERASTIUM** L. 2430000**arabidis** E.Mey. ex Fenzl*(C. dreganum* Fenzl)

Arnold &amp; De Wet: 303 F, M

**capense** Sond.

Arnold &amp; De Wet: 303 L, F, M

**fontanum** Baumg. subsp. **triviale** (Link) Jalas*(C. caespitosum* Gilib. subsp. *triviale* (Link) Hiitonen)*(C. holosteoides* Fr.)*(C. holosteoides* Fr. subsp. *triviale* (Murb.) Möschl)

Arnold &amp; De Wet: 304 L

**indicum** Wight & Arn.*(C. africanum* (Hook.f.) Oliv.)*(C. indicum* Wight & Arn. var. *ruwenzoriense* (F.N.Williams) Möschl)

Arnold &amp; De Wet: 304 L, M

**DIANTHUS** L. 2502000**basuticus** Burt Davy subsp. **basuticus** var. **basuticus***(D. micropetalus* Ser. var. *galpinii* Burt Davy)

Arnold &amp; De Wet: 306 M

**basuticus** Burt Davy subsp. **basuticus** var. **grandiflorus**

Hooper

Arnold &amp; De Wet: 306 M

**caespitosus** Thunb. subsp. **caespitosus**

Arnold &amp; De Wet: 306 F

**micropetalus** Ser.

Arnold &amp; De Wet: 307 L, M

**SILENE** L. 2490000**bellidioides** Sond.

Arnold &amp; De Wet: 306 M

**burchellii** Otth var. **angustifolia** Sond.*(S. burchellii* Otth var. *macrorrhiza* R.E.Fr.)*(S. burchellii* Otth var. *pilosellaefolia* Sond.)

Arnold &amp; De Wet: 306 L, M

**burchellii** Otth var. **burchellii***(S. dinteri* Engl.)

Arnold &amp; De Wet: 306 L, M

**\*gallica** L.

Arnold &amp; De Wet: 306 L

**primuliflora** Eckl. & Zeyh. var. **primuliflora**

Germishuizen &amp; Meyer: 353 L, M

**undulata** Aiton*(S. capensis* Otth)

Arnold &amp; De Wet: 306 M

**SPERGULA** L. 2449000**\*arvensis** L.

Arnold &amp; De Wet: 304 M

**STELLARIA** L. 2429000**\*media** (L.) Vill.

Arnold &amp; De Wet: 303 L, M

**\*pallida** (Dumort.) Piré

Arnold &amp; De Wet: 303 L

**CELASTRACEAE****GYMNOSPORA** (Wight & Arn.) Hook.f. 4627000**heterophylla** (Eckl. & Zeyh.) Loes.*(Celastrus heterophyllus* Eckl. & Zeyh.)*(Maytenus heterophylla* sensu (Eckl. & Zeyh.) N.Robson)

Germishuizen &amp; Meyer: 357 L, F, S

**MAYTENUS** Molina 4626000**acuminata** (L.f.) Loes. var. **acuminata***(Celastrus acuminatus* L.f.)*(Gymnosporia acuminata* (L.f.) Szyszyl.)

Arnold &amp; De Wet: 480 L

**albata** (N.E.Br.) E.Schmidt & M.Jordaan*(Gymnosporia albata* (N.E.Br.) Sim)

Germishuizen &amp; Meyer: 359

**undata** (Thunb.) Blakelock*(Celastrus undatus* Thunb.)*(Celastrus zeyheri* Sond.)

Arnold &amp; De Wet: 481 L

**CELTIDACEAE****CELTIS** L. 1898000**africana** Burm.f.*(C. kraussiana* Bernh.)

Arnold &amp; De Wet: 211 L, M, S

**CHENOPODIACEAE****ATRIPLEX** L. 2229000**semibaccata** R.Br. var. **appendiculata** Aellen

Arnold &amp; De Wet: 240 L

**CHENOPODIUM** L. 2223000**\*album** L.

Arnold &amp; De Wet: 238 L, F, M, S

**\*ambrosioides** L.

Arnold &amp; De Wet: 238 L, M

**\*carinatum** R.Br.

Arnold &amp; De Wet: 238 L, M

**mucronatum** Thunb.

( <i>C. vulvaria</i> auctt. non L.; Range)	
Arnold & De Wet: 238	L, M
<b>*multifidum L.</b>	
( <i>Roubieva multifida</i> (L.) Moq.)	
Arnold & De Wet: 238	L
<b>*murale L. var. murale</b>	
( <i>C. longidjauense</i> Peter)	
( <i>C. murale</i> L. var. <i>acutidentatum</i> Aellen)	
Germishuizen & Meyer: 364	L, F
<b>*schraderianum Roem. &amp; Schult.</b>	
( <i>C. botrys</i> auctt., non L., Schinz)	
( <i>C. foetidum</i> Schrad.)	
( <i>C. foetidum</i> Schrad. subsp. <i>gracile</i> Aellen)	
Arnold & De Wet: 239	L, F, M

CONVOLVULACEAE

<b>CONVOLVULUS L.</b>	<b>6993000</b>
<b>*arvensis L.</b>	
Arnold & De Wet: 589	L, F
<b>farinosus L.</b>	
( <i>C. cordifolius</i> Thunb.)	
Pooley (1998): 176	L, M
<b>sagittatus Thunb.</b>	
( <i>C. sagittatus</i> Thunb. subsp. <i>sagittatus</i> var. <i>hirtellus</i> (Hallier f.) A.Meeuse)	
( <i>C. sagittatus</i> Thunb. subsp. <i>sagittatus</i> var. <i>ulosepalus</i> (Hallier f.) Verdc.)	
( <i>C. ulosepalus</i> Hallier f.)	
Germishuizen & Meyer: 373	L, F, M
<b>thunbergii Roem. &amp; Schult.</b>	
Arnold & De Wet: 591	L, S

<b>CUSCUTA L.</b>	<b>6968000</b>
<b>*campestris Yunck.</b>	
Arnold & De Wet: 588	L, F, M

<b>IPOMOEA L.</b>	<b>7003000</b>
<b>crassipes Hook.</b>	
( <i>Aniseia calystegioides</i> E.Mey. ex Choisy)	
( <i>I. bellecomians</i> Rendle)	
Arnold & De Wet: 592	F
<b>oblongata E.Mey. ex Choisy</b>	
( <i>Ipomoea lambtoniana</i> Rendle)	
( <i>Turbina oblongata</i> (E.Mey. ex Choisy) A.Meeuse)	
Germishuizen & Meyer: 376	L, F, M
<b>simplex Thunb.</b>	
( <i>I. plantaginea</i> (Choisy) Hallier f.)	
Arnold & De Wet: 594	F
<b>sinensis (Desr.) Choisy subsp. blepharosepala (Hochst. ex A.Rich.) Verdc. ex A.Meeuse</b>	
( <i>I. blepharosepala</i> Hochst. ex A.Rich.)	
( <i>I. cardiosepala</i> Hochst. ex Baker & C.H.Wright)	
Bromilow: 182	L

<b>MERREMIA Dennst.</b>	<b>6997000</b>
<b>verecunda Rendle</b>	
( <i>Ipomoea quinquefolia</i> Hochst. ex Hallier f. var. <i>pubescens</i> Baker)	
( <i>Ipomoea verecunda</i> (Rendle) N.E.Br.)	
Arnold & De Wet: 591	F

CRASSULACEAE

<b>ADROMISCHUS Lem.</b>	<b>3175000</b>
<b>maculatus (Salm-Dyck) Lem.</b>	
( <i>A. rhombifolius</i> sensu C.A.Sm., non (Haw.) Lem.)	
( <i>Cotyledon maculata</i> Salm-Dyck)	
Arnold & De Wet: 341	Possibly occurring in Lesotho

<b>COTYLEDON L.</b>	<b>3164000</b>
<b>orbiculata L. var. oblonga (Haw.) DC.</b>	
( <i>C. coruscans</i> Haw.)	
( <i>C. decussata</i> sensu Jacot Guill., non Sims)	
( <i>C. leucophylla</i> C.A.Sm.)	
( <i>C. oblonga</i> Haw.)	
( <i>C. undulata</i> Haw.)	
( <i>C. virescens</i> Schönland & Baker f.)	
Arnold & De Wet: 329	F, M
<b>orbiculata L. var. orbiculata x C. papillaris L.f.</b>	
Arnold & De Wet: 329	S

<b>CRASSULA L.</b>	<b>3168000</b>
<b>alba Forssk. var. alba</b>	
( <i>C. recurva</i> N.E.Br.)	
( <i>C. rubicunda</i> Drège ex Harv.)	
( <i>C. stewartiae</i> Burtt Davy)	
Arnold & De Wet: 332; Pooley (1998): 386	F, M
<b>capitella Thunb. subsp. capitella</b>	
( <i>C. albanensis</i> Schönland)	
( <i>C. turrita</i> sensu Harv., Schönland, non Thunb.)	
( <i>C. turrita</i> Thunb. var. <i>latifolia</i> Harv.)	
Arnold & De Wet: 333	L, F, M, S

<b>dependens Bolus</b>	
( <i>C. alpestris</i> sensu Harv.; Keissl., non Thunb.)	
( <i>C. harveyi</i> Britten & Baker f.)	
( <i>C. laxa</i> Schönland)	
Arnold & De Wet: 334	L, F, M
<b>exilis Harv. subsp. cooperi (Regel) Tölken</b>	
( <i>C. bolusii</i> Hook.)	
( <i>C. cooperi</i> Regel)	
Arnold & De Wet: 334	Possibly occurring in Lesotho

<b>gemmifera Friedrich</b>	
Arnold & De Wet: 335	L, F, M
<b>hemisphaerica Thunb.</b>	
Specimen: Linder 6267	M
<b>inanis Thunb.</b>	
( <i>Helophytum inane</i> (Thunb.) Eckl. & Zeyh.)	
( <i>Tillaea inanis</i> (Thunb.) Steud., comb. inval.)	
Arnold & De Wet: 335	F, M

<b>lanceolata (Eckl. &amp; Zeyh.) Endl. ex Walp. subsp. lanceolata</b>	
( <i>C. filamentosa</i> Schönland)	
( <i>C. muscosa</i> sensu Harv., non L.)	
( <i>C. schimper</i> Fisch. & C.A.Mey. var. <i>illecebroides</i> (Welw. ex Hiern.) G.D.Rowley)	
Arnold & De Wet: 335	L, F, M, S
<b>lanceolata (Eckl. &amp; Zeyh.) Endl. ex Walp. subsp. transvaalensis (Kuntze) Tölken</b>	
( <i>C. schimper</i> Fisch. & C.A.Mey. var. <i>schimper</i> , pro parte)	
( <i>C. transvaalensis</i> (Kuntze) K.Schum)	
Arnold & De Wet: 335	L, M

**muscosa** L. var. **muscosa**  
(*C. anguina* Harv.)  
(*C. lycopodioides* Lam.)  
Arnold & De Wet: 336 S

**natalensis** Schönland  
(*C. rubescens* Schönland & Baker f.)  
Arnold & De Wet: 336 L, F, M, S

**natans** Thunb. var. **natans**  
(*C. natans* Thunb. subsp. *natans*)  
(*Helophytum natans* (Thunb.) Eckl. & Zeyh.)  
(*Helophytum natans* (Thunb.) Eckl. & Zeyh. var. *amphibia* Harv.)  
Arnold & De Wet: 336 L, F, M, S

**nudicaulis** L. var. **nudicaulis**  
(*C. canescens* (Haw.) Schult.)  
(*C. obvallata* L.)  
(*C. platyphylla* sensu Schönland; Jacot Guill., non Harv.)  
Arnold & De Wet: 336 L, F, M, S

**pellucida** L. subsp. **brachypetala** (Drège ex Harv.)  
Tölken  
(*Bulliarda dregei* Harv.)  
(*C. dregei* (Harv.) Schönland)  
(*C. involucrata* Schönland)  
Arnold & De Wet: 337 M

**peplodes** Harv.  
(*C. galpinii* Schönland)  
Arnold & De Wet: 337 F, M

**sarcocaulis** Eckl. & Zeyh. subsp. **rupicola** Tölken  
Arnold & De Wet: 338 M

**sarcocaulis** Eckl. & Zeyh. subsp. **sarcocaulis**  
(*C. parvisepala* Schönland)  
(*C. sarcocaulis* Eckl. & Zeyh. var. *scaberula* Harv.)  
Arnold & De Wet: 338 L, F, M

**sediflora** (Eckl. & Zeyh.) Endl. & Walp var. **sediflora**  
(*C. tenuifolia* Schönland)  
Arnold & De Wet: 338 M

**setulosa** Harv. var. **longiciliata** Tölken  
Arnold & De Wet: 338 M

**setulosa** Harv. var. **rubra** (N.E.Br.) G.D.Rowley  
Arnold & De Wet: 338 M

**setulosa** Harv. var. **setulosa**  
(*C. ramuliflora* Link & Otto var. *transvaalensis* Schönland)  
(*C. setulosa* Harv. var. *basutica* Schönland)  
(*C. setulosa* Harv. var. *ovata* Schönland)  
(*C. stachyera* Eckl. & Zeyh. var. *pulchella* Harv.)  
Arnold & De Wet: 338 L, F, M

**tenuicaulis** Schönland  
Arnold & De Wet: 339 M

**tuberella** Tölken  
Arnold & De Wet: 339 F, M

**umbraticola** N.E.Br.  
Arnold & De Wet: 340 M

**vaginata** Eckl. & Zeyh. subsp. **vaginata**  
(*C. spectabilis* Schönland)  
Arnold & De Wet: 340 M

**\*vaillantii** (Willd.) Roth  
(*Bulliarda vaillantii* (Willd.) DC.)  
(*Bulliarda vaillantii* (Willd.) DC. var. *subulata* Harv.)  
Arnold & De Wet: 340 L, F, M

**KALANCHOE** Adans. 3166000  
**paniculata** Harv.  
(*K. oblongiflora* Harv.)

Arnold & De Wet: 331 L  
**thyrsiflora** Harv.  
Arnold & De Wet: 331 L, F

## CUCURBITACEAE

**CITRULLUS** Eckl. & Zeyh. 8598000  
**lanatus** (Thunb.) Matsum. & Nakai  
(*C. vulgaris* Eckl. & Zeyh.)  
(*Colocynthis citrullus* (L.) Kuntze)  
(*Momordica lanata* Thunb.)  
Arnold & De Wet: 684 L

**COCCINIA** Wight & Arn. 8628000  
**adoensis** (A.Rich.) Cogn.  
(*C. parvifolia* Cogn.)  
(*C. pubescens* (Sond.) Eyles)  
(*Momordica adoensis* A.Rich.)  
Pooley (1998): 308 L  
**hirtella** Cogn.  
Arnold & De Wet: 685 L

**CUCUMIS** L. 8599000  
**africanus** L.f.  
(*C. bookeri* Naudin)  
Arnold & De Wet: 684 L  
**hirsutus** Sond.  
(*C. sonderi* Cogn.)  
Pooley (1998): 308 F  
**myriocarpus** Naudin subsp. **myriocarpus**  
(*C. dissectifolius* Naudin)  
(*C. merxmülleri* Süss.)  
Arnold & De Wet: 684 L, F, M  
**zeyheri** Sond.  
(*C. africanus* L.f. var. *zeyheri* (Sond.) Burt Davy)  
(*C. prophetarum* L. subsp. *zeyheri* (Sond.) C.Jeffrey)  
Arnold & De Wet: 684 L

**KEDROSTIS** Medik. 8568000  
**capensis** (Sond.) A.Meeuse  
(*Pisosperma capense* Sond.)  
Arnold & De Wet: 682 M  
**nana** (Lam.) Cogn. var. **zeyheri** (Schrad.) Cogn.  
(*Coniandra zeyheri* Schrad. apud Eckl. & Zeyh.)  
(*K. zeyheri* (Schrad.) Cogn.)  
Arnold & De Wet: 682 S

**ZEHNERIA** Endl. 8564000  
**scabra** (L.f.) Sond. subsp. **scabra**  
(*Bryonia scabra* L.f.)  
(*Melothria cordata* (Thunb.) Cogn.)  
Arnold & De Wet: 681 L, M

## DIPSACACEAE

**CEPHALARIA** Schrad. 8541000  
**galpiniana** Szabó subsp. **simplicior** B.L.Burt  
Arnold & De Wet: 680 L, F, M  
**natalensis** Kuntze  
Arnold & De Wet: 680 F  
**pungens** Szabó  
Pooley (1998): 204 L

<b>zeyheriana Szabó</b>	
Arnold & De Wet: 680	L, F
<b>SCABIOSA L.</b>	<b>8546000</b>
<b>columbaria L.</b>	
( <i>S. anthemifolia</i> Eckl. & Zeyh.)	
( <i>S. austro-africana</i> Heine)	
Arnold & De Wet: 681	L, F, M, S
<b>drakensbergensis B.L.Burt</b>	
Pooley (2003): 98	L, F, M

DROSERACEAE

<b>DROSERA L.</b>	<b>3136000</b>
<b>madagascariensis DC.</b>	
( <i>D. curvipes</i> Planch.)	
( <i>D. madagascariensis</i> DC. var. <i>major</i> Burt Davy)	
Pooley (1998): 384	F
<b>natalensis Diels</b>	
Pooley (1998): 384	F, M

EBENACEAE

<b>DIOSPYROS L.</b>	<b>6406000</b>
<b>austro-africana De Winter var. microphylla (Burch.) De Winter</b>	
( <i>Royena microphylla</i> Burch.)	
Arnold & De Wet: 555	L, F, M, S
<b>austro-africana De Winter var. rubriflora (De Winter) De Winter</b>	
( <i>Royena hirsuta</i> L. var. <i>rubriflora</i> De Winter)	
Arnold & De Wet: 555	L, F, M, S
<b>lycioides Desf. subsp. lycioides</b>	
( <i>D. lycioides</i> Desf.)	
( <i>Royena lycioides</i> (Desf.) A.DC.)	
Arnold & De Wet: 556	L, F, M, S
<b>lycioides Desf. subsp. sericea (Bernh.) De Winter</b>	
( <i>Royena lycioides</i> (Desf.) A.DC. subsp. <i>sericea</i> (Bernh.) De Winter)	
( <i>Royena sericea</i> Bernh.)	
Arnold & De Wet: 556	F

<b>EUCLEA Murray</b>	<b>6404000</b>
<b>coriacea A.DC.</b>	
Arnold & De Wet: 555	L, F, M, S
<b>crispa (Thunb.) Gürke subsp. crispa</b>	
Arnold & De Wet: 555	L, F, M, S

ERICACEAE

<b>ERICA L.</b>	<b>6237000</b>
<b>algida Bolus</b>	
Arnold & De Wet: 535	M
<b>alopecurus Harv. var. alopecurus</b>	
Arnold & De Wet: 535	F, M
<b>caespitosa Hilliard &amp; B.L.Burt</b>	
( <i>Phillipia tristis</i> Bolus)	
Arnold & De Wet: 536	F
<b>caffra L. var. caffra</b>	
Arnold & De Wet: 536	S
<b>caffrorum Bolus var. caffrorum</b>	
Arnold & De Wet: 536	M
<b>cerinthoides L. var. cerinthoides</b>	


Arnold & De Wet: 536	L
<b>dominans Killick</b>	
Arnold & De Wet: 538	M
<b>dracomontana E.G.H.Oliv.</b>	
( <i>Phillippia drakensbergensis</i> E.G.H.Oliv.)	
Arnold & De Wet: 538	F, M
<b>evansii (N.E.Br.) E.G.H.Oliv.</b>	
( <i>Phillippia evansii</i> N.E.Br.)	
Arnold & De Wet: 538	Possibly occurring in Lesotho
<b>flanaganii Bolus</b>	
Arnold & De Wet: 539	F, M
<b>frigida Bolus</b>	
Arnold & De Wet: 539	F, M
<b>glaphyra Killick</b>	
Arnold & De Wet: 539	Possibly occurring in Lesotho
<b>leucopelta Tausch var. leucopelta</b>	
Arnold & De Wet: 541	F
<b>maesta Bolus var. maesta</b>	
Arnold & De Wet: 542	L, M
<b>reenensis Zahlbr.</b>	
Arnold & De Wet: 544	M
<b>schlechteri Bolus</b>	
Arnold & De Wet: 545	L, M
<b>straussiana Gilg</b>	
( <i>E. westii</i> L.Bolus)	
Arnold & De Wet: 545	M
<b>thodei Guthrie &amp; Bolus</b>	
( <i>E. dykei</i> Bolus)	
Arnold & De Wet: 546	F, M
<b>woodii Bolus var. woodii</b>	
( <i>E. woodii</i> Bolus var. <i>rhodesiaca</i> (Alm & Fr.) Dulfer)	
Germishuizen & Meyer: 448	F

EUPHORBIACEAE

<b>ACALYPHA L.</b>	<b>4407000</b>
<b>depressinerva (Kuntze) K.Schum.</b>	
( <i>A. schinzii</i> Pax)	
Germishuizen & Meyer: 452M	
<b>peduncularis E.Mey. ex Meisn.</b>	
Arnold & De Wet: 465	M
<b>punctata Meisn. var. punctata</b>	
Arnold & De Wet: 465	F
<b>CLUTIA L.</b>	<b>4448000</b>
<b>hirsuta (Sond.) Müll.Arg. var. hirsuta</b>	
Arnold & De Wet: 467	S
<b>nana Prain</b>	
Arnold & De Wet: 467	F
<b>natalensis Bernh.</b>	
Arnold & De Wet: 467	M
<b>pulchella L. var. obtusata Sond.</b>	
Arnold & De Wet: 467	M
<b>pulchella L. var. pulchella</b>	
( <i>C. galpinii</i> Pax)	
Arnold & De Wet: 467	L, F, S
<b>EUPHORBIA L.</b>	<b>4498000</b>
<b>clavarioides Boiss. var. clavarioides</b>	
( <i>E. basutica</i> Marloth)	
Arnold & De Wet: 469	L, F, M, S
<b>epicyparissias E.Mey. ex Boiss.</b>	

Germishuizen & Meyer: 460	F, M	<b>ericoides</b> Lam.	
Arnold & De Wet: 469	F, M	<b>inaequilatera</b> Sond. var. <b>inaequilatera</b>	
( <i>Chamaesyce inaequilatera</i> (Sond.) Sojak)			
( <i>E. sanguinea</i> Boiss.)			
Germishuizen & Meyer: 462	L, F, M, S	<b>mauritanica</b> L. var. <b>mauritanica</b>	
Arnold & De Wet: 471	L	<b>natalensis</b> Bernh.	
Arnold & De Wet: 472	L, F, M	<b>*peplus</b> L.	
Arnold & De Wet: 472	L, F	<b>pulvinata</b> Marloth	
Arnold & De Wet: 472	S	<b>striata</b> Thunb. var. <b>striata</b>	
Arnold & De Wet: 473	L, F, M, S		
<b>FABACEAE</b>			
<b>ACACIA</b> Mill.	3446000	<b>*baileyana</b> F.Muell.	
Arnold & De Wet: 355	L	<b>*dealbata</b> Link	
( <i>A. decurrens</i> Willd. var. <i>mollis</i> Lindl.)			
Arnold & De Wet: 356	L, F, S	<b>karroo</b> Hayne	
( <i>A. capensis</i> (Burm.f.) Burch.)			
( <i>A. hirtella</i> E.Mey.)			
( <i>A. hirtella</i> Willd. var. <i>inermis</i> Walp.)			
( <i>A. horrida</i> Willd.)			
( <i>A. horrida</i> Willd. var. <i>transvaalensis</i> Burt Davy)			
( <i>A. inconfagabilis</i> Gerstner)			
( <i>A. karroo</i> Hayne var. <i>transvaalensis</i> (Burt Davy) Burt Davy)			
( <i>A. reticulata</i> (L.) Willd.)			
( <i>Mimosa capensis</i> Burm.f.)			
( <i>Mimosa leucantha</i> Jacq.)			
( <i>Mimosa nilotica</i> sensu Thunb., non L.)			
Van Wyk & Van Wyk: 494	L, F, M, S	<b>*podalyriifolia</b> A.Cunn.ex G.Don	
Arnold & De Wet: 358	L		
<b>ARGYROLOBIMUM</b> Eckl. & Zeyh.	3673000	<b>baptisioides</b> Walp.	
Specimen: <i>Linder 6504</i>	M	<b>candicans</b> Eckl. & Zeyh.	
Arnold & De Wet: 397	L	<b>collinum</b> Eckl. & Zeyh.	
Arnold & De Wet: 397	M	<b>crassifolium</b> Eckl. & Zeyh.	
Specimen: <i>Linder 6322</i>	M	<b>filiforme</b> Eckl. & Zeyh.	
( <i>A. stenorrhizon</i> Oliv.)			
Specimen: <i>Linder 6323</i>	M	<b>harveyanum</b> Oliv.	
( <i>A. uniflorum</i> Harv.)			
Pooley (1998): 266	L, M	<b>lotoides</b> Harv.	
( <i>A. variopile</i> N.E.Br.)			
Germishuizen & Meyer: 481; Specimen: <i>Linder 6504</i> (BM)	M	<b>pauciflorum</b> Eckl. & Zeyh. var. <b>pauciflorum</b>	
Arnold & De Wet: 397	M		
<b>rupestre</b> (Eckl. & Zeyh.) Walp. subsp. <b>rupestre</b>			
Germishuizen & Meyer: 481	F, M	<b>summomontanum</b> Hilliard & B.L.Burt	
Arnold & De Wet: 397	M	<b>tuberosum</b> Eckl. & Zeyh.	
( <i>A. angustifolium</i> Eckl. & Zeyh.)			
Arnold & De Wet: 397	L, F, M		
<b>ASPALATHUS</b> L.	3662000	<b>acicularis</b> E.Mey. subsp. <b>acicularis</b>	
Arnold & De Wet: 382	M	<b>spinosa</b> L. subsp. <b>spinosa</b>	
( <i>A. horrida</i> Eckl. & Zeyh.)			
Pooley (1998): 262	L		
<b>CALPURNIA</b> E.Mey.	3607000	<b>sericea</b> Harv.	
( <i>C. intrusa</i> auctt., non (R.Br. in W.T.Aiton) E.Mey. sensu str.)			
Arnold & De Wet: 368	L, M		
<b>CROTALARIA</b> L.	3669000	<b>distans</b> Benth subsp. <b>distans</b>	
Arnold & De Wet: 395	L	<b>obscura</b> DC.	
( <i>C. pilosa</i> Thunb.)			
( <i>C. pilosa</i> Thunb. var. <i>collina</i> Eckl. & Zeyh.)			
( <i>C. pilosa</i> Thunb. var. <i>ruparia</i> Eckl. & Zeyh.)			
Arnold & De Wet: 396	M		
<b>DICHILUS</b> DC.	3664000	<b>strictus</b> E.Mey.	
Arnold & De Wet: 394	M		
<b>DOLICHOS</b> L.	3910000	<b>angustifolius</b> Eckl. & Zeyh.	
Arnold & De Wet: 427	L	<b>linearis</b> E.Mey.	
Arnold & De Wet: 427	S	<b>pratensis</b> (E.Mey.) Taub.	
Arnold & De Wet: 427	L, F		
<b>ELEPHANTORRHIZA</b> Benth.	3467000	<b>elephantina</b> (Burch.) Skeels	
( <i>Acacia elephantina</i> Burch.)			
( <i>Acacia elephantorrhiza</i> DC.)			
( <i>E. burchellii</i> Benth.)			
Arnold & De Wet: 360	L, F		
<b>ERIOSEMA</b> (DC.) G.Don	3898000	<b>cordatum</b> E.Mey.	
( <i>E. cordatum</i> E.Mey. var. <i>guenzii</i> (Sond.) Harv.)			
( <i>E. guenzii</i> Sond.)			
Arnold & De Wet: 425	F	<b>kraussianum</b> Meisn.	
Arnold & De Wet: 425	F	<b>salignum</b> E.Mey.	
Arnold & De Wet: 425	L, F		
<b>ERYTHRINA</b> L.	3870000	<b>zeyheri</b> Harv.	
Arnold & De Wet: 422	L		

<b>GLEDITSIA L.</b>	<b>3544000</b>			<b>thodei L.Bolus</b>			
* <b>triacanthos L.</b>				Arnold & De Wet: 416			M
Arnold & De Wet: 366			L, F, M, S				
<b>INDIGASTRUM Jaub. &amp; Spach</b>	<b>3702030</b>			<b>LOTONONIS (DC.) Eckl. &amp; Zeyh.</b>	<b>3657000</b>		
<b>fastigiatum (E.Mey.) Schrire</b>				<b>calycina (E.Mey.) Benth.</b>			
( <i>Indigofera fastigiata</i> E.Mey.)				( <i>Lipozygis calycina</i> E.Mey.)			
( <i>Indigofera fastigiata</i> E.Mey. var. <i>angustata</i> Harv.)				( <i>Lipozygis calycina</i> E.Mey. var. <i>acuta</i> Dummer)			
( <i>Indigofera rostrata</i> Conrath)				( <i>Lipozygis calycina</i> E. Mey. var. <i>hirsutissima</i> Dummer)			
Germishuizen & Meyer: 513			L, F	Arnold & De Wet: 375			L, F
<b>INDIGOFERA L.</b>	<b>3702000</b>			<b>decumbens (Thunb.) B.-E.van Wyk subsp. rehmannii</b>			
<b>cuneifolia Eckl. &amp; Zeyh. var. cuneifolia</b>				(Dummer) B.-E.van Wyk			
( <i>I. florida</i> E.Mey.)				( <i>L. rehmannii</i> Dummer)			
Arnold & De Wet: 402			M	Arnold & De Wet: 376			F
<b>dimidiata Vogel ex Walp.</b>				<b>eriantha Benth.</b>			
Arnold & De Wet: 402			M	Arnold & De Wet: 376			M
<b>filipes Benth. ex Harv.</b>				<b>foliosa Bolus</b>			
Arnold & De Wet: 403			L	Pooley (1998): 258			F
<b>hedyantha Eckl. &amp; Zeyh.</b>				<b>galpinii Dummer</b>			
( <i>I. secunda</i> E.Mey.)				( <i>Buchenroedera sparsiflora</i> J.M.Wood & M.S.Evans)			
Arnold & De Wet: 403			L, F, M	Arnold & De Wet: 376			F, M
<b>hilaris Eckl. &amp; Zeyh.</b>				<b>lanceolata (E.Mey.) Benth.</b>			
Pooley (1998): 390			L, M	( <i>Aspalathus lanceolata</i> Benth.)			
<b>longebarbata Engl.</b>				Arnold & De Wet: 377			F
( <i>I. griquana</i> Schltr. ex Zahlbr.)				<b>laxa Eckl. &amp; Zeyh.</b>			
( <i>I. hirsuta</i> L. var. <i>polystachya</i> Welw. ex Baker)				Arnold & De Wet: 377			L, F, M
( <i>I. schlechteri</i> Baker f.)				<b>listii Polhill</b>			
Pooley (1998): 390			M	( <i>Listia heterophylla</i> E.Mey)			
<b>nigromontana Eckl. Zeyh.</b>				Arnold & De Wet: 377			L
( <i>I. dealbata</i> Harv.)				<b>lotononoides (Scott-Elliot) B.-E.van Wyk</b>			
( <i>I. heterophylla</i> Thunb. var. <i>montana</i> Eckl. & Zeyh.)				( <i>Buchenroedera lotononoides</i> Scott-Elliot)			
( <i>I. spinescens</i> E.Mey.)				( <i>L. dieterlenii</i> E.Phillips)			
Arnold & De Wet: 405			L, F, S	Arnold & De Wet: 377			L, F, M
<b>rostrata Bolus</b>				<b>macrosepala Conrath</b>			
( <i>Anila zeyheri</i> (Spreng.) Kuntze var. <i>macrophylla</i> Kuntze)				( <i>L. basutica</i> E.Phillips)			
Arnold & De Wet: 406			F	( <i>L. humilior</i> Dummer)			
<b>tristis E.Mey.</b>				Arnold & De Wet: 377			F
( <i>I. corniculata</i> E.Mey.)				<b>mucronata Conrath</b>			
Pooley (1998): 390			L	( <i>L. ornata</i> Dummer)			
<b>tristoides N.E.Br.</b>				Arnold & De Wet: 377			L, F
Arnold & De Wet: 407			L	<b>procumbens Bolus</b>			
<b>zeyheri Spreng. ex Eckl. &amp; Zeyh.</b>				Arnold & De Wet: 378			F, M
( <i>Anila zeyheri</i> Kuntze var. <i>normalis</i> Kuntze)				<b>pulchella (E.Mey.) B.-E.van Wyk</b>			
( <i>I. acutisepala</i> Conrath ex Baker f.)				( <i>Buchenroedera tenuifolia</i> Eckl. & Zeyh. var. <i>pulchella</i> (E.Mey.)			
( <i>I. cinerascens</i> Eckl. & Zeyh.)				Harv.)			
Arnold & De Wet: 408			L, F	( <i>Buchenroedera tenuifolia</i> Eckl. & Zeyh. var. <i>tenuifolia</i> )			
				Arnold & De Wet: 378			L, M
<b>LESSERTIA DC.</b>	<b>3756000</b>			<b>sericophylla Benth.</b>			
<b>depressa Harv.</b>				( <i>L. trisegmentata</i> E.Phillips var. <i>robusta</i> E.Phillips)			
Arnold & De Wet: 416			L, F, M	Arnold & De Wet: 378			L, M
<b>glabricaulis L.Bolus</b>				<b>MEDICAGO L.</b>	<b>3688000</b>		
Arnold & De Wet: 416			M	* <b>laciniata (L.) Mill. var. laciniata</b>			
<b>herbacea (L.) Druce</b>				( <i>M. aschersoniana</i> Urb.)			
Arnold & De Wet: 416			M	( <i>M. polymorpha</i> L. var. <i>laciniata</i> L.)			
<b>perennans (Jacq.) DC. var. perennans</b>				Germishuizen & Meyer: 532			L, S
Arnold & De Wet: 416			L, F, M	* <b>sativa L.</b>			
<b>perennans (Jacq.) DC. var. polystachya (Harv.) L.Bolus</b>				Germishuizen & Meyer: 533			L, M
( <i>L. polystachya</i> Harv.)				<b>MEOLOBIUM Eckl. &amp; Zeyh.</b>	<b>3665000</b>		
Arnold & De Wet: 416			L, M	<b>alpinum Eckl. &amp; Zeyh.</b>			
<b>stricta L.Bolus</b>				Arnold & De Wet: 394			L
Arnold & De Wet: 416			F	<b>candicans (E.Mey.) Eckl. &amp; Zeyh.</b>			



<i>(Dichilus candicans</i> E.Mey.) Arnold & De Wet: 394	L, S	<b>semiglabra</b> Sond. <i>(Cracca semiglabra</i> Kuntze) Arnold & De Wet: 414	L, F
<b>microphyllum</b> (L.f.) Eckl. & Zeyh. <i>(Dichilus microphyllus</i> E.Mey.) Arnold & De Wet: 394	L, F, M, S	<b>TRIFOLIUM</b> L.	3690000
<b>obcordatum</b> Harv. Arnold & De Wet: 394	L, F, M	<b>africanum</b> Ser. var. <b>africanum</b> <i>(T. africanum</i> Ser. var. <i>glabellum</i> (E.Mey.) Harv.) Arnold & De Wet: 399	L, M
<b>OTHOLOBIUM</b> C.H.Stirt.	3703040	<b>*angustifolium</b> L. var. <b>angustifolium</b> Arnold & De Wet: 399	F
<b>polystictum</b> (Benth ex Harv.) C.H.Stirt. <i>(Psoralea polysticta</i> Benth. ex Harv.) Arnold & De Wet: 411	L	<b>burchellianum</b> Ser. subsp. <b>burchellianum</b> <i>(T. repens</i> Thunb.) Arnold & De Wet: 399	L, M
<b>RHYNCHOSIA</b> Lour.	3897000	<b>VICIA</b> L.	3852000
<b>adenodes</b> Eckl. & Zeyh. <i>(R. amatymbica</i> Eckl. & Zeyh.) Arnold & De Wet: 423	F, M	<b>*villosa</b> Roth subsp. <b>villosa</b> Germishuizen & Meyer: 556	L
<b>dieterlenae</b> Baker f. Arnold & De Wet: 423	F	<b>VIGNA</b> Savi	3905000
<b>hirsuta</b> Eckl. & Zeyh. Arnold & De Wet: 424	F	<b>unguiculata</b> (L.) Walp. subsp. <b>unguiculata</b> Pooley (1998): 398	L
<b>minima</b> (L.) DC. var. <b>prostrata</b> (Harv.) Meikle <i>(R. memnonia</i> (Delile) DC. var. <i>prostrata</i> Harv.) Arnold & De Wet: 424	M	<b>unguiculata</b> (L.) Walp. subsp. <b>tenuis</b> (E.Mey.) Maréchal var. <b>tenuis</b> <i>(V. tenuis</i> (E.Mey.) D.Dietr.) Arnold & De Wet: 426	Possibly occurring in Lesotho
<b>nervosa</b> Benth. & Harv. var. <b>nervosa</b> Arnold & De Wet: 424	F	<b>FLACOURTIACEAE</b>	
<b>pentheri</b> Schltr ex Zahlbr. var. <b>pentheri</b> Arnold & De Wet: 424	L, F, M, S	<b>KIGGELARIA</b> L.	5296000
<b>totta</b> (Thunb.) DC. var. <b>totta</b> <i>(Glycine totta</i> Thunb.) Arnold & De Wet: 424	L, F, M	<b>africana</b> L. Arnold & De Wet: 510	L, F, M, S
<b>ROBINIA</b> L.	3733000	<b>SCOLOPIA</b> Schreb.	5304000
<b>*pseudoacacia</b> L. Arnold & De Wet: 415	L, F, M, S	<b>mundii</b> (Eckl. & Zeyh.) Warb. Arnold & De Wet: 510	L
<b>SESBANIA</b> Scop.	3747000	<b>TRIMERIA</b> Harv.	5315000
<b>*punicea</b> (Cav.) Benth. Arnold & De Wet: 415	L	<b>grandifolia</b> (Hochst.) Warb. subsp. <b>grandifolia</b> <i>(T. alnifolia</i> (Hook.) Harv.) Arnold & De Wet: 510	M
<b>SUTHERLANDIA</b> R.Br. ex W.T.Aiton	3754000	<b>FUMARIACEAE</b>	
<b>frutescens</b> (L.) R.Br. <i>(Colutea frutescens</i> L.) Arnold & De Wet: 415	L, F, M	<b>CYSTICAPNOS</b> Mill.	2858020
<b>microphylla</b> Burch. ex DC. Arnold & De Wet: 416	M	<b>pruinosa</b> (Bernh.) Lidén <i>(Phacocapnos pruinosis</i> (E.Mey.) Bernh.) Arnold & De Wet: 313	L, M
<b>montana</b> E.Phillips & R.A.Dyer Pooley (1998): 58	M	<b>FUMARIA</b> L.	2861000
<b>TEPHROSIA</b> Pers.	3718000	<b>*muralis</b> Sond. ex W.D.J.Koch subsp. <b>muralis</b> <i>(F. officinalis</i> L. var. <i>grandiflora</i> DC.) Arnold & De Wet: 313	L
<b>capensis</b> (Jacq.) Pers. var. <b>capensis</b> <i>(Galega pallens</i> Aiton) <i>(T. ternatifolia</i> R.G.N.Young) Arnold & De Wet: 412	F, L, M	<b>GENTIANACEAE</b>	
<b>longipes</b> Meisn. subsp. <b>longipes</b> var. <b>longipes</b> <i>(T. angustissima</i> Engl.) <i>(T. dawsonii</i> Baker f.) <i>(T. longipes</i> Meisn. subsp. <i>longipes</i> var. <i>icosisperma</i> Brummitt) <i>(T. lurida</i> Sond. var. <i>drummondii</i> Brummitt) <i>(T. lurida</i> Sond. var. <i>lissocarpa</i> Brummitt) <i>(T. lurida</i> Sond. var. <i>lurida</i> ) Arnold & De Wet: 413	M	<b>CHIRONIA</b> L.	6503000
		<b>krebsii</b> Griseb. Arnold & De Wet: 561	F, M
		<b>palustris</b> Burch. subsp. <b>palustris</b> <i>(C. palustris</i> Burch.) Arnold & De Wet: 561	F

purpurascens (E.Mey.) Benth. & Hook.f. subsp. <b>purpurascens</b> Pooley (1998): 414		L		( <i>S. jasminiflora</i> Schinz) Arnold & De Wet: 560	M
SEBAEA Sol. ex R.Br. <b>bojeri</b> Griseb. ( <i>S. saccata</i> Schinz) Arnold & De Wet: 559	6481000	M		<b>SWERTIA L.</b> <b>welwitschii</b> Engl. Arnold & De Wet: 561	6512000 F
<b>GERANIACEAE</b>					
<b>erosa</b> Schinz ( <i>S. pygmaea</i> Schinz) Arnold & De Wet: 559		M		<b>ERODIUM L'Hér.</b> <b>*cicutarium</b> (L.) L'Hér. ( <i>E. praecox</i> Willd.) Arnold & De Wet: 430	3927000 L, F
<b>exigua</b> (Oliv.) Schinz Arnold & De Wet: 559		L, M		<b>GERANIUM L.</b> <b>brycei</b> N.E.Br. ( <i>G. thodei</i> R.Knuth) Arnold & De Wet: 428	3924000 M
<b>filiformis</b> Schinz Arnold & De Wet: 559		L		<b>drakensbergensis</b> Hilliard & B.L.Burtt Pooley (2003): 206	M
<b>grandis</b> (E.Mey.) Steud. ( <i>Belmontia grandis</i> E.Mey.) ( <i>Exochaenium grande</i> (E.Mey.) Griseb.) Arnold & De Wet: 559		L, F, M		<b>magniflorum</b> R.Knuth Arnold & De Wet: 429	M
<b>leiostyla</b> Gilg ( <i>S. polyantha</i> Gilg) Arnold & De Wet: 559		L, F		<b>multisetum</b> N.E.Br. ( <i>G. incanum</i> Burm.f. var. <i>glabrius</i> R.Knuth) Arnold & De Wet: 429	L, F, M
<b>longicaulis</b> Schinz ( <i>S. acuminata</i> Hill) ( <i>S. grandiflora</i> Schinz) ( <i>S. macowanii</i> Gilg ex Schinz) Arnold & De Wet: 559		M		<b>pulchrum</b> N.E.Br. ( <i>G. lamuginosum</i> R.Knuth) Pooley (1998): 400	M
<b>macrophylla</b> Gilg ( <i>S. brehmeri</i> Schinz) ( <i>S. fastigiata</i> Hill) ( <i>S. hymenosepala</i> sensu Schinz, non Gilg var. <i>grandiflora</i> Hill) Arnold & De Wet: 559		F		<b>robustum</b> Kuntze ( <i>G. incanum</i> Burm.f. var. <i>pottiae</i> Burtt Davy) R.Knuth	L, F, M
<b>marlothii</b> Gilg Arnold & De Wet: 559		M		<b>schlechteri</b> R.Knuth ( <i>G. ornithopodon</i> Eckl. & Zeyh. var. <i>lilacinum</i> Kuntze) Arnold & De Wet: 429	F, M
<b>natalensis</b> Schinz ( <i>S. imbricata</i> Hill) ( <i>S. rudolfii</i> Schinz) ( <i>S. vitellina</i> Schinz) Arnold & De Wet: 559		L, F, M, S		<b>wakkerstroomianum</b> R.Knuth ( <i>G. ornithopodon</i> Eckl. & Zeyh. var. <i>album</i> Kuntze) Arnold & De Wet: 429	L, M
<b>procumbens</b> A.W.Hill ( <i>S. conspicua</i> Hill) ( <i>S. rotundifolia</i> Hill) Arnold & De Wet: 560		M		<b>MONSONIA L.</b> <b>angustifolia</b> E.Mey. ex A.Rich. Arnold & De Wet: 429	L, F, M, S
<b>rehmannii</b> Schinz ( <i>S. macrantha</i> Gilg) Arnold & De Wet: 560		M		<b>attenuata</b> Harv. ( <i>M. belfastensis</i> R.Knuth) Pooley (1998): 152	M
<b>repens</b> Schinz Arnold & De Wet: 560		F, M		<b>brevirostrata</b> R.Knuth Arnold & De Wet: 429	M
<b>sedoides</b> Gilg var. <b>confertiflora</b> (Schinz) Marais ( <i>S. confertiflora</i> Schinz) Arnold & De Wet: 560		L		<b>burkeana</b> Planch. ex Harv. ( <i>M. betschanica</i> R.Knuth) ( <i>M. biflora</i> DC.) ( <i>M. glandulosissima</i> Schinz) ( <i>M. malvaeflora</i> Schinz) Arnold & De Wet: 429	L
<b>sedoides</b> Gilg var. <b>sedoides</b> ( <i>S. sedoides</i> Gilg, pro parte) Arnold & De Wet: 560		L, F, M		<b>PELARGONIUM L'Hér.</b> <b>alchemilloides</b> (L.) L'Hér. ( <i>P. alchemillifolium</i> Salisb.) ( <i>P. malvaefolium</i> Jacq.) Pooley (1998): 154	3928000 L, F, M
<b>spathulata</b> (E.Mey) Steud. ( <i>Belmontia flanaganii</i> Schinz) ( <i>Belmontia spathulata</i> E.Mey.) Arnold & De Wet: 560		M		<b>althaeoides</b> (L.) L'Hér. Arnold & De Wet: 431	M
<b>thodeana</b> Gilg Arnold & De Wet: 560		M		<b>aridum</b> R.A.Dyer ( <i>P. dissectum</i> (Eckl. & Zeyh.) Harv.)	
<b>thomasii</b> (S.Moore) Schinz ( <i>Exochaenium thomasii</i> (S.Moore) Schinz)					

Arnold & De Wet: 431	L
<b>bowkeri</b> Harv.	
Arnold & De Wet: 431	M
<b>caffrum</b> (Eckl.& Zeyh.) Harv.	
Arnold & De Wet: 431	Possibly occurring in Lesotho
<b>dolomiticum</b> R.Knuth	
( <i>P. bechuanicum</i> Burtt Davy)	
( <i>P. bechuanicum</i> Burtt Davy var. <i>latisectum</i> Burtt Davy)	
( <i>P. juttae</i> Dinter)	
Arnold & De Wet: 432	M
<b>elongatum</b> (Cav.) Salisb.	
Arnold & De Wet: 432	F, S
<b>grossularioides</b> (L.) L'Hér.	
( <i>P. filicaule</i> R.Knuth)	
Arnold & De Wet: 433	M
<b>luridum</b> (Andrews) Sweet	
( <i>P. aconitophyllum</i> (Eckl. & Zeyh.) Steud.)	
( <i>P. flabellifolium</i> Harv.)	
( <i>P. longiscapum</i> Schltr.)	
Arnold & De Wet: 434	M
<b>minimum</b> (Cav.) Willd.	
( <i>P. fumarioides</i> L'Hér. ex Harv.)	
Arnold & De Wet: 434	L
<b>multicaule</b> Jacq. subsp. <b>multicaule</b>	
Arnold & De Wet: 434	L
<b>myrrhifolium</b> (L.) L'Hér. var. <b>myrrhifolium</b>	
( <i>P. myrrhifolium</i> (L.) L'Hér. var. <i>betonicum</i> (Burm.f.) Harv.)	
Arnold & De Wet: 434	L
<b>nanum</b> L'Hér.	
( <i>P. malacoides</i> R.Knuth)	
( <i>P. parvulum</i> DC.)	
( <i>P. procumbens</i> (Andrews) Pers)	
Arnold & De Wet: 434	M
<b>pseudofumarioides</b> R.Knuth	
Arnold & De Wet: 435	M
<b>pulverulentum</b> Colvill ex Sweet	
( <i>P. hollandii</i> F.M.Leight.)	
Arnold & De Wet: 435	M
<b>ranunculophyllum</b> (Eckl. & Zeyh.) Baker	
Arnold & De Wet: 435	L, M
<b>reniforme</b> Curtis subsp. <b>reniforme</b>	
Germishuizen & Meyer: 576	F, M
<b>sidoides</b> DC.	
( <i>P. sidaefolium</i> (Thunb.) R.Knuth)	
Arnold & De Wet: 435	L, F, M

## GESNERIACEAE

<b>STREPTOCARPUS</b> Lindl.	7823000
<b>pusillus</b> Harv. ex C.B.Clarke	
Arnold & De Wet: 651	M

## GUNNERACEAE

<b>GUNNERA</b> L.	5836000
<b>perpensa</b> L.	
Arnold & De Wet: 525	L, F, M, S

## HALORAGACEAE

<b>LAUREMBERGIA</b> P.J.Bergius	5833000
<b>repens</b> P.J.Bergius subsp. <b>brachypoda</b> (Hiern) Oberm.	

( <i>L. tetrandra</i> (Schott) Kanitz subsp. <i>brachypoda</i> (Hiern) A.Raynal)	
Arnold & De Wet: 525	M

## HYPERICACEAE

<b>HYPERICUM</b> L.	5168000
<b>aethiopicum</b> Thunb. subsp. <b>aethiopicum</b>	
Arnold & De Wet: 508	L, F, M
<b>aethiopicum</b> Thunb. subsp. <b>sonderi</b> (Bredell) N.Robson	
( <i>H. sonderi</i> Bredell)	
Arnold & De Wet: 508	L
<b>lalandii</b> Choisy	
Arnold & De Wet: 508	L, F, M, S
<b>*perforatum</b> L.	
Arnold & De Wet: 508	S
<b>wilmsii</b> R.Keller	
Arnold & De Wet: 508	L, M

## ICACINACEAE

<b>CASSINOPSIS</b> Sond.	4671000
<b>ilicifolia</b> (Hochst.) Kuntze	
( <i>C. capensis</i> Sond.)	
Arnold & De Wet: 484	L, F, M

## LAMIACEAE

<b>ACROTOME</b> Benth. ex Endl.	7236000
<b>inflata</b> Benth.	
( <i>A. amboensis</i> Briq.)	
( <i>Lasiocorys eenii</i> (Hiern) Baker)	
Arnold & De Wet: 605	L, F
<b>AEOLLANTHUS</b> Mart. ex Spreng.	7345000
<b>buchnerianus</b> Briq.	
( <i>A. canescens</i> Gürke)	
Arnold & De Wet: 610	L
<b>AJUGA</b> L.	7211000
<b>ophrydis</b> Burch. ex Benth.	
Arnold & De Wet: 604	L, F, M, S
<b>LAMIUM</b> L.	7271000
<b>*amplexicaule</b> L.	
Arnold & De Wet: 606	L

<b>LEONOTIS</b> (Pers.) R.Br.	7264000
<b>dubia</b> E.Mey.	
Pooley (1998): 70	L
<b>intermedia</b> Lindl.	
( <i>L. bachmannii</i> Gürke)	
( <i>L. brevipes</i> Skan)	
Germishuizen & Meyer: 589	
<b>ocymifolia</b> (Burm.f.) Iwarsson	
( <i>L. ocymifolia</i> (Burm.f.) Iwarsson var. <i>rainieriana</i> (Vis.) Iwarsson)	
Germishuizen & Meyer: 589	M

<b>MARRUBIUM</b> L.	7238000
<b>*vulgare</b> L.	
Arnold & De Wet: 605	L, F, M

<b>MENTHA</b> L.	7328000
------------------	---------

<b>aquatica</b> L. ( <i>M. dumetorum</i> Schult. var. <i>natalensis</i> Briq.) Arnold & De Wet: 610	L, F, M		<b>kuntzei</b> Gürke Pooley (1998): 182	F, M	
<b>longifolia</b> (L.) Huds. subsp. <b>capensis</b> (Thunb.) Briq. ( <i>M. capensis</i> Thunb.) Arnold & De Wet: 610	L, F		<b>rugosa</b> Aiton ( <i>S. crenulata</i> Briq.) ( <i>S. multiflora</i> Benth.) Arnold & De Wet: 608	F, M, S	
<b>longifolia</b> (L.) Huds. subsp. <b>polyadena</b> (Briq.) Briq. ( <i>M. sylvestris</i> L. subsp. <i>polyadena</i> Briq.) Arnold & De Wet: 610	L, F		<b>sessilis</b> Gürke Arnold & De Wet: 608	M	
<b>PLECTRANTHUS</b> L'Hér. 7350000 <b>fruticosus</b> L'Hér. ( <i>P. artthropodus</i> Briq.) ( <i>P. behrrii</i> Compton) ( <i>P. chorianthus</i> Briq.) ( <i>P. galpinii</i> Schltr.) ( <i>P. peglerae</i> T.Cooke) Arnold & De Wet: 612	F		<b>tysonii</b> Skan ( <i>S. obtusifolia</i> MacOwan var. <i>angustifolia</i> Skan) Arnold & De Wet: 608	M	
<b>grallatus</b> Briq. ( <i>P. cooperi</i> T.Cooke, pro parte) ( <i>P. krookii</i> Gürke ex Zahlbr.) ( <i>P. natalensis</i> Gürke forma <i>glandulosa</i> T.Cooke) Arnold & De Wet: 612	F		<b>TEUCRIUM</b> L. 7212000 <b>trifidum</b> Retz. ( <i>T. capense</i> Thunb.) Arnold & De Wet: 604	L	
<b>SALVIA</b> L. 7290000 <b>*reflexa</b> Hornem. Arnold & De Wet: 609	L, F		<b>LENTIBULARIACEAE</b>		
<b>repens</b> Burch. ex Benth. var. <b>repens</b> ( <i>S. cooperi</i> Skan) Arnold & De Wet: 609	L, F		<b>UTRICULARIA</b> L. 7901000 <b>bisquamata</b> Schrank ( <i>U. brachyceras</i> Schltr.) ( <i>U. capensis</i> Spreng.) ( <i>U. delicata</i> Kamie_ski) Arnold & De Wet: 652	M	
<b>runcinata</b> L.f. ( <i>S. monticola</i> Benth. var. <i>monticola</i> ) ( <i>S. runcinata</i> L.f. var. <i>grandiflora</i> Skan) ( <i>S. sisymbriifolia</i> Skan) Arnold & De Wet: 609	L, F		<b>livida</b> E.Mey. ( <i>U. transrugosa</i> Stapf) Arnold & De Wet: 652	M	
<b>stenophylla</b> Burch. ex Benth. ( <i>S. chlorophylla</i> Briq.) ( <i>S. pallida</i> Dinter ex Engl.) ( <i>S. stenophylla</i> Burch. ex Benth. var. <i>subintegra</i> Skan) Arnold & De Wet: 609	L, F, M, S		<b>stellaris</b> L.f. Arnold & De Wet: 652	L	
<b>verbenaca</b> L. ( <i>S. clandestina</i> L. var. <i>angustifolia</i> Benth.) ( <i>S. clandestina</i> L. var. <i>clandestina</i> ) Arnold & De Wet: 609	L		<b>LINACEAE</b>		
<b>SATUREJA</b> L. 7305000 <b>biflora</b> (Buch.-Ham. ex D.Don) Briq. ( <i>Micromeria biflora</i> (Buch.-Ham. ex D.Don) Benth.) ( <i>Thymus biflorus</i> Buch.-Ham. ex D.Don) Arnold & De Wet: 610	F		<b>LINUM</b> L. 3945000 <b>thunbergii</b> Eckl. & Zeyh. Arnold & De Wet: 442	L, F, M	
<b>STACHYS</b> L. 7281000 <b>cymbalaria</b> Briq. ( <i>S. aethiopica</i> L. var. <i>tenella</i> Kuntze) Arnold & De Wet: 607	L, F		<b>LOBELIACEAE</b>		
<b>dregeana</b> Benth. ( <i>S. dregeana</i> Benth. var. <i>lasiocalyx</i> (Schltr.) Skan) ( <i>S. dregeana</i> Benth. var. <i>tenuior</i> Skan) ( <i>S. rugosa</i> Aiton var. <i>foliosa</i> (Benth.) Skan) Arnold & De Wet: 607	F, M		<b>CYPHIA</b> P.J.Bergius 8681000 <b>longifolia</b> N.E.Br. Pooley (1998): 208	M	
<b>hyssopoides</b> Burch. ex Benth. Arnold & De Wet: 607	L		<b>oblongifolia</b> Sond. & Harv. ( <i>C. elata</i> Harv. var. <i>oblongifolia</i> (Sond. & Harv.) E.Phillips) Germishuizen & Meyer: 606	Possibly occurring in Lesotho	
			<b>triphylla</b> E.Phillips Arnold & De Wet: 694	L	
			<b>LOBELIA</b> L. 8694000 <b>angolensis</b> Engl. & Diels ( <i>L. depressa</i> auctt., non L.f. var. <i>depressa</i> ) ( <i>L. depressa</i> L.f. var. <i>dregeana</i> (Sond.) E.Wimm.) ( <i>L. depressa</i> L.f. var. <i>seineri</i> (Schltr.) E.Wimm.) Arnold & De Wet: 694	L, F	
			<b>dregeana</b> (C.Presl) A.DC. ( <i>L. omphalodoides</i> Schltr.) ( <i>Rapuntium dregeanum</i> C.Presl) Arnold & De Wet: 695	L, M	
			<b>erinus</b> L. ( <i>L. erinus</i> L. var. <i>bellidifolia</i> (Thunb.) Sond.) ( <i>L. erinus</i> L. var. <i>grandiflora</i> Paxton) ( <i>L. krookii</i> Zahlbr.)		

( <i>L. tysonii</i> E.Phillips)	
Arnold & De Wet: 695	L, F, M
<b>flaccida</b> (C.Presl) A.DC. subsp. <b>flaccida</b>	
( <i>L. filiformis</i> Lam. var. <i>krebsiana</i> (A.DC.) E.Wimm.)	
( <i>L. flaccida</i> (C.Presl) A.DC. var. <i>hirsuta</i> (C.Presl) E.Wimm.)	
( <i>L. flaccida</i> (C.Presl) A.DC. var. <i>scabripes</i> (C.Presl) E.Wimm.)	
Arnold & De Wet: 695	L, F, M, S
<b>galpinii</b> Schltr.	
( <i>L. aquatica</i> E.Phillips)	
Arnold & De Wet: 695	L, F, M
<b>laxa</b> MacOwan	
Arnold & De Wet: 696	M
<b>preslii</b> A.DC.	
Arnold & De Wet: 696	M
<b>pteropoda</b> (C.Presl) A.DC.	
( <i>L. patula</i> L.f. var. <i>pteropoda</i> (C.Presl) Sond.)	
Pooley (1998): 208	F, M
<b>vanreenensis</b> (Kuntze) K.Schum.	
( <i>Dortmannia vanreenensis</i> Kuntze)	
Arnold & De Wet: 696	M

<b>MONOPSIS</b> Salisb.	8695000
<b>decipiens</b> (Sond.) Thulin	
( <i>Lobelia decipiens</i> Sond.)	
Arnold & De Wet: 697	F, M, S

## MALVACEAE

<b>ABUTILON</b> Mill.	4983000
<b>sonneratianum</b> (Cav.) Sweet	
( <i>A. umtaliense</i> Baker f.)	
Arnold & De Wet: 495	M
<b>ANISODONTEA</b> C.Presl	4986010
<b>julii</b> (Burch. ex DC.) Bates subsp. <b>julii</b>	
( <i>Sphaeralcea julli</i> (Burch. ex DC.) Baker f.)	
( <i>Sphaeralcea pannosa</i> sensu E.Phillips, non Bolus)	
( <i>Sphaeroma julli</i> (Burch. ex DC.) Harv.)	
Arnold & De Wet: 496	L, F, M
<b>julii</b> (Burch. ex DC.) Bates subsp. <b>prostrata</b> (E.Mey. ex Turcz.) Bates	
( <i>Shaalcea prostrata</i> (Turcz.) Baker f.)	
( <i>Sphaeroma prostratum</i> (Turcz.) Harv. var. <i>molle</i> Harv.)	
( <i>Sphaeroma prostratum</i> (Turcz.) Harv. var. <i>prostrata</i> (Turcz.) Baker f.)	
Arnold & De Wet: 496	L, M

<b>HIBISCUS</b> L.	5013000
<b>aethiopicus</b> L. var. <b>aethiopicus</b>	
( <i>H. aethiopicus</i> L. var. <i>genuinus</i> Hochr.)	
Arnold & De Wet: 499	L
<b>aethiopicus</b> L. var. <b>ovatus</b> Harv.	
( <i>H. leiospermus</i> Harv.)	
Arnold & De Wet: 499	L, M
<b>microcarpus</b> Garcke	
Arnold & De Wet: 500	L
<b>pusillus</b> Thunb.	
( <i>H. atromarginatus</i> Eckl. & Zeyh.)	
Arnold & De Wet: 500	L, M
<b>trionum</b> L.	
Arnold & De Wet: 500	L, F, M, S

<b>MALVA</b> L.	4992000
<b>*neglecta</b> Wallr.	
Arnold & De Wet: 497	M
<b>*parviflora</b> L. var. <b>parviflora</b>	
Germishuizen & Meyer: 625	L, F
<b>*pusilla</b> Sm.	
Arnold & De Wet: 497	L, F
<b>*verticillata</b> L. var. <b>verticillata</b>	
Arnold & De Wet: 497	F

<b>SIDA</b> L.	4998000
<b>rhombifolia</b> L. var. <b>rhombifolia</b>	
Germishuizen & Meyer: 628	L

## MELIACEAE

<b>MELIA</b> L.	4175000
<b>*azedarach</b> L.	
Van Wyk & Van Wyk: 514	L, F, M, S

## MELIANTHACEAE

<b>MELIANTHUS</b> L.	4854000
<b>comosus</b> Vahl	
Arnold & De Wet: 486	L

## MENISPERMACEAE

<b>STEPHANIA</b> Lour.	2572000
<b>abyssinica</b> (Quart.-Dill. & A.Rich.) Walp. var. <b>tomentella</b> (Oliv.) Diels	
( <i>Cissampelos umbellata</i> E.Mey. ex Miers)	
( <i>S. bernandifolia</i> (Willd.) Walp. var. <i>tomentella</i> Oliv.)	
Arnold & De Wet: 309	F

## MESEMBRYANTHEMACEAE

<b>CHASMATOPHYLLUM</b> Dinter & Schwantes	2405026
<b>musculinum</b> (Haw.) Dinter & Schwantes	
Arnold & De Wet: 263	L, S
<b>verdoorniae</b> (N.E.Br.) L.Bolus	
Arnold & De Wet: 263	S

<b>DELOSPERMA</b> N.E.Br. emended Lavis	2405033
<b>ashtonii</b> L.Bolus	
Arnold & De Wet: 271	L, F, M, S
<b>claviceps</b> Lavis	
Arnold & De Wet: 271	M
<b>concovum</b> L.Bolus	
Arnold & De Wet: 271	L, M, S
<b>congestum</b> L.Bolus	
Arnold & De Wet: 271	M, S
<b>crassuloides</b> (Haw.) L.Bolus	
Arnold & De Wet: 271	M
<b>galpinii</b> L.Bolus	
Germishuizen & Meyer: 669	M
<b>hirtum</b> (N.E.Br.) Schwantes	
Arnold & De Wet: 272	M, S
<b>kofleri</b> Lavis	
Arnold & De Wet: 272	L, F, M
<b>lavisiae</b> L.Bolus	
Germishuizen & Meyer: 670	M

<i>lineare</i> L.Bolus	
Germishuizen & Meyer: 670	L, M
<b>monanthemum</b> Lavis	
Arnold & De Wet: 272	L
<b>obtusum</b> L.Bolus	
Arnold & De Wet: 272	L, M, S
<b>reynoldsii</b> Lavis	
Arnold & De Wet: 272	M
<b>rogersii</b> (Schönland & A.Berger) L.Bolus	
Arnold & De Wet: 272	M
<b>roseopurpureum</b> Lavis	
Arnold & De Wet: 272	L
<b>scabripes</b> L.Bolus	
Arnold & De Wet: 272	L
<b>wethamae</b> L.Bolus	
Arnold & De Wet: 273	M

<b>MOSSIA</b> N.E.Br.	2405080
<i>intervallaris</i> (L.Bolus) N.E.Br.	
Smith et al.: 272	L, F, M

<b>RABIEA</b> N.E.Br.	2405102
<i>lesliei</i> N.E.Br.	
Arnold & De Wet: 291	L

<b>RUSCHIA</b> Schwantes	2405105
<i>hamata</i> (L.Bolus) Schwantes	
( <i>Mesembryanthemum hamatum</i> L.Bolus)	
Arnold & De Wet: 293	L
<i>putterillii</i> (L.Bolus) L.Bolus	
Arnold & De Wet: 294	L, M
<i>rigens</i> L.Bolus	
Smith et al.: 358	L, M

## MOLLUGINACEAE

<b>LIMEUM</b> L.	2376000
<i>aethiopicum</i> Burm. subsp. <i>aethiopicum</i> var. <i>fluviale</i> (Eckl. & Zeyh.) Friedrich	
Arnold & De Wet: 251	M
<i>humifusum</i> Friedrich	
Arnold & De Wet: 252	M
<i>viscosum</i> (J.Gay) Fenzl subsp. <i>viscosum</i> var. <i>glomeratum</i> (Eckl. & Zeyh.) Friedrich	
( <i>L. glomeratum</i> Eckl. & Zeyh.)	
( <i>L. viscosum</i> Sond.)	
( <i>L. viscosum</i> Sond. var. <i>kotschyi</i> Burtt Davy)	
Arnold & De Wet: 252	L
<i>viscosum</i> (J.Gay) Fenzl subsp. <i>viscosum</i> var. <i>viscosum</i>	
Arnold & De Wet: 252	L

<b>PHARNACEUM</b> L.	2389000
<i>brevicaule</i> (DC.) Bartl.	
( <i>P. merxmuelleri</i> Friedrich)	
Arnold & De Wet: 253	M
<i>detonsum</i> Fenzl	
Arnold & De Wet: 254	L
<i>dichotomum</i> L.f.	
Arnold & De Wet: 254	L, M
<i>trigonum</i> Eckl. & Zeyh.	
Arnold & De Wet: 254	L

<b>PSAMMOTROPHA</b> Eckl. & Zeyh.	2379000
<i>alternifolia</i> Killick	
Arnold & De Wet: 252	M
<i>mucronata</i> (Thunb.) Fenzl var. <i>mucronata</i> ( <i>P. adrosacea</i> Fenzl)	
( <i>P. androsacea</i> Fenzl var. <i>enervis</i> Fenzl)	
( <i>Pharnaceum mucronatum</i> Thunb.)	
Arnold & De Wet: 252	L, F, M
<i>myriantha</i> Sond.	
( <i>P. breviscapa</i> Burtt Davy)	
Arnold & De Wet: 252	M

## MORACEAE

<b>FICUS</b> L.	1961000
<i>ingens</i> (Miq.) Miq. var. <i>ingens</i> ( <i>F. ingens</i> Miq. var. <i>tomentosa</i> Hutch)	
Pooley (2003): 274	M
<i>sur</i> Forssk.	
( <i>F. capensis</i> Thunb.)	
Sheat: 211	Possibly occurring in Lesotho

<b>MACLURA</b> Nutt.	1918000
* <i>pomifera</i> (Raf.) Schneid.	
Von Breitenbach: 40	L

<b>MORUS</b> L.	1913000
* <i>alba</i> L. var. <i>alba</i>	
Von Breitenbach: 40	L, F

## MYRICACEAE

<b>MORELLA</b> Lour.	1874010
<i>serrata</i> (Lam.) Killick	
( <i>Myrica conifera</i> sensu Hutch.; Adamson, non Burm.f.)	
( <i>Myrica mossii</i> Burtt Davy)	
( <i>Myrica serrata</i> Lam.)	
Germishuizen & Meyer: 745	L, F, M, S

## MYRSINACEAE

<b>MYRSINE</b> L.	6313000
<i>africana</i> L.	
Arnold & De Wet: 552	L, F, M, S

## MYRTACEAE

<b>EUCALYPTUS</b> L'Hér.	5598000
* <i>calophylla</i> R.Br.ex Lindl.	
Von Breitenbach: 85	L, F, M, S
* <i>camaldulensis</i> Dehnh.	
Von Breitenbach: 86	L, F, M, S
* <i>cinerea</i> F.Muell. ex Benth.	
Von Breitenbach: 86	L, F, M, S
* <i>dalrympleana</i> Maiden subsp. <i>dalrympleana</i>	
Von Breitenbach: 86	L, F, M, S
* <i>globulus</i> Labill. subsp. <i>maidenii</i> (F.Muell.) Kirkp.	
Germishuizen & Meyer: 747	L, F, M, S
* <i>lehmannii</i> (Priess ex Schauer) Benth.	
Von Breitenbach: 87	L, F, M, S
* <i>macarthurii</i> H.Deane & Maiden	
Von Breitenbach: 87	L, F, M, S

- \***meliadora** A.Cunn. ex Schauer  
Von Breitenbach: 88 L, F, M, S
- \***nitens** (H.Deane & Maiden) Maiden  
Von Breitenbach: 88 L, F, M, S
- \***polyanthes** Schauer  
Von Breitenbach: 89 L, F, M, S
- \***rubida** H.Deane & Maiden  
Von Breitenbach: 89 F, M, S
- \***sideroxylon** A.Cunn. ex Woolls subsp. **sideroxylon**  
Von Breitenbach: 89 L, F, M, S
- \***tereticornis** Sm.  
Von Breytenbach: 89 L, F, M, S
- \***viminalis** Labill. subsp. **viminalis**  
Von Breitenbach: 90 L, F, M, S

## NYCTAGINACEAE

- COMMICARPUS** Standl. 2347010  
**pentandrus** (Burch.) Heimerl  
(*Boerhavia pentandra* Burch.)  
Arnold & De Wet: 250 M

## OCHNACEAE

- OCHNA** L. 5112000  
**serrulata** (Hochst) Walp.  
(*O. atropurpurea* sensu Harv., non DC.)  
Arnold & De Wet: 508 L

## OLEACEAE

- MENODORA** Humb. & Bonpl. 6438000  
**africana** Hook.  
Pooley (1998): 296 L, F, S

- LIGUSTRUM** L. 6436000  
\***lucidum** W.T.Aiton  
Von Breitenbach: 97 L

- OLEA** L. 6434000  
**europaea** L. subsp. **africana** (Mill.) P.S.Green  
(*O. africana* Mill.)  
Arnold & De Wet: 557 L, F, S

## OLINIACEAE

- OLINIA** Thunb. 5428000  
**emarginata** Burtt Davy  
Van Wyk & Van Wyk: 348 M

## ONAGRACEAE

- EPILOBIUM** L. 5795000  
**capense** Buchinger ex Hochst.  
(*E. flavescens* E.Mey. ex Harv.)  
Arnold & De Wet: 524 L, M
- hirsutum** L.  
Arnold & De Wet: 524 L, F
- salignum** Hausskn.  
Arnold & De Wet: 524 L, F, M
- tetragonum** L. subsp. **tetragonum**  
Arnold & De Wet: 524 L

- LUDWIGIA** L. 5793000  
**palustris** (L.) Elliot  
Arnold & De Wet: 524 F

- OENOTHERA** L. 5804000  
\***affinis** Cambess.  
Arnold & De Wet: 524 L, F
- \***biennis** L.  
Sheat: 74 F
- \***glazioviana** L.  
Germishuizen & Meyer: 754 L
- \***indecora** Cambess. subsp. **indecora**  
Arnold & De Wet: 524 L
- \***laciniata** Hill  
Arnold & De Wet: 524 L
- \***parodiana** Munz subsp. **parodiana**  
Arnold & De Wet: 524 L
- \***rosea** L'Hér. ex Aiton  
Arnold & De Wet: 524 L, F, M
- \***stricta** Ledeb. ex Link subsp. **stricta**  
Germishuizen & Meyer: 755 L
- \***tetraptera** Cav.  
Arnold & De Wet: 524 L, F, M, S

## OROBANCHACEAE

- ALECTRA** Thunb. 7597010  
**basutica** (E.Phillips) Melch.  
(*Melasma basuticum* E.Phillips)  
Germishuizen & Meyer: 755 L, F
- capensis** Thunb.  
(*Melasma capense* (Thunb.) Hiern)  
Germishuizen & Meyer: 755 L, F, M, S
- orobanchoides** Berth.  
(*Melasma orobanchoides* (Benth.) Engl.)  
Germishuizen & Meyer: 755 L, M
- pumila** Benth.  
Germishuizen & Meyer: 756 L
- sessiliflora** (Vahl) Kuntze var. **sessiliflora**  
(*A. barbata* (Hiern) Melch.)  
(*A. melampyroides* Benth.)  
(*Melasma barbatum* Hiern)  
(*Melasma sessiliflorum* (Vahl) Hiern)  
Germishuizen & Meyer: 756 F
- thyrsoides** Melch.  
Germishuizen & Meyer: 756 M
- welwitschii** (Hiern) Hemsl.  
(*Melasma welwitschii* Hiern)  
Germishuizen & Meyer: 756 L

- BUCHNERA** L. 7622000  
**reducta** Hiern  
Germishuizen & Meyer: 757 F
- simplex** Thunb.  
(*B. glabrata* Benth.)  
Germishuizen & Meyer: 757 M

- CYCNium** E.Mey. ex Benth. emended Engl. 7623000  
**racemosum** Benth.  
Germishuizen & Meyer: 757 M

- HARVEYA** Hook. 7627000

<b>coccinea</b> (Harv.) Schltr. ( <i>Aulaya coccinea</i> Harv.) Germishuizen & Meyer: 758	Possibly occurring in Lesotho
<b>leucopharynx</b> Hilliard & B.L.Burt	
Germishuizen & Meyer: 758	M
<b>pulchra</b> Hilliard & B.L.Burt	
Germishuizen & Meyer: 758	M
<b>pumila</b> Schltr. Germishuizen & Meyer: 759	F, M
<b>randii</b> Hiern ( <i>H. crispula</i> Conrath) Germishuizen & Meyer: 759	M
<b>scarlatina</b> (Benth.) Hiern ( <i>Aulaya scarlatina</i> Benth.) Germishuizen & Meyer: 759	M
<b>speciosa</b> Bernh. Germishuizen & Meyer: 759	M
<b>HYOBANCHE</b> L.	7629000
<b>sanguinea</b> L. Germishuizen & Meyer: 759	M
<b>MELASMA</b> P.J.Bergius	7597000
<b>scabrum</b> P.J.Bergius var. <b>scabrum</b> Germishuizen & Meyer: 760	F, M
<b>SOPUBIA</b> Buch.-Ham. ex D.Don	7616000
<b>cana</b> Harv. var. <b>cana</b> Germishuizen & Meyer: 761	M
<b>mannii</b> Skan var. <b>tenuifolia</b> (Engl. & Gilg) Hepper ( <i>S. dregeana</i> (Benth. ex Hochst.) Benth. var. <i>tenuifolia</i> Engl. & Gilg) Germishuizen & Meyer: 761	L
<b>STRIGA</b> Lour.	7625000
<b>asiatica</b> (L.) Kuntze ( <i>Buchnera asiatica</i> L.) ( <i>S. lutea</i> Lour.) Germishuizen & Meyer: 761	L
<b>bilabiata</b> (Thunb.) Kuntze subsp. <b>bilabiata</b> ( <i>Buchnera bilabiata</i> Thunb.) ( <i>S. thunbergii</i> Benth.) Germishuizen & Meyer: 761	L, F, M
<b>elegans</b> Benth. Germishuizen & Meyer: 761	L
<b>gesnerioides</b> (Willd.) Vatke ex Engl. ( <i>Buchnera gesnerioides</i> Willd.) ( <i>S. chloroleuca</i> Dinter) ( <i>S. orobanchoides</i> (R.Br.) Benth.) Germishuizen & Meyer: 761	L

## OXALIDACEAE

<b>OXALIS</b> L.	3936000
<b>bifurca</b> Lodd. var. <b>bifurca</b> Arnold & De Wet: 437	Possibly occurring in Lesotho
<b>*corniculata</b> L. ( <i>O. repens</i> Thunb.) Arnold & De Wet: 437	L, M
<b>depressa</b> Eckl. & Zeyh. ( <i>O. commutata</i> Sond. var. <i>pusilla</i> Kunth) ( <i>O. convexula</i> Jacq. var. <i>dilatata</i> Eckl. & Zeyh.)	

( <i>O. dammeriana</i> Schltr.) Arnold & De Wet: 437	L, M
<b>obliquifolia</b> Steud. ex Rich. Pooley (1998): 402	L, M
<b>semiloba</b> Sond. subsp. <b>semiloba</b> Pooley (1998): 402	L, F
<b>smithiana</b> Eckl. & Zeyh. ( <i>O. galpinii</i> Schltr.) Arnold & De Wet: 441	L, F, M
<b>tragopoda</b> T.M.Salter Arnold & De Wet: 441	L

## PAPAVERACEAE

<b>ARGEMONE</b> L.	2852000
<b>*mexicana</b> L. forma <b>mexicana</b> Germishuizen & Meyer: 770	L, F
<b>PAPAVER</b> L.	2853000
<b>aculeatum</b> Thunb. ( <i>P. gariepinum</i> Burch.) Arnold & De Wet: 312	L, F, M, S

## PHYTOLACCACEAE

<b>PHYTOLACCA</b> L.	2380000
<b>heptandra</b> Retz. ( <i>P. stricta</i> O.Hoffm.) Arnold & De Wet: 253	L, F, M
<b>octandra</b> L. ( <i>P. americana</i> L. var. <i>mexicana</i> L.) Pooley (1998): 52	L, M

## PITTIOSPORACEAE

<b>PITTIOSPORUM</b> Banks ex Sol.	3252000
<b>viridiflorum</b> Sims ( <i>P. abyssinicum</i> Delile var. <i>angolense</i> Oliv.) ( <i>P. antunesii</i> Engl.) ( <i>P. commutatum</i> Putt.) Arnold & De Wet: 342	L, F, S

## PLANTAGINACEAE

<b>PLANTAGO</b> L.	8116000
<b>lanceolata</b> L. Arnold & De Wet: 666	L
<b>major</b> L. ( <i>P. dregeana</i> Decne.) Arnold & De Wet: 666	L

## PLUMBAGINACEAE

<b>LIMONTIUM</b> Mill.	6351010
<b>scabrum</b> (Thunb.) Kuntze var. <b>scabrum</b> Arnold & De Wet: 553	Possibly occurring in Lesotho

## POLYGALACEAE

<b>MURALTIA</b> DC.	4278000
<b>alticola</b> Schltr. Arnold & De Wet: 458	L, F, M

<b>flanaganii</b> Bolus	
( <i>M. ecornuta</i> N.E.Br.)	
Arnold & De Wet: 459	M
<b>saxicola</b> Chodat	
Arnold & De Wet: 460	F, M, S
<b>POLYGALA L.</b>	<b>4273000</b>
<b>amatymbica</b> Eckl. & Zeyh.	
Arnold & De Wet: 456	L, M
<b>asbestina</b> Burch.	
Arnold & De Wet: 456	L, F, M
<b>gerrardii</b> Chodat	
Arnold & De Wet: 456	L
<b>gracilenta</b> Burtt Davy	
Arnold & De Wet: 456	F
<b>gymnoclada</b> MacOwan	
Arnold & De Wet: 457	L, M
<b>hispida</b> Burch. ex DC.	
Arnold & De Wet: 457	F, M
<b>hottentotta</b> C.Presl	
( <i>P. abyssinica</i> sensu Gibbs)	
Arnold & De Wet: 457	L
<b>myrtifolia</b> L. var. <b>myrtifolia</b>	
( <i>P. pinifolia</i> Lam ex Poir.)	
Germishuizen & Meyer: 786	M
<b>ohlendorfiana</b> Eckl. & Zeyh.	
Arnold & De Wet: 457	M
<b>rhinostigma</b> Chodat	
Arnold & De Wet: 457	M
<b>uncinata</b> E.Mey. ex Meisn.	
( <i>P. hamata</i> Burtt Davy)	
( <i>P. rehmannii</i> Chodat var. <i>latipetata</i> (N.E.Br.) Norl.)	
( <i>P. tenuifolia</i> sensu Harv., pro parte non Willd. var. <i>uncinata</i> (Meisn.) Harv.)	
Arnold & De Wet: 458	L, F, M, S
<b>virgata</b> Thunb. var. <b>decora</b> (Sond.) Harv.	
( <i>P. speciosa</i> sensu Burtt Davy)	
Arnold & De Wet: 458	L, F, S

## POLYGONACEAE

<b>EMEX</b> Campd.	<b>2194000</b>
<b>australis</b> Steinh.	
Arnold & De Wet: 235	L
<b>FALLOPIA</b> Adans.	<b>2201040</b>
<b>*convolvulus</b> (L.) Holub	
( <i>Bilderdykia convolvulus</i> (L.) Dumort.)	
( <i>Polygonum convolvulus</i> L.)	
Arnold & De Wet: 237	L, M
<b>PERSICARIA</b> (L.) Mill.	<b>2201030</b>
<b>amphibia</b> (L.) Gray	
( <i>Polygonum amphibium</i> L.)	
Arnold & De Wet: 236	F
<b>attenuata</b> (R.Br.) Sojak subsp. <b>africana</b> K.L.Wilson	
( <i>Polygonum pulchrum</i> auctt., non Blume)	
Arnold & De Wet: 236	L, M
<b>decipiens</b> (R.Br.) K.L.Wilson	
( <i>P. serrulata</i> (Lag.) Webb & Moq.)	
( <i>Polygonum salicifolium</i> Willd.)	
( <i>Polygonum serrulatum</i> Lag.)	

Germishuizen & Meyer: 789	L, F, M
<b>*lapathifolia</b> (L.) Gray	
( <i>Polygonum lapathifolium</i> L. subsp. <i>maculatum</i> (Gray) T.-Dyer & Trimen)	
( <i>Polygonum lapathifolium</i> L. var. <i>maculatum</i> T.-Dyer & Trimen)	
Arnold & De Wet: 236	L, F, M
<b>POLYGONUM L.</b>	<b>2201000</b>
<b>*aviculare</b> L.	
Arnold & De Wet: 236	L, F, M
<b>RUMEX L.</b>	<b>2195000</b>
<b>acetosella</b> L. subsp. <b>angiocarpus</b> (Murb.) Murb.	
( <i>R. angiocarpus</i> Murb.)	
Arnold & De Wet: 235	L, M
<b>*crispus</b> L.	
Arnold & De Wet: 235	L, M
<b>lanceolatus</b> Thunb.	
( <i>R. ecklonianus</i> Meisn.)	
( <i>R. ecklonii</i> Meisn.)	
( <i>R. linearis</i> Campd.)	
Arnold & De Wet: 235	L, F, M
<b>sagittatus</b> Thunb.	
( <i>Acetosa sagittata</i> (Thunb.) L.A.S.Johnson & B.G.Briggs)	
( <i>R. scandens</i> Burch.)	
Arnold & De Wet: 235	F, L
<b>steudelii</b> Hochst. ex A.Rich.	
( <i>R. nepalensis</i> C.H.Wright)	
( <i>R. steudelianus</i> Meisn.)	
Arnold & De Wet: 235	L, F, M
<b>woodii</b> N.E.Br.	
( <i>R. natalensis</i> Damn.)	
Arnold & De Wet: 235	L, M

## PORTULACACEAE

<b>ANACAMPSEROS L.</b>	<b>2412000</b>
<b>arachnoides</b> (Harv.) Sims	
Arnold & De Wet: 302	L, F, S
<b>PORTULACA L.</b>	<b>2421000</b>
<b>*oleracea</b> L.	
Arnold & De Wet: 303	L, M
<b>TALINUM</b> Adans.	<b>2406000</b>
<b>caffrum</b> (Thunb.) Eckl. & Zeyh.	
Pooley (1998): 250	L, F, S

## PRIMULACEAE

<b>ANAGALLIS L.</b>	<b>6338000</b>
<b>huttonii</b> Harv.	
Pooley (1998): 162	M
<b>LYSIMACHIA L.</b>	<b>6330000</b>
<b>ruhmeriana</b> Vatke	
Arnold & De Wet: 552	M

## PROTEACEAE

<b>PROTEA L.</b>	<b>2035000</b>
<b>caffra</b> Meisn. subsp. <b>caffra</b>	

( <i>P. bolusii</i> E.Phillips)	
( <i>P. multibracteata</i> E.Phillips)	
( <i>P. rhodantha</i> Hook.f.)	
Arnold & De Wet: 219	F
<b>dracomontana</b> Beard	
Pooley (2003): 374	Possibly occurring in Lesotho
<b>roupelliae</b> Meisn. subsp. <b>roupelliae</b>	
( <i>P. incana</i> Hort. ex Meisn.)	
Arnold & De Wet: 221	M
<b>subvestita</b> N.E.Br.	
( <i>P. laticolor</i> Salisb. var. <i>angustata</i> E.Phillips)	
( <i>P. laticolor</i> Salisb. var. <i>orientalis</i> (Sim) E.Phillips)	
Arnold & De Wet: 221	M

RANUNCULACEAE

<b>ANEMONE</b> L.	2541000
<b>fanninii</b> Harv. ex Mast.	
Arnold & De Wet: 308	L, M
<b>CLEMATIS</b> L.	2542000
<b>brachiata</b> Thunb.	
Arnold & De Wet: 308	L, F, M, S
<b>RANUNCULUS</b> L.	2546000
<b>baurii</b> MacOwan	
Arnold & De Wet: 309	M
<b>meyeri</b> Harv.	
Arnold & De Wet: 309	L, F, M
<b>multifidus</b> Forssk.	
( <i>R. pinnatus</i> Poir.)	
( <i>R. pubescens</i> Thunb.)	
Arnold & De Wet: 309	L, F, M
<b>rionii</b> Lager	
( <i>R. trichophyllus</i> auct., non Chaix)	
Germishuizen & Meyer: 810	F, M
<b>THALICTRUM</b> L.	2548000
<b>minus</b> L.	
( <i>T. cafferum</i> Eckl. & Zeyh.)	
Arnold & De Wet: 309	L, F, M
<b>rhynchocarpum</b> Quart.-Dill. & A.Rich.	
( <i>T. innitens</i> B.Boivin)	
Arnold & De Wet: 309	M

RESEDACEAE

<b>OLIGOMERIS</b> Cambess.	3126000
<b>dregeana</b> (Müll.Arg.) Müll.Arg.	
( <i>Dipetalia dregeana</i> Kuntze)	
( <i>Reseda dregeana</i> C.Presl)	
( <i>Resedella dregeana</i> Müll.Arg.)	
Arnold & De Wet: 326	L
<b>RESEDA</b> L.	3125000
<b>lutea</b> L. subsp. <b>lutea</b> var. <b>nutans</b> Boiss.	
Arnold & De Wet: 325	L

RHAMNACEAE

<b>PHYLICA</b> L.	4886000
-------------------	---------

<b>thodei</b> E.Phillips	
Arnold & De Wet: 490	M
<b>RHAMNUS</b> L.	4875000
<b>prinoides</b> L'Hér.	
( <i>Celtis rhannifolia</i> C.Presl, nom. illeg.)	
Arnold & De Wet: 487	L, F, M, S
<b>ZIZIPHUS</b> Mill.	4861000
<b>mucronata</b> Willd. subsp. <b>mucronata</b>	
Arnold & De Wet: 487	L

ROSACEAE

<b>AGRIMONIA</b> L.	3376000
<b>procera</b> Wallr.	
( <i>A. odorata</i> Mill.)	
Pooley (1998): 256	M
<b>ALCHEMILLA</b> L.	3375000
<b>colura</b> Hilliard	
Arnold & De Wet: 348	M
<b>woodii</b> Kuntze	
( <i>A. wilmsii</i> Engl.)	
Arnold & De Wet: 348	L, F, M
<b>CLIFFORTIA</b> L.	3388000
<b>filicauloides</b> Weim.	
Arnold & De Wet: 350	M
<b>linearifolia</b> Eckl. & Zeyh.	
( <i>C. ericifolia</i> L.f. var. <i>acutistipula</i> Kuntze)	
Arnold & De Wet: 351	L, F, M
<b>nitidula</b> (Engl.) R.E.Fr. & T.C.E.Fr. subsp. <b>pilosa</b> Weim.	
Arnold & De Wet: 351	L, M
<b>paucistaminea</b> Weim.	
( <i>C. galpinii</i> N.E.Br., pro parte)	
( <i>C. juniperina</i> L.f. var. <i>brevifolia</i> Harv.)	
( <i>C. juniperina</i> L.f. var. <i>foliis-brevioribus</i> Eckl. & Zeyh.)	
Arnold & De Wet: 351	F, M
<b>ramosissima</b> Schltr.	
( <i>C. galpinii</i> N.E.Br., pro parte)	
Arnold & De Wet: 351	L
<b>serpyllifolia</b> Cham. & Schldtl.	
( <i>C. polyphylla</i> Eckl. & Zeyh.)	
( <i>C. serpyllifolia</i> Cham. & Schldtl. var. <i>angustifolia</i> Drège)	
( <i>C. serpyllina</i> Drège)	
Arnold & De Wet: 352	L, M
<b>GEUM</b> L.	3365000
<b>capense</b> Thunb.	
Pooley (1998): 254	L, M
<b>LEUCOSIDEA</b> Eckl. & Zeyh.	3379000
<b>sericea</b> Eckl. & Zeyh.	
Arnold & De Wet: 349	L, F, M, S
<b>PRUNUS</b> L.	3396000
<b>africana</b> (Hook.f.) Kalkman	
( <i>Pygeum africanum</i> Hook.f.)	
Arnold & De Wet: 353	M
<b>*persica</b> (L.) Batsch var. <b>persica</b>	

( <i>Persica vulgaris</i> Mill.) Von Breitenbach: 55	L, F, M, S	
<b>PYRACANTHA M.Roem.</b>	<b>3333010</b>	
* <b>angustifolia</b> (Franch.) Schneid. Van Wyk & Van Wyk: 116	L	
* <b>coccinea</b> M.Roem. ( <i>Cotoneaster pyracantha</i> (L.) Spach.) ( <i>P. pauciflora</i> André) Germishuizen & Meyer: 824; Von Breitenbach: 51	F	
<b>ROSA L.</b>	<b>3389000</b>	
* <b>rubignosa</b> L. ( <i>R. eglanteria</i> L., nom. rej.) Germishuizen & Meyer: 824	L, F, M, S	
<b>RUBUS L.</b>	<b>3353000</b>	
<b>ludwigii</b> Eckl. & Zeyh. subsp. <b>ludwigii</b> ( <i>R. rhodacantha</i> E.Mey.) Arnold & De Wet: 347	L, F, M, S	
<b>rigidus</b> Sm. ( <i>R. discolor</i> E.Mey.) Arnold & De Wet: 347	L, F, M	
<b>RUBIACEAE</b>		
<b>ANTHOSPERMUM L.</b>	<b>8438000</b>	
<b>basuticum</b> Puff Arnold & De Wet: 677	F, M	
<b>herbaceum</b> L.f. ( <i>A. hedyotideum</i> Sond.) ( <i>A. lanceolatum</i> Thunb.) ( <i>A. lanceolatum</i> Thunb. var. <i>latifolium</i> Sond.) Pooley (1998): 556	M	
<b>hispidulum</b> E.Mey. ex Sond. ( <i>A. arenicolum</i> Greves) ( <i>A. burkei</i> Sond.) ( <i>A. rubricaula</i> K.Schum.) Arnold & De Wet: 677	M	
<b>monticola</b> Puff Arnold & De Wet: 677	F, M	
<b>rigidum</b> Eckl. & Zeyh. subsp. <b>pumilum</b> (Sond.) Puff ( <i>A. ericoideum</i> K.Krause) ( <i>A. humile</i> N.E.Br.) ( <i>A. pumilum</i> Sond. subsp. <i>pumilum</i> ) Arnold & De Wet: 677	L, M	
<b>spatulatum</b> Spreng. subsp. <b>spatulatum</b> ( <i>A. aethiopicum</i> L. var. <i>montanum</i> Sond.) ( <i>A. aethiopicum</i> L. var. <i>oppositifolium</i> Cruse) ( <i>A. tricoatum</i> Sond.) Arnold & De Wet: 677	L, F, M	
<b>streyi</b> Puff Pooley (1998): 556	F	
<b>CANTHIUM Lam.</b>	<b>8352000</b>	
<b>ciliatum</b> (Klotzsch) Kuntze ( <i>Plectronia ciliata</i> (Klotzsch) Sond.) Pooley (1998): 474	L	
<b>GALIUM L.</b>	<b>8486000</b>	
<b>capense</b> Thunb. subsp. <b>garipense</b> (Sond.) Puff		
( <i>G. capense</i> Thunb. subsp. <i>garipense</i> (Sond.) Puff var. <i>wittbergense</i> (Sond.) Puff) ( <i>G. garipense</i> Sond.) Arnold & De Wet: 679	L, F, M	
<b>mucroniferum</b> Sond. var. <b>dregeanum</b> (Sond.) Puff ( <i>G. dregeanum</i> Sond.) Arnold & De Wet: 679		
<b>scabrelloides</b> Puff Arnold & De Wet: 679	L, F, M	
<b>spurium</b> L. subsp. <b>africanum</b> Verdc. Arnold & De Wet: 679	F, M	
<b>subvillosum</b> Sond. var. <b>subvillosum</b> Arnold & De Wet: 679	L, F	
<b>thunbergianum</b> Eckl. & Zeyh. var. <b>hirsutum</b> (Sond.) Verdc. ( <i>G. rotundifolium</i> L. var. <i>hirsutum</i> Sond.) Arnold & De Wet: 679	L, F, M	
<b>thunbergianum</b> Eckl. & Zeyh. var. <b>thunbergianum</b> ( <i>G. rotundifolium</i> auctt., non L.) Arnold & De Wet: 680	L	
<b>KOHAUTIA Cham. &amp; Schltdl.</b>	<b>8136060</b>	
<b>amatymbica</b> Eckl. & Zeyh. ( <i>Hedyotis amatymbica</i> (Eckl. & Zeyh.) Steud.) ( <i>Oldenlandia amatymbica</i> (Eckl. & Zeyh.) Kuntze) Arnold & De Wet: 666	L, F, M	
<b>NENAX Gaertn.</b>	<b>8439000</b>	
<b>microphylla</b> (Sond.) T.M.Salter ( <i>Ambraria microphylla</i> Sond.) Arnold & De Wet: 678	L, M, S	
<b>OLDENLANDIA L.</b>	<b>8136200</b>	
<b>herbacea</b> (L.) Roxb. var. <b>herbacea</b> ( <i>Hedyotis herbacea</i> L.) ( <i>Hedyotis heynei</i> (G.Don) Sond.) Arnold & De Wet: 668	L, F, M	
<b>PENTANISIA Harv.</b>	<b>8348000</b>	
<b>angustifolia</b> (Hochst.) Hochst. ( <i>P. variabilis</i> Harv. var. <i>glaucescens</i> Cruse ex Sond.) Arnold & De Wet: 672	M	
<b>prunelloides</b> (Klotzsch ex Eckl. & Zeyh.) Walp. subsp. <b>latifolia</b> (Hochst.) Verdc. ( <i>P. variabilis</i> Harv. var. <i>latifolia</i> (Hochst.) Sond.) Arnold & De Wet: 672	M	
<b>prunelloides</b> (Klotzsch ex Eckl. & Zeyh.) Walp. subsp. <b>prunelloides</b> ( <i>P. variabilis</i> Harv. var. <i>intermedia</i> Sond.) Arnold & De Wet: 672	L, F, M	
<b>RUBIA L.</b>	<b>8489000</b>	
<b>petiolaris</b> DC. ( <i>R. petiolaris</i> DC. var. <i>isophylla</i> Sond.) Arnold & De Wet: 680	L, F, M	
<b>RUTACEAE</b>		
<b>AGATHOSMA Willd.</b>	<b>4037000</b>	
<b>ovata</b> (Thunb.) Pillans ( <i>Barosma acutata</i> Sond.)		

(Barosma oblonga (Roem. &amp; Schult.) Bartl. &amp; H.L.Wendl.)

(Barosma ovata (J.C.Wendl.) Bartl. &amp; H.L.Wendl.)

(Barosma scoparia Eckl. &amp; Zeyh.)

(Diosma ovata Thunb.)

Arnold &amp; De Wet: 447 S

**RUTA L. 4012000**

\***graveolens L.**  
Arnold & De Wet: 444 L

**SALICACEAE****POPULUS L. 1872000**

\***X canescens (Aiton) Sm.**  
Arnold & De Wet: 210 L, F, M, S

\***deltoides Marshall subsp. deltoides**  
Germishuizen & Meyer: 852 L, F, M, S

\***nigra L. var. italica Münchh.**  
Germishuizen & Meyer: 852 L, F, M, S

**SALIX L. 1873000**

\***babylonica L. var. babylonica**  
Germishuizen & Meyer: 852 L, F, M, S

\***fragilis L. var. fragilis**  
Arnold & De Wet: 210 L, M

\***lasianadra Benth.**  
Arnold & De Wet: 210 L, F, M

**mucronata Thunb. subsp. capensis (Thunb.) Immelman**  
(*S. capensis* Thunb.)

(S. capensis Thunb. var. gariopina (Burch.) Anderson)

(S. mucronata Thunb. var. caffra Burtt Davy)

(S. mucronata Thunb. var. integra Burtt Davy)  
Arnold & De Wet: 210 L

**mucronata Thunb. subsp. woodii (Seemen) Immelman**  
(S. woodii Seemen)  
Arnold & De Wet: 210 L

**SANTALACEAE****OSYRIS L. 2108000**

**lanceolata Hochst. & Steud.**  
(O. abyssinica Hochst. ex A.Rich.)  
Arnold & De Wet: 230 L, F, S

**THESIUM L. 2118000**

**acutissimum A.DC.**  
Arnold & De Wet: 231 M

**asterias A.W.Hill**  
Arnold & De Wet: 231 M

**burkei A.W.Hill**  
Arnold & De Wet: 231 L

**costatum A.W.Hill var. juniperinum A.W.Hill**  
Arnold & De Wet: 231 L, M, S

**cupressoides A.W.Hill**  
Arnold & De Wet: 231 M

**durum Hilliard & B.L.Burtt**  
Arnold & De Wet: 232 M

**goetzeanum Engl.**  
Arnold & De Wet: 232 M

**gracilarioides A.W.Hill**  
Arnold & De Wet: 232 M

**imbricatum Thunb.**

Arnold &amp; De Wet: 232 L, M

**impeditum A.W.Hill**

Arnold &amp; De Wet: 232 L

**macrogyne A.W.Hill**

Arnold &amp; De Wet: 232 M

**natalense Sond.**

Pooley (1998): 134 Possibly occurring in Lesotho

**nigrum A.W.Hill**

Arnold &amp; De Wet: 232 M

**pallidum A.DC.**

(T. floribundum A.W.Hill)

Pooley (1998): 250 F, M

**racemosum Bernh.**

Arnold &amp; De Wet: 233 M

**scirpioides A.W.Hill**

Arnold &amp; De Wet: 233 L, F, M

**spartioides A.W.Hill**

Arnold &amp; De Wet: 233 M

**squarrosom L.f.**

Arnold &amp; De Wet: 233 M

**zeyheri A.DC.**

(T. schlechteri A.W.Hill)

Arnold &amp; De Wet: 233 M

**SCROPHULARIACEAE****APTOSIMUM Burch. ex Benth. 7467000****procumbens (Lehm.) Steud.**

(A. depressum Burch. ex Benth., nom. illeg.)

(Ohlendorffia procumbens Lehm.)

Germishuizen &amp; Meyer: 864 L, F

**DIASCIA Link & Otto 7471000****anastrepta Hilliard & B.L.Burtt**

Arnold &amp; De Wet: 623 M

**austromontana K.E.Steiner**

Arnold &amp; De Wet: 623 M

**barberae Hook.f.**

Arnold &amp; De Wet: 623 M

**capsularis Benth.**

(D. elegans (Hiern) Hiern)

(Hemimeris elegans Hiern)

Arnold &amp; De Wet: 623 M

**cordata N.E.Br.**

Arnold &amp; De Wet: 623 M

**fetcaniensis Hilliard & B.L.Burtt**

Arnold &amp; De Wet: 623 M

**integerrima E.Mey. ex Benth.**

(D. moltenensis Hiern)

(Nemesia hastata Benth.)

Arnold &amp; De Wet: 623 L, F, M, S

**megathura Hilliard & B.L.Burtt**

Arnold &amp; De Wet: 623 M

**rigescens E.Mey. ex Benth.**

(D. macowanii Hiern)

(D. rigescens E.Mey. ex Benth. var. angustifolia Benth.)

(D. rigescens E.Mey. ex Benth. var. bractescens Hiern)

Arnold &amp; De Wet: 623 F

**vigilis Hilliard & B.L.Burtt**

Arnold &amp; De Wet: 624 F

<b>DICLIS</b> Benth.	7477000	
<b>reptans</b> Benth.		
Arnold & De Wet: 625	L, F, M	
<b>rotundifolia</b> (Hiern) Hilliard & B.L.Burtt		
( <i>Diascia rotundifolia</i> Hiern)		
Arnold & De Wet: 625	L, F, M	
<b>GLEKIA</b> Hilliard	7521010	
<b>krebsiana</b> (Benth.) Hilliard		
( <i>Phyllopodium krebsianum</i> Benth.)		
Arnold & De Wet: 633	L, F, M	
<b>GLUMICALYX</b> Hiern	7593010	
<b>flanaganii</b> (Hiern) Hilliard & B.L.Burtt		
( <i>Zaluzianskya flanaganii</i> Hiern)		
Arnold & De Wet: 644	M	
<b>goseloides</b> (Diels) Hilliard & B.L.Burtt		
( <i>Zaluzianskya goseloides</i> Diels)		
Arnold & De Wet: 644	M	
<b>lesuticus</b> Hilliard & B.L.Burtt		
Arnold & De Wet: 644	M	
<b>montanus</b> Hiern		
Arnold & De Wet: 644	M	
<b>nutans</b> (Rolfe) Hilliard & B.L.Burtt		
( <i>G. alpestris</i> (Diels) Hilliard & B.L.Burtt)		
( <i>Selago nutans</i> Rolfe)		
Arnold & De Wet: 644	M	
<b>HALLERIA</b> L.	7493000	
<b>lucida</b> L.		
Arnold & De Wet: 626	L, F	
<b>HEBENSTRETIA</b> L.	7566000	
<b>angolensis</b> Rolfe		
( <i>H. bequaertii</i> De Wild.)		
Germishuizen & Meyer: 873	M	
<b>dura</b> Choisy		
( <i>H. basutica</i> E.Phillips)		
( <i>H. cooperi</i> Rolfe)		
( <i>H. fruticosa</i> Sims nom. illeg., non L.f., var. <i>dura</i> (Choisy) Rolfe)		
Germishuizen & Meyer: 873	L, F, M	
<b>JAMESBRITTENIA</b> Kuntze	7519010	
<b>atropurpurea</b> (Benth.) Hilliard subsp. <i>atropurpurea</i>		
( <i>Lyperia atropurpurea</i> Benth., pro parte)		
Germishuizen & Meyer: 876	L, M	
<b>aurantiaca</b> (Burch.) Hilliard		
( <i>Sutera aurantiaca</i> (Burch.) Hiern)		
Pooley (1998): 74	L, F, M	
<b>breviflora</b> (Schltr.) Hilliard		
( <i>Sutera breviflora</i> (Schltr.) Hiern)		
Pooley (1998): 74	M	
<b>burkeana</b> (Benth.) Hilliard		
( <i>Lyperia burkeana</i> Benth.)		
( <i>Sutera burkeana</i> (Benth.) Hiern, pro parte)		
Germishuizen & Meyer: 876		
<b>crassicaulis</b> (Benth.) Hilliard		
( <i>Lyperia crassicaulis</i> Benth., pro parte)		
( <i>Sutera crassicaulis</i> (Benth.) Hiern)		
Germishuizen & Meyer: 877	F, M	
<b>filicaulis</b> (Benth.) Hilliard		
( <i>Lyperia filicaulis</i> Benth.)		
( <i>Sutera filicaulis</i> (Benth.) Hiern)		
Germishuizen & Meyer: 877	L, F, M	
<b>JURASSICA</b> (Hilliard & B.L.Burtt) Hilliard		
( <i>Sutera jurassica</i> Hilliard & B.L.Burtt)		
Germishuizen & Meyer: 877	M	
<b>MONTANA</b> (Diels) Hilliard		
( <i>Chaenostoma montanum</i> Diels)		
( <i>Sutera montana</i> (Diels) S.Moore)		
Germishuizen & Meyer: 878	F	
<b>PINNATIFIDA</b> (L.f.) Hilliard		
( <i>Lyperia mollis</i> Benth.)		
( <i>Sutera mollis</i> (Benth.) Hiern, pro parte)		
Germishuizen & Meyer: 878	M	
<b>PRISTISEPALA</b> (Hiern) Hilliard		
( <i>Sutera pritisepala</i> Hiern)		
Pooley (1998): 480	L, F, M	
<b>LIMOSELLA</b> L.	7558000	
<b>africana</b> Glück var. <i>africana</i>		
Germishuizen & Meyer: 880	M	
<b>grandiflora</b> Benth.		
( <i>L. capensis</i> Thunb.)		
( <i>L. monticola</i> Dinter)		
Arnold & De Wet: 636	M	
<b>inflata</b> Hilliard & B.L.Burtt		
Arnold & De Wet: 636	L, M	
<b>longiflora</b> Kuntze		
Pooley (1998): 192	M	
<b>maior</b> Diels		
Arnold & De Wet: 636	L, F, M	
<b>vesiculosa</b> Hilliard & B.L.Burtt		
Arnold & De Wet: 637	M	
<b>LINARIA</b> Mill.	7480000	
* <b>vulgaris</b> Mill.		
Arnold & De Wet: 625	L	
<b>LINDERNIA</b> All.	7562000	
<b>conferta</b> (Hiern) Philcox		
( <i>Ilysanthes conferta</i> Hiern)		
Arnold & De Wet: 637	M	
<b>MANULEA</b> L.	7517000	
<b>bellidifolia</b> Benth.		
( <i>M. benthamiana</i> Hiern, pro parte)		
Arnold & De Wet: 627	L, M	
<b>buchneroides</b> Hilliard & B.L.Burtt		
Arnold & De Wet: 627	L, F	
<b>crassifolia</b> Benth. subsp. <i>crassifolia</i>		
Arnold & De Wet: 627	M	
<b>paniculata</b> Benth.		
( <i>M. elliotensis</i> Overkott ex Jacot Guill.)		
( <i>Sutera elliotensis</i> Hiern)		
Arnold & De Wet: 628	L, F, M	
<b>parviflora</b> Benth. var. <i>parviflora</i>		
( <i>M. natalensis</i> Bernh. ex Krauss)		
Arnold & De Wet: 628	L	
<b>platystigma</b> Hilliard & B.L.Burtt		
Arnold & De Wet: 628	M	
<b>rhodantha</b> Hilliard subsp. <i>rhodantha</i>		
Arnold & De Wet: 628	L, F, M	

<b>MIMULUS L.</b>	<b>7524000</b>		<b>speciosa Rolfe</b>	
<b>gracilis R.Br.</b>		L, M	Germishuizen & Meyer: 902	M
Arnold & De Wet: 636			<b>witbergensis E.Mey.</b>	
			( <i>Walafrida witbergensis</i> (E.Mey.) Rolfe)	
			Germishuizen & Meyer: 903	M
<b>NEMESIA Vent.</b>	<b>7476000</b>		<b>STROBILOPSIS Hilliard &amp; B.L.Burt</b>	<b>7593020</b>
<b>albiflora N.E.Br.</b>		L, F	<b>wrightii Hilliard &amp; B.L.Burt</b>	
( <i>N. flanaganii</i> Hiern)			Arnold & De Wet: 644	M
Arnold & De Wet: 624				
<b>caerulea Hiern</b>		M	<b>SUTERA Roth</b>	<b>7519000</b>
Arnold & De Wet: 624			<b>caerulea (L.f.) Hiern</b>	
<b>denticulata (Benth.) Grant ex Fourc.</b>			( <i>Manulea caerulea</i> L.f.)	
( <i>Diascia denticulata</i> Benth.)			Arnold & De Wet: 630	Possibly occurring in Lesotho
( <i>N. natalitia</i> Sond.)		M	<b>campanulata (Benth.) Kuntze</b>	
Pooley (1998): 428			( <i>Chaenostoma campanulatum</i> Benth.)	
<b>floribunda Lehm.</b>		M	Arnold & De Wet: 630	Possibly occurring in Lesotho
Arnold & De Wet: 624			<b>cooperi Hiern</b>	
<b>fruticans (Thunb.) Benth.</b>			( <i>S. latifolia</i> Hiern)	L
( <i>Antirrhimum fruticans</i> Thunb.)			Arnold & De Wet: 630	
( <i>N. capensis</i> (Thunb.) Kuntze, nom. illeg.)			<b>floribunda (Benth.) Kuntze</b>	
( <i>N. divergens</i> Benth.)			( <i>Chaenostoma floribundum</i> Benth.)	
( <i>N. foetens</i> Vent.)			Arnold & De Wet: 630	L, M
( <i>N. gracilima</i> Dinter, nom. nud.)		L, F, M	<b>neglecta (J.M.Wood &amp; M.S.Evans) Hiern</b>	
Arnold & De Wet: 624			( <i>Chaenostoma neglectum</i> J.M.Wood & M.S.Evans)	
<b>melissifolia Benth.</b>		F, M	Arnold & De Wet: 631	L, F, M
Arnold & De Wet: 625			<b>patriotica Hiern</b>	
<b>pubescens Benth. var. pubescens</b>		F	( <i>Diascia avasmontana</i> Dinter)	
Germishuizen & Meyer: 889			Arnold & De Wet: 632	
<b>rupicola Hilliard</b>		F, S	<b>polelensis Hilliard subsp. polelensis</b>	
Arnold & De Wet: 625			Arnold & De Wet: 632	L, F, M
<b>PHYGELIUS E.Mey. ex Benth.</b>	<b>7495000</b>		<b>TEEDIA Rudolphi</b>	<b>7494000</b>
<b>aequalis Harv. ex Hiern</b>		L, F, M	<b>lucida (Sol.) Rudolphi</b>	
Arnold & De Wet: 626			Arnold & De Wet: 626	F
<b>capensis E.Mey. ex Benth.</b>		L, F, M		
Arnold & De Wet: 626			<b>VERBASCUM L.</b>	<b>7460000</b>
			<b>*virgatum Stokes</b>	
			Arnold & De Wet: 621	S
<b>SELAGO L.</b>	<b>7568000</b>		<b>VERONICA L.</b>	<b>7579000</b>
<b>albida Choisy</b>		M	<b>anagallis-aquatica L.</b>	
Germishuizen & Meyer: 895			Arnold & De Wet: 644	L, F, M
<b>densiflora Rolfe</b>			<b>*persica Desf. ex Poir.</b>	L
( <i>Walafrida densiflora</i> (Rolfe) Rolfe, pro parte)			Arnold & De Wet: 644	
Pooley (1998): 194		L, F, M,		
<b>flanaganii Rolfe</b>			<b>ZALUZIANSKYA F.W.Schmidt, nom. cons.</b>	<b>7523000</b>
( <i>S. lithospermoides</i> Rolfe)			<b>chrysops Hilliard &amp; B.L.Burt</b>	
Germishuizen & Meyer: 898		F, M	Arnold & De Wet: 635	M
<b>galpinii Schltr.</b>			<b>crocea Schltr.</b>	
( <i>S. cooperi</i> Rolfe)			Arnold & De Wet: 635	M
( <i>S. sandersonii</i> Rolfe)			<b>distans Hiern</b>	
Germishuizen & Meyer: 898		L, F, M, S	( <i>Z. latifolia</i> Schinz ex O.Hoffm. & Muschl.)	
<b>longipedicellata Rolfe</b>			Pooley (1998): 190	L, M
Germishuizen & Meyer: 900			<b>glareosa Hilliard &amp; B.L.Burt</b>	
Possibly occurring in Lesotho			Arnold & De Wet: 635	M
<b>melliodora Hilliard</b>		F, M	<b>maritima (L.f.) Walp.</b>	
Germishuizen & Meyer: 900			( <i>Z. lychnidea</i> (L.Don) Walp.)	
<b>monticola J.M.Wood &amp; M.S.Evans</b>		M	( <i>Z. maritima</i> (L.f.) Walp. var. <i>fragrantissima</i> Hiern)	
Germishuizen & Meyer: 900			Arnold & De Wet: 635	Possibly occurring in Lesotho
<b>paniculata Thunb.</b>			<b>microsiphon (Kuntze) K.Schum.</b>	
( <i>Walafrida paniculata</i> (Thunb.) Rolfe, pro parte)			( <i>Z. maritima</i> (L.f.) Walp. var. <i>atro-purpurea</i> Hiern)	
Germishuizen & Meyer: 901		M		
<b>saxatilis E.Mey.</b>				
( <i>Walafrida basutica</i> E.Phillips)				
( <i>Walafrida saxatilis</i> (E.Mey.) Rolfe)				
Germishuizen & Meyer: 902		M		

( <i>Z. maritima</i> (L.f.) Walp. var. <i>breviflora</i> Hiern)	
( <i>Z. maritima</i> (L.f.) Walp. var. <i>grandiflora</i> Hiern)	
Arnold & De Wet: 635	M
<b>oreophila</b> Hilliard & B.L.Burtt	
Arnold & De Wet: 635	M
<b>ovata</b> (Benth.) Walp.	
( <i>Z. montana</i> Hiern)	
Arnold & De Wet: 635	M
<b>penduncularis</b> (Benth.) Walp.	
( <i>Nycterinia peduncularis</i> Benth.)	
Arnold & De Wet: 635	M
<b>pulvinata</b> Killick	
Arnold & De Wet: 635	F
<b>rubrostellata</b> Hilliard & B.L.Burtt	
Arnold & De Wet: 635	M
<b>schmitziae</b> Hilliard & B.L.Burtt	
Arnold & De Wet: 635	L, F, M
<b>spathacea</b> (Benth.) Walp.	
Arnold & De Wet: 635	M
<b>turritella</b> Hilliard & B.L.Burtt	
Arnold & De Wet: 635	M

## SOLANACEAE

<b>DATURA</b> L.	7415000
* <b>ferox</b> L.	
Bromilow: 258	L, F
* <b>stramonium</b> L.	
( <i>D. tatula</i> L.)	
Arnold & De Wet: 621	L, F, M, S
<b>LYCIUM</b> L.	7379000
<b>acutifolium</b> E.Mey. ex Dunal	
Arnold & De Wet: 617	L, F
<b>arenicola</b> Miers	
Germishuizen & Meyer: 914	M
<b>cinereum</b> Thunb.	
( <i>L. caespitosum</i> Dinter & Dammer)	
Arnold & De Wet: 618	L, F
<b>NICANDRA</b> Adans.	7377000
* <b>physalodes</b> (L.) Gaertn.	
( <i>Atropa physalodes</i> L.)	
Arnold & De Wet: 617	F
<b>NICOTIANA</b> L.	7434000
* <b>glauca</b> Graham	
Arnold & De Wet: 621	L, S
<b>PHYSALIS</b> L.	7401000
* <b>angulata</b> L.	
Arnold & De Wet: 619	L
* <b>peruviana</b> L.	
Arnold & De Wet: 619	L
* <b>viscosa</b> L.	
Bromilow: 262	L
<b>SOLANUM</b> L.	7407000
<b>aculeatissimum</b> Jacq.	
Arnold & De Wet: 619	F
* <b>americanum</b> Mill.	
( <i>S. nodiflorum</i> Jacq.)	

Arnold & De Wet: 619	M
<b>capense</b> L.	
Arnold & De Wet: 619	F
* <b>nigrum</b> L.	
Arnold & De Wet: 620	L, M
<b>panduriforme</b> E.Mey.	
Arnold & De Wet: 620	L
* <b>pseudocapsicum</b> L.	
Arnold & De Wet: 620	L, F
<b>retroflexum</b> Dunal	
Arnold & De Wet: 620	F
<b>supinum</b> Dunal var. <b>supinum</b>	
( <i>S. aranoideum</i> Dammer)	
( <i>S. lyratifolium</i> Dammer)	
Germishuizen & Meyer: 917	L, F
<b>tomentosum</b> L. var. <b>tomentosum</b>	
Germishuizen & Meyer: 918	L, F, S
* <b>triflorum</b> Nutt.	
Arnold & De Wet: 620	L

<b>WITHANIA</b> Pauquy	7400000
<b>somnifera</b> (L.) Dunal	
( <i>Physalis somnifera</i> L.)	
( <i>W. microphysalis</i> Suess.)	
Arnold & De Wet: 619	L, F, M

## STERCULIACEAE

<b>HERMANNIA</b> L.	5056000
<b>coccocarpa</b> (Eckl. & Zeyh.) Kuntze	
( <i>Mahernia coccocarpa</i> Eckl. & Zeyh.)	
Arnold & De Wet: 503	L, F, M, S
<b>cordata</b> (E.Mey. ex E.Phillips) De Winter	
Fabian & Germishuizen: 262	L, M
<b>cuneifolia</b> Jacq. var. <b>cuneifolia</b>	
( <i>H. pallens</i> Eckl. & Zeyh.)	
Arnold & De Wet: 503	L, F
<b>cuneifolia</b> Jacq. var. <b>glabrescens</b> (Harv.) I.Verd.	
( <i>H. pallens</i> Eckl. Zeyh. var. <i>glabrescens</i> Harv., pro parte)	
Arnold & De Wet: 503	L
<b>depressa</b> N.E.Br.	
( <i>Mahernia erodioides</i> Burch. ex DC var. <i>latifolia</i> Harv.)	
Arnold & De Wet: 503	L, F, M, S
<b>floribunda</b> Harv.	
Arnold & De Wet: 504	L, M
<b>geniculata</b> Eckl. & Zeyh.	
( <i>H. chrysantha</i> E.Mey. ex Turcz., non Harv.)	
( <i>Mahernia betonicifolia</i> (Eckl. & Zeyh.) Harv.)	
Arnold & De Wet: 504	L, F
<b>gerrardii</b> Harv.	
( <i>H. macowanii</i> (Szyszyl.) Schinz)	
Pooley (1998): 290	L, M, S
<b>parviflora</b> Eckl. & Zeyh.	
( <i>Mahernia parviflora</i> (Eckl. & Zeyh.) Harv.)	
Arnold & De Wet: 505	M

## THYMELAEACEAE

<b>DAIS</b> L.	5465000
<b>cotinifolia</b> L.	
Arnold & De Wet: 519	F

<b>GNIDIA L.</b>	<b>5435000</b>
<b>aberrans C.H.Wright</b>	
( <i>Basutica aberrans</i> (C.H.Wright) E.Phillips)	
Arnold & De Wet: 515	M
<b>anthylloides (L.f.) Gilg</b>	
( <i>Lasiosiphon anthylloides</i> Meisn.)	
Pooley (1998): 292	L, F, M
<b>burchellii (Meisn.) Gilg</b>	
( <i>Lasiosiphon burchellii</i> Meisn.)	
Arnold & De Wet: 515	L, F, M
<b>capitata L.f.</b>	
( <i>Lasiosiphon capitatus</i> (L.f.) Burtt Davy)	
( <i>Lasiosiphon limifolius</i> Decne.)	
Arnold & De Wet: 515	L
<b>compacta (C.H.Wright) J.H.Ross</b>	
( <i>Arthrosolen compactus</i> C.H.Wright)	
Arnold & De Wet: 515	M
<b>gymnostachya (C.A.Mey.) Gilg</b>	
( <i>Arthrosolen gymnostachys</i> C.A.Mey.)	
Arnold & De Wet: 515	M
<b>kraussiana Meisn. var. kraussiana</b>	
( <i>G. hoepfneriana</i> Gilg)	
( <i>Lasiosiphon hoepfnerianus</i> Vatke ex Gilg)	
( <i>Lasiosiphon krausii</i> Meisn.)	
Arnold & De Wet: 516	L
<b>propinqua (Hilliard) B.Peterson</b>	
( <i>Basutica propinqua</i> Hilliard)	
Arnold & De Wet: 516	M
<b>splendens Meisn.</b>	
Arnold & De Wet: 516	L, M
<b>woodii C.H.Wright</b>	
Specimen: <i>Kobisi</i> & <i>Polaki</i> 193	L

<b>PASSERINA L.</b>	<b>5461000</b>
<b>corymbosa Eckl. &amp; Zeyh.</b>	
( <i>P. filiformis</i> L. var. <i>vulgaris</i> )	
Arnold & De Wet: 519	F, M
<b>drakensbergensis Hilliard &amp; B.L.Burtt</b>	
Pooley (2003): 286	F, M
<b>montana Thoday</b>	
Arnold & De Wet: 519	L, F, M, S

TILIACEAE

<b>GREWIA L.</b>	<b>4966000</b>
<b>occidentalis L. var. occidentalis</b>	
Germishuizen & Meyer: 936	L, S

URTICACEAE

<b>DROGUETIA Gaudich.</b>	<b>2013000</b>
<b>iners (Forssk.) Schweinf. subsp. burchellii (N.E.Br.)</b>	
Fris & Wilmot-Dear	
( <i>D. burchellii</i> N.E.Br.)	
Arnold & De Wet: 214	F
<b>iners (Forssk.) Schweinf. subsp. iners</b>	
Arnold & De Wet: 214	F

<b>PARIETARIA L.</b>	<b>2007000</b>
<b>debilis G.Forst.</b>	
( <i>P. micrantha</i> sensu Hilliard & B.L.Burtt.)	
Germishuizen & Meyer: 940	M

<b>URTICA L.</b>	<b>1974000</b>
<b>*dioica L.</b>	
Arnold & De Wet: 213	F
<b>lobulata Blume</b>	
( <i>U. burchellii</i> N.E.Br.)	
Arnold & De Wet: 213	F
<b>*urens L.</b>	
Arnold & De Wet: 213	L, F, M, S

VALERIANACEAE

<b>VALERIANA L.</b>	<b>8532000</b>
<b>capensis Thunb. var. capensis</b>	
Arnold & De Wet: 680	M
<b>capensis Thunb. var. lanceolata N.E.Br.</b>	
Arnold & De Wet: 680	M
<b>capensis Thunb. var. nana B.L.Burtt</b>	
Arnold & De Wet: 680	L, F, M

VERBENACEAE

<b>LANTANA L.</b>	<b>7144000</b>
<b>rugosa Thunb.</b>	
( <i>L. salviifolia</i> Jacq.)	
Arnold & De Wet: 601	L, S
<b>VERBENA L.</b>	<b>7138000</b>
<b>*bonariensis L.</b>	
Arnold & De Wet: 601	L, F, M
<b>*brasiliensis Vell.</b>	
Arnold & De Wet: 601	L, M
<b>*rigida Spreng.</b>	
( <i>V. venosa</i> Gillies & Hook.)	
Germishuizen & Meyer: 944	L, F

VISCACEAE

<b>VISCUM L.</b>	<b>2093000</b>
<b>hoolei Wiens</b>	
( <i>V. capense</i> L.f. subsp. <i>hoolei</i> Wiens)	
Germishuizen & Meyer: 945	S
<b>rotundifolium L.f.</b>	
( <i>V. bosciae-foetidae</i> Dinter)	
( <i>V. glaucum</i> Eckl. & Zeyh.)	
( <i>V. macowanii</i> Engl.)	
Arnold & De Wet: 230	L, F

VITACEAE

<b>RHOICISSUS Planch.</b>	<b>4917000</b>
<b>tridentata (L.f.) Wild &amp; R.B.Drumm. subsp. cuneifolia</b>	
(Eckl. & Zeyh.) Urton	
( <i>Cissus cuneifolia</i> Eckl. & Zeyh.)	
( <i>R. cuneifolia</i> (Eckl. & Zeyh.) Planch.)	
( <i>R. erythroides</i> (Fresen.) Planch.)	
Arnold & De Wet: 491	L, F

ZYGOPHYLLACEAE

<b>TRIBULUS L.</b>	<b>3978000</b>
<b>terrestris L.</b>	
Arnold & De Wet: 444	L, F, M, S

# MONOCOTYLEDONS

## AGAPANTHACEAE

- AGAPANTHUS** L'Hér. 1046000  
*campanulatus* F.M.Leight. subsp. *patens* (F.M.Leight.) F.M.Leight.  
 Arnold & De Wet: 144; Germishuizen & Meyer: 954 L, M

## ALLIACEAE

- TULBAGHIA** L. 1047000  
*acutiloba* Harv.  
 Arnold & De Wet: 145 L, M  
*cernua* Avé-Lall.  
 (T. *campanulata* N.E.Br.)  
 Arnold & De Wet: 145 F  
*leucantha* Baker  
 (T. *dieterlenii* E.Phillips)  
 Arnold & De Wet: 145 L, F, M  
*ludwigiana* Harv.  
 Pooley (1998): 510 L, M  
*montana* Vosa  
 Arnold & De Wet: 145 L

## AMARYLLIDACEAE

- AMMOCHARIS** Herb. 1190000  
*coranica* (Ker Gawl.) Herb.  
 Arnold & De Wet: 164 F  
**BOOPHONE** Herb. 1168000  
*disticha* (L.f.) Herb.  
 (B. *longipedicellata* Pax)  
 Arnold & De Wet: 161 M  
**BRUNSVIGIA** Heist. 1177000  
*natalensis* Baker  
 Arnold & De Wet: 163 M  
*radulosa* Herb.  
 Arnold & De Wet: 163 L, M  
*undulata* F.M.Leight.  
 Pooley (1998): 38 Possibly occurring in Lesotho

- CRINUM** L. 1189000  
*bulbispermum* (Burm.f.) Milne-Redh. & Schweick.  
 Arnold & De Wet: 164 L

- CYRTANTHUS** Aiton 1191000  
*attenuatus* R.A.Dyer  
 Arnold & De Wet: 164 L, M  
*breviflorus* Harv.  
 Arnold & De Wet: 165 M  
*epiphyticus* J.M.Wood  
 Pooley (1998): 38 L, M  
*flanagani* Baker  
 Arnold & De Wet: 165 M  
*stenanthus* Baker var. *stenanthus*  
 Arnold & De Wet: 165 M  
*tuckii* Baker var. *tuckii*  
 Pooley (1998): 40 M

- HAEMANTHUS** L. 1167000  
*humilis* Jacq. subsp. *hirsutus* (Baker) Snijman  
 (H. *hirsutus* Baker)  
 Arnold & De Wet: 160 L, F, M

- NERINE** Herb. 1175000  
*angustifolia* (Baker) Baker  
 Arnold & De Wet: 162 L, F

- SCADOXUS** Raf. 1167000  
*puniceus* (L.) Friis & Nordal  
 Pooley (1998): 36 M

## ANTHERICACEAE

- CHLOROPHYTUM** Ker Gawl. 0990000  
*acutum* (C.H.Wright) Nordal  
 (Anthericum *acutum* C.H.Wright)  
 Germishuizen & Meyer: 969 M  
*comosum* (Thunb.) Jacq.  
 Germishuizen & Meyer: 969 M  
*cooperi* (Baker) Nordal  
 (Anthericum *cooperi* Baker)  
 Germishuizen & Meyer: 969 L  
*fasciculatum* (Baker) Kativu  
 (Anthericum *fasciculatum* Baker)  
 Germishuizen & Meyer: 969 L, F  
*galpinii* (Baker) Kativu var. *galpinii*  
 (Anthericum *galpinii* Baker var. *galpinii*)  
 Germishuizen & Meyer: 969 L

## APONOGETONACEAE

- APONOGETON** L.f. 0065000  
*distachyos* L.f.  
 Arnold & De Wet: 64 M  
*junceus* Lehm.  
 (A. *junceus* Lehm. ex Schldl. subsp. *junceus*)  
 (A. *spathaceus* E.Mey.ex Hook.)  
 Arnold & De Wet: 64 L, F, M  
*ranunculiflorus* Jacot Guill. & Marais  
 Arnold & De Wet: 64 M

## ARACEAE

- ZANTEDESCHIA** Spreng. 0748000  
*aethiopica* (L.) Spreng.  
 Arnold & De Wet: 117 L  
*albomaculata* (Hook.) Baill. subsp. *albomaculata*  
 (Z. *angustiloba* (Schott) Engl.)  
 (Z. *bastata* (Hook.) Engl.)  
 (Z. *melanoleuca* (Hook.f.) Engl.)  
 (Z. *oculata* (Lindl.) Engl.)  
 (Z. *tropicalis* (N.E.Br.) Letty)  
 Arnold & De Wet: 117 L, F, M, S

## ASPARAGACEAE

- ASPARAGUS** L. 1113000

<b>asparagoides (L.) Druce</b> ( <i>A. asparagoides</i> sensu Jessop, non (L.) Wight) Germishuizen & Meyer: 974	L, M	Pooley (1998): 224	L, M, S
<b>cooperi Baker</b> ( <i>A. africanus</i> sensu Jessop, non Lam.) ( <i>A. burkei</i> Baker) ( <i>Protasparagus cooperi</i> (Baker) Oberm.) Germishuizen & Meyer: 974	F	<b>favosa (Thunb.) Schult. &amp; Schult.f.</b> ( <i>B. filifolia</i> Baker) ( <i>B. trichophylla</i> Baker) Arnold & De Wet: 133	S
<b>denudatus (Kunth) Baker</b> ( <i>Protasparagus denudatus</i> (Kunth) Oberm.) Germishuizen & Meyer: 975	L, F, M	<b>frutescens (L.) Willd.</b> ( <i>B. caulescens</i> L.) ( <i>B. rostrata</i> Willd.) Arnold & De Wet: 133	L, F
<b>laricinus Burch.</b> ( <i>Protasparagus laricinus</i> (Burch.) Oberm.) Germishuizen & Meyer: 975	L, M	<b>narcissifolia Salm-Dyck</b> Arnold & De Wet: 133	L, F, M
<b>microraphis (Kunth) Baker</b> ( <i>Protasparagus microraphis</i> (Kunth) Oberm.) Germishuizen & Meyer: 975	L, F, M	<b>KNIPHOFIA Moench</b>	<b>1024000</b>
<b>ramosissimus Baker</b> ( <i>Myrsiphyllum ramosissimum</i> (Baker) Oberm.) Germishuizen & Meyer: 976	F	<b>albomontana Baijnath</b> Arnold & De Wet: 137	L
<b>setaceus (Kunth) Jessop</b> ( <i>Protasparagus setaceus</i> (Kunth) Oberm.) Germishuizen & Meyer: 976; Pooley (1998): 104	F	<b>brachystachya (Zahlbr.) Codd</b> Arnold & De Wet: 137	M
<b>stellatus Baker</b> ( <i>Protasparagus microrhaphis</i> sensu Jessop, non (Kunth) Baker) Germishuizen & Meyer: 976	L	<b>caulescens Baker</b> Arnold & De Wet: 137	L, F, M
<b>virgatus Baker</b> ( <i>Protasparagus virgatus</i> (Baker) Oberm.) Pooley (1998): 104	L	<b>hirsuta Codd</b> Arnold & De Wet: 137	M
		<b>linearifolia Baker</b> Arnold & De Wet: 137	M
		<b>northiae Baker</b> Arnold & De Wet: 137	F, M
		<b>porphyrantha Baker</b> Arnold & De Wet: 137	L, M
		<b>praecox Baker</b> (insufficiently known; probably a garden hybrid) Arnold & De Wet: 137; Germishuizen & Meyer: 1010	F
		<b>ritualis Codd</b> Arnold & De Wet: 137	L, M
		<b>thodei Baker</b> Arnold & De Wet: 137	F, M
		<b>triangularis Kunth subsp. triangularis</b> ( <i>K. macowanii</i> Baker) Arnold & De Wet: 137	F, M
<b>ALOE L.</b>	<b>1026000</b>	<b>TRACHYANDRA Kunth</b>	<b>0985010</b>
<b>aristata Haw.</b> Arnold & De Wet: 138	M	<b>asperata Kunth var. asperata</b> Arnold & De Wet: 134	L, F, M
<b>broomii Schönland var. broomii</b> Arnold & De Wet: 138	S	<b>asperata Kunth var. basutoensis (Poelln.) Oberm.</b> Arnold & De Wet: 134	M
<b>cooperi Baker subsp. cooperi</b> Pooley (1998): 32		<b>saltii (Baker) Oberm. var. saltii</b> Arnold & De Wet: 134	L, F, M
<b>ecklonis Salm-Dyck</b> ( <i>A. boylei</i> Baker) ( <i>A. boylei</i> Baker subsp. <i>major</i> Hilliard & B.L.Burtt) Arnold & De Wet: 139; Germishuizen & Meyer: 981	L, F, M		
<b>ferox Mill.</b> Arnold & De Wet: 139	L, S		
<b>maculata All.</b> ( <i>A. saponaria</i> (Aiton) Haw.) Arnold & De Wet: 140	L, F, M, S		
<b>polyphylla Schönland ex Pillans</b> Arnold & De Wet: 140	M		
<b>pratensis Baker</b> Arnold & De Wet: 140	S		
<b>striatula Haw. var. striatula</b> Van Wyk & Smith: 100	L, F, M, S		
<b>BULBINE Wolf.</b>	<b>0985000</b>		
<b>abyssinica A.Rich.</b> Arnold & De Wet: 133	L, F, M, S		
<b>asphodeloides (L.) Spreng.</b> Pooley (1998): 224	L		
<b>capitata Poelln.</b> ( <i>B. stenophylla</i> I.Verd.)			
		<b>ANDROCYMBIUM Willd.</b>	<b>0969000</b>
		<b>burkei Baker</b> Arnold & De Wet: 131	L, M, S
		<b>melanthioides Willd.subsp. transvaalense U.Müll.-Doblies &amp; D.Müll.-Doblies</b> ( <i>A. melanthioides</i> Willd. var. <i>subulatum</i> (Baker) Baker) Germishuizen & Meyer: 1014	F, M
		<b>striatum A.Rich.</b> ( <i>A. melanthioides</i> Willd. var. <i>striatum</i> (A.Rich.) Baker) Germishuizen & Meyer: 1014; Pooley (1998): 86	F
		<b>WURMBEA Thunb.</b>	<b>0972000</b>
		<b>angustifolia B.Nord.</b> Arnold & De Wet: 131	M

- burtii** B.Nord.  
Arnold & De Wet: 131 L, M
- elator** B.Nord.  
Arnold & De Wet: 132 M

### COMMELINACEAE

- COMMELINA** L. 0896000
- africana** L. var. **lancispatha** C.B.Clark  
(*C. africana* L. var. *glabriuscula* (Norl.) Brenan)  
Germishuizen & Meyer: 1018 L, F, M, S
- benghalensis** L.  
Arnold & De Wet: 128 F
- CYANOTIS** D.Don 0904000
- speciosa** (L.f.) Hassk.  
(*C. nodiflora* Kunth)  
Arnold & De Wet: 128 M

### CYPERACEAE

- ABILDGAARDIA** Vahl 0471020
- ovata** (Burm.f.) Kral  
(*Fimbristylis monostachya* (L.) Hassk.)  
Arnold & De Wet: 112 L, F
- ASCOLEPIS** Steud. 0454000
- capensis** (Kunth) Ridl.  
Arnold & De Wet: 102; Pooley (1998): 84 M
- BULBOSTYLIS** Kunth 0471010
- burchellii** (Ficalho & Hiern) C.B.Clark  
Gordon-Gray: 30 L
- humilis** (Kunth) C.B.Clark  
Hilliard & Burt: 114 L, F, M
- oritrephe**s (Ridl.) C.B.Clark  
(*B. oritrephe*s (Ridl.) C.B.Clark subsp. *australis* B.L.Burt)  
Germishuizen & Meyer: 1021 L
- schoenoides** (Kunth) C.B.Clark  
Arnold & De Wet: 112 L, M
- CAREX** L. 0525000
- \*acutiformis** Ehrh.  
Arnold & De Wet: 115 F, M
- austro-africana** (Kük.) Raymond  
(*C. cernua* Boott var. *austro-africana* Kük.)  
Arnold & De Wet: 115 F
- cognata** Kunth  
(*C. cognata* Kunth var. *drakensbergensis* (C.B.Clark) Kük.)  
(*C. drakensbergensis* C.B.Clark)  
Germishuizen & Meyer: 1022 L, F, M
- glomerabilis** Krecz.  
(*C. glomerata* Thunb.)  
(*C. leribensis* Nelves)  
Arnold & De Wet: 116 L, M, F
- killickii** Nelves  
Arnold & De Wet: 116 M
- monotropa** Nelves  
(*C. flava* sensu C.B.Clark, non L.)  
Arnold & De Wet: 116 L, F
- subinflata** Nelves  
Arnold & De Wet: 116 F

- zuluensis** C.B.Clark  
(*C. condensata* C.B.Clark, non Nees)  
(*C. buttoniana* Kük.)  
(*C. wahlenbergiana* C.B.Clark)  
Arnold & De Wet: 116 M

- CARPHA** R.Br. 0480010
- filifolia** Reid & T.H.Arnold  
Arnold & De Wet: 102 M

- CYPERUS** L. 0459000
- albostratus** Schrad.  
Arnold & De Wet: 103 F
- congestus** Vahl  
(*Mariscus congestus* (Vahl) C.B.Clark)  
Germishuizen & Meyer: 1025 L, F, M
- cyperoides** (L.) Kuntze subsp. **cyperoides**  
(*Mariscus sieberianus* C.B.Clark)  
(*Mariscus sumatrensis* (Retz.) J.Raynal)  
Gordon-Gray: 135 L
- difformis** L.  
Arnold & De Wet: 103 L, F
- esculentus** L. var. **esculentus**  
Germishuizen & Meyer: 1025 L, F, M
- fastigiatus** Rottb.  
Arnold & De Wet: 103 L, F
- longus** L. var. **tenuiflorus** (Rottb.) Boeck.  
Arnold & De Wet: 103 L, F
- marginatus** Thunb.  
Arnold & De Wet: 103 L, F
- obtusiflorus** Vahl. var. **flavissimus** (Schrad.) Boeck.  
(*C. niveus* Retz. var. *flavissimum* (Schrad.) Lye)  
(*C. obtusiflorus* Vahl var. *sphaerocephalus* (Vahl) Kük.)  
Germishuizen & Meyer: 1027 L, M
- obtusiflorus** Vahl var. **obtusiflorus**  
(*C. compactus* Lam., non Retz.)  
(*C. niveus* Retz. var. *leucocephalus* (Kunth) Fosberg)  
Arnold & De Wet: 103 L, F, M
- rotundus** L. subsp. **rotundus**  
Germishuizen & Meyer: 1027 L
- rupestris** Kunth var. **parvinux** (C.B.Clark) Kük.  
Arnold & De Wet: 104 M
- rupestris** Kunth var. **rupestris**  
Arnold & De Wet: 104 L, F
- schlechteri** C.B.Clark  
Arnold & De Wet: 104 L, F
- semitrifidus** Schrad.  
Germishuizen & Meyer: 1028 L, F, M
- usitatus** Burch.  
Gordon-Gray: 76 L, F, M
- ELEOCHARIS** R.Br. 0469000
- dregeana** Steud  
(*E. palustris* auctr., non (L.) N.E.Br.)  
Arnold & De Wet: 111 L, F, M
- FICINIA** Schrad. 0465000
- cinnamomea** C.B.Clark  
Pooley (1998): 564 L, M
- gracilis** Schrad.  
Arnold & De Wet: 107 L, F
- stolonifera** Boeck.

DIOSCOREACEAE			
(F. <i>filiformis</i> auctt., pro parte, non (Lam) Schrad.)			
Arnold & De Wet: 107; Germishuizen & Meyer: 1032	L, M		
<b>FUIRENA</b> Rottb.	0467000		
<b>ecklonii</b> Nees			
Gordon-Gray: 99	L, M		
<b>pubescens</b> (Poir.) Kunth			
Arnold & De Wet: 108	L, F		
<b>ISOLEPIS</b> R.Br.	0468020		
<b>angelica</b> B.L.Burt			
Arnold & De Wet: 110	F, M		
<b>cernua</b> (Vahl) Roem. & Schult. var. <b>cernua</b>			
( <i>Scirpus cernuus</i> Vahl)			
Germishuizen & Meyer: 1034	L		
<b>costata</b> A.Rich.			
( <i>I. costata</i> A.Rich. var. <i>macra</i> (Boeck.) B.L.Burt)			
( <i>Scirpus costatus</i> (A.Rich.) Boeck.)			
( <i>Scirpus macer</i> Boeck.)			
Germishuizen & Meyer: 1035	L, F, M		
<b>diabolica</b> (Steud.) Schrad.			
( <i>Scirpus diabolicus</i> Steud.)			
Germishuizen & Meyer: 1035	M		
<b>fluitans</b> (L.) R.Br. var. <b>fluitans</b>			
( <i>Scirpus fluitans</i> L.)			
Germishuizen & Meyer: 1035	L, F, M		
<b>sepulchralis</b> Steud.			
( <i>Scirpus griquensium</i> C.B.Clarke)			
Arnold & De Wet: 110	L		
<b>setacea</b> (L.) R.Br.			
( <i>Scirpus setaceus</i> L.)			
Arnold & De Wet: 110	L		
<b>sororia</b> Kunth			
( <i>Scirpus sororius</i> (Kunth) C.B.Clarke)			
Arnold & De Wet: 110	L, F		
<b>KYLLINGA</b> Rottb.	0462000		
<b>alata</b> Nees			
( <i>K. alba</i> Nees var. <i>alata</i> (Nees) C.B.Clarke)			
Arnold & De Wet: 106	L		
<b>alba</b> Nees			
Arnold & De Wet: 106	F		
<b>erecta</b> Schumach. var. <b>erecta</b>			
Germishuizen & Meyer: 1037	L, F, M		
<b>pulchella</b> Kunth			
Arnold & De Wet: 106	L, F, M		
<b>MARISCUS</b> Vahl	0459030		
<b>uitenhagensis</b> Steud.			
Arnold & De Wet: 105	F		
<b>PYCREUS</b> P.Beauv.	0459010		
<b>hetschuanus</b> (Boeck.) C.B.Clarke			
Arnold & De Wet: 104	F		
<b>macranthus</b> (Boeck.) C.B.Clarke			
Arnold & De Wet: 105	L, F		
<b>mundii</b> Nees			
Arnold & De Wet: 105	F		
<b>rehmannianus</b> C.B.Clarke			
Arnold & De Wet: 105	F		
<b>RHYNCHOSPORA</b> Vahl	0492000		
<b>brownii</b> Roem. & Schult.			
( <i>R. glauca</i> auctt., non Vahl)			
( <i>R. rugosa</i> (Vahl) Gale)			
Arnold & De Wet: 112	F		
<b>SCHOENOPLECTUS</b> (Rchb.) Palla	0468010		
<b>decipiens</b> (Nees) J.Raynal			
Arnold & De Wet: 109	F		
<b>muriculatus</b> (Kük.) Browning			
( <i>Scirpus muriculatus</i> Kük.)			
Gordon-Gray: 158	L		
<b>pulchellus</b> (Kunth) J.Raynal			
( <i>Scirpus pulchellus</i> (Kunth) Boeck.)			
Arnold & De Wet: 109	L		
<b>SCHOENOXIPHIMUM</b> Nees	0521000		
<b>basutorum</b> Turrill			
( <i>Kobresia basutorum</i> (Turrill) Koyama)			
Arnold & De Wet: 114	L, F		
<b>distinctum</b> Kük.			
Arnold & De Wet: 115	M		
<b>filiforme</b> Kük.			
( <i>Kobresia filiforme</i> (Kük.) Koyama)			
Arnold & De Wet: 115	M		
<b>rufum</b> Nees var. <b>rufum</b>			
( <i>Kobresia buchananii</i> (C.B.Clarke) Koyama)			
( <i>Kobresia rufa</i> (Nees) Koyama)			
( <i>S. buchananii</i> C.B.Clarke)			
Germishuizen & Meyer: 1042	L, F, M		
<b>sparteum</b> (Wahlenb.) C.B.Clarke			
( <i>Carex bolusii</i> C.B.Clarke)			
( <i>Kobresia kunthiana</i> (Kük.) Koyama var. <i>kunthiana</i> )			
( <i>Kobresia sparteum</i> (Wahlenb.) Koyama)			
Arnold & De Wet: 115	L, F, M		
<b>SCIRPOIDES</b> Ség.	0468050		
<b>burkei</b> (C.B.Clarke) Goetgh., Muasya & D.A.Simpson			
( <i>Scirpus burkei</i> C.B.Clarke)			
Germishuizen & Meyer: 1042	L, F		
<b>SCIRPUS</b> L.	0468000		
<b>falsus</b> C.B.Clarke			
Arnold & De Wet: 108	L, F, M		
<b>ficinioides</b> Kunth			
Arnold & De Wet: 108	F, M		
<b>SCLERIA</b> P.J.Bergius	0515000		
<b>dregeana</b> Kunth			
( <i>S. holcoides</i> Kunth)			
Arnold & De Wet: 114	M		
<b>TETRARIA</b> P.Beauv.	0494000		
<b>cuspidata</b> (Rottb.) C.B.Clarke var. <b>cuspidata</b>			
Germishuizen & Meyer: 1045	M		
<b>triangularis</b> (Boeck.) C.B.Clarke			
( <i>T. macowaniana</i> B.L.Burt)			
( <i>T. macowanii</i> C.B.Clarke, nom. illeg.)			
Arnold & De Wet: 113	M		
DIOSCOREACEAE			
<b>DIOSCOREA</b> L.	1252000		

**rupicola** Kunth

Pooley (2003): 250 M

**sylvatica** (Kunth) Eckl.

Pooley (1998): 514 M

**ERIOCAULACEAE****ERIOCAULON** L. 0828000**abyssinicum** Hochst.

Arnold &amp; De Wet: 127 F

**dregei** Hochst.

Germishuizen &amp; Meyer: 1049 M

**hydrophilum** Markötter

Arnold &amp; De Wet: 127 M

**sonderianum** Körn(E. *baurii* N.E.Br.)(E. *dregei* Hochst. var. *sonderianum* (Körn.) Oberm.)

Germishuizen &amp; Meyer: 1049 M

**ERIOSPERMACEAE****ERIOSPERMUM** Jacq. ex Willd. 1012000**cooperi** Baker var. *cooperi*

Germishuizen &amp; Meyer: 1051 F

**cooperi** Baker var. *natalense* (Baker) P.L.Perry

Germishuizen &amp; Meyer: 1051 F

**dissitiflorum** Schltr.

Arnold &amp; De Wet: 136 F

**ornithogaloides** Baker(E. *microphyllum* Baker)

Arnold &amp; De Wet: 136 F, M

**HYACINTHACEAE****ALBUCA** L. 1079000**cooperi** Baker

Arnold &amp; De Wet: 146 L

**humilis** Baker

Arnold &amp; De Wet: 146 M

**setosa** Jacq.(A. *pachyclamys* Baker)

Arnold &amp; De Wet: 146 L, F, M, S

**shawii** Baker(A. *elliottii* Baker)(A. *minima* Baker)(A. *trichophylla* Baker)

Arnold &amp; De Wet: 147 L, M

**DIPCAD** Medik. 1084000**gracillimum** Baker(D. *polyphyllum* Baker)

Arnold &amp; De Wet: 148 M

**marlothii** Engl.(D. *oligotrichum* Baker)

Arnold &amp; De Wet: 148 L, M

**viride** (L.) Moench(D. *umbonatum* (Baker) Baker)

Arnold &amp; De Wet: 149 L, M

**DRIMIA** Jacq. 1082000**angustifolia** Baker

Arnold &amp; De Wet: 148 F

**calcarata** (Baker) Stedje(Urginea *modesta* Baker)(Urginea *natalensis* Baker)(Urginea *pretoriensis* Baker)(Urginea *tenella* Baker)

Germishuizen &amp; Meyer: 1058 M

**depressa** (Baker) Jessop(Urginea *capitata* (Hook.) Baker)(Urginea *depressa* Baker)

Germishuizen &amp; Meyer: 1058 M

**sphaerocephala** Baker(D. *neriniformis* Baker)

Arnold &amp; De Wet: 148; Pooley (1998): 96 L, M

**uniflora** J.C.Manning & Goldblatt(Litanthus *pusillus* Harv.)

Germishuizen &amp; Meyer: 1059 F

**EUCOMIS** L'Hér. 1088000**autumnalis** (Mill.) Chitt. subsp. *clavata* (Baker) Reyneke

Arnold &amp; De Wet: 150 M

**bicolor** Baker

Arnold &amp; De Wet: 150 M

**comosa** (Houtt.) Wehrh. var. *comosa*(E. *punctata* L'Hér.)

Pooley (1998): 98 Possibly occurring in Lesotho

**montana** Compton

Arnold &amp; De Wet: 150 Possibly occurring in Lesotho

**schijffii** Reyneke

Arnold &amp; De Wet: 150 M

**GALTONIA** Decne. 1081000**candicans** (Baker) Decne.

Arnold &amp; De Wet: 148 F

**regalis** Hilliard & B.L.Burtt

Arnold &amp; De Wet: 148 F

**viridiflora** I. Verd.

Arnold &amp; De Wet: 148 F, M

**LEDEBOURIA** Roth 1090010**cooperi** (Hook.f.) Jessop(Scilla *cooperi* Hook.f.)

Arnold &amp; De Wet: 152 L, F, S

**marginata** (Baker) Jessop(Scilla *marginata* Baker)(Scilla *neglecta* Van der Merwe)

Arnold &amp; De Wet: 152 L, F, M

**MASSONIA** Thunb. ex Houtt. 1101000**jasminiflora** Burch. ex Baker(M. *boukeri* Baker)

Arnold &amp; De Wet: 155 L, F

**MERWILLA** Speta 1093010**dracomontana** (Hilliard & B.L.Burtt) Speta(Scilla *dracomontana* Hilliard & B.L.Burtt)

Germishuizen &amp; Meyer: 1064 M

**plumbea** (Lindl.) Speta(Scilla *natalensis* Planch.)

Germishuizen &amp; Meyer: 1064 M

**ORNITHOGALUM** L. 1089000**diphyllum** Baker

Arnold & De Wet: 150	Possibly occurring in Lesotho
<b>graminifolium</b> Thunb	
( <i>O. aloiforme</i> Oberm.)	
( <i>O. attenuatum</i> F.M.Leight.)	
( <i>O. inandense</i> Baker)	
Arnold & De Wet: 150	M
<b>juncifolium</b> Jacq.	
( <i>O. leptophyllum</i> Baker)	
Arnold & De Wet: 150	F
<b>paludosum</b> Baker	
( <i>Elsiea flanaganii</i> (Baker) F.M.Leight.)	
Arnold & De Wet: 151	M
<b>tenuifolium</b> F.Delaroche subsp. <i>tenuifolium</i>	
( <i>O. virens</i> Lindl.)	
Arnold & De Wet: 151	M

<b>SCHIZOCARPUS</b> Van der Merwe	1086010
<b>nervosus</b> (Burch.) Van der Merwe	
( <i>S. gerrardii</i> (Baker) Van der Merwe)	
( <i>S. rigidifolius</i> (Kunth) Van der Merwe)	
( <i>Scilla nervosa</i> (Burch.) Jessop)	
( <i>Scilla rigidifolia</i> Baker)	
( <i>Scilla rigidifolia</i> Baker var. <i>acerosa</i> Van der Merwe)	
Germishuizen & Meyer: 1069	L, F

HYDROCHARITACEAE

<b>LAGAROSIPHON</b> Harv.	0088000
<b>major</b> (Ridl.) Moss ex Wager	
Arnold & De Wet: 65	M
<b>muscooides</b> Harv.	
Arnold & De Wet: 65	M

HYPOXIDACEAE

<b>EMPODIUM</b> Salisb.	1229010
<b>elongatum</b> (Nel) B.L.Burt	
( <i>Forbesia elongata</i> Nel)	
Arnold & De Wet: 166	M
<b>HYPOXIS</b> L.	1230000
<b>acuminata</b> Baker	
Arnold & De Wet: 166	L, F, M
<b>angustifolia</b> Lam. var. <i>angustifolia</i>	
Arnold & De Wet: 166	L, F, M
<b>argentea</b> Harv. ex Baker var. <i>argentea</i>	
Arnold & De Wet: 166	L, F, M
<b>costata</b> Baker	
Arnold & De Wet: 166	F, M
<b>filiformis</b> Baker	
Arnold & De Wet: 166	L, M
<b>hemerocallidea</b> Fisch.Mey. & Ave-Lall.	
( <i>H. rooperii</i> T.Moore)	
Arnold & De Wet: 166	L
<b>iridifolia</b> Baker	
( <i>H. nitida</i> I.Verd.)	
( <i>H. obtusa</i> Burch.)	
Pooley (1998): 234	L, M
<b>multiceps</b> Buchinger ex Baker	
Arnold & De Wet: 166	F, M
<b>rigidula</b> Baker var. <i>pilosissima</i> Baker	
Arnold & De Wet: 167	L

<b>rigidula</b> Baker var. <i>rigidula</i>	
Arnold & De Wet: 167	L, F
<b>tetramera</b> Hilliard & B.L.Burt	
Arnold & De Wet: 167	M
<b>RHODOHYPOXIS</b> Nel	1230020
<b>aurii</b> (Baker) Nel var. <i>aurii</i>	
Arnold & De Wet: 167	M
<b>aurii</b> (Baker) Nel var. <i>confecta</i> Hilliard & B.L.Burt	
Arnold & De Wet: 167	M
<b>deflexa</b> Hilliard & B.L.Burt	
Arnold & De Wet: 167	M
<b>incompta</b> Hilliard & B.L.Burt	
Arnold & De Wet: 167	M
<b>rubella</b> (Baker) Nel	
Arnold & De Wet: 167	F, M
<b>thodiana</b> (Nel) Hilliard & B.L.Burt	
Arnold & De Wet: 167	M
<b>SANIELLA</b> Hilliard & B.L.Burt	1230040
<b>verna</b> Hilliard & B.L.Burt	
Arnold & De Wet: 167	M

IRIDACEAE

<b>ARISTEA</b> Aiton	1295000
<b>abyssinica</b> Pax	
( <i>A. cognata</i> N.E.Br. ex Weim.)	
Germishuizen & Meyer: 1075	L, M
<b>ecklonii</b> Baker	
Arnold & De Wet: 176	M
<b>montana</b> Baker	
Arnold & De Wet: 176	F, M
<b>woodii</b> N.E.Br.	
Arnold & De Wet: 176	M
<b>CROCOSMIA</b> Planch.	1306010
<b>paniculata</b> (Klatt) Goldblatt	
Arnold & De Wet: 183	L
<b>DIERAMA</b> K.Koch	1303000
<b>dracomontanum</b> Hilliard	
Arnold & De Wet: 181	F, M
<b>igneum</b> Klatt	
Pooley (1998): 354	F
<b>jucundum</b> Hilliard	
Arnold & De Wet: 181	L
<b>robustum</b> N.E.Br.	
Arnold & De Wet: 182	M
<b>trichorhizum</b> (Baker) N.E.Br.	
Arnold & De Wet: 182	M
<b>GLADIOLUS</b> L.	1311000
<b>crassifolius</b> Baker	
( <i>G. dieterlenii</i> E.Phillips)	
Arnold & De Wet: 186	L, F, M
<b>dalenii</b> Van Geel subsp. <i>dalenii</i>	
( <i>G. cooperi</i> Baker)	
( <i>G. dracocephalus</i> Hook.f.)	
( <i>G. natalensis</i> Reinw. ex Hook., nom. illeg.)	
( <i>G. pageae</i> L.Bolus)	
( <i>G. psittacinus</i> Hook.f.)	

(G. <i>psittacinus</i> Hook.f. var. <i>cooperi</i> Baker)	
Germishuizen & Meyer: 1087	L, F, M
<b>ecklonii</b> Lehm.	
Germishuizen & Meyer: 1087	F
<b>longicollis</b> Baker subsp. <i>longicollis</i>	
Arnold & De Wet: 187	L, M
<b>longicollis</b> Baker subsp. <i>platypetalus</i> (Baker) Goldblatt & J.C.Manning	
(G. <i>praelongitubus</i> G.J.Lewis)	
Arnold & De Wet: 187	M
<b>ochroleucus</b> Baker	
Pooley (1998): 238	F, M
<b>papilio</b> Hook.f.	
Arnold & De Wet: 187	L, F, M
<b>permeabilis</b> D.Delaroche subsp. <i>edulis</i> (Burch. ex Ker Gawl.) Oberm.	
(G. <i>edulis</i> Burch. ex Ker Gawl.)	
Arnold & De Wet: 187	M
<b>saundersii</b> Hook.f.	
Arnold & De Wet: 188	L, F, M
<b>HESPERANTHA</b> Ker Gawl.	1301000
<b>aurii</b> Baker subsp. <i>aurii</i>	
(H. <i>subexerta</i> Baker)	
Arnold & De Wet: 179	L, F, M
<b>aurii</b> Baker subsp. <i>formosa</i> Hilliard & B.L.Burtt	
Arnold & De Wet: 179	M
<b>candida</b> Baker	
Arnold & De Wet: 179	M
<b>crocopsis</b> Hilliard & B.L.Burtt	
Arnold & De Wet: 179	M
<b>glareosa</b> Hilliard & B.L.Burtt	
Arnold & De Wet: 179	M
<b>grandiflora</b> G.J.Lewis	
Arnold & De Wet: 179	L, M
<b>radiata</b> (Jacq.) Ker Gawl.	
(H. <i>tysonii</i> Baker)	
Arnold & De Wet: 180	L, F, M
<b>schelpeana</b> Hilliard & B.L.Burtt	
Arnold & De Wet: 180	M, S
<b>vernalis</b> Hilliard & B.L.Burtt	
Arnold & De Wet: 180	L, M
<b>MORAEA</b> Mill.	1265000
<b>albicuspa</b> Goldblatt	
Arnold & De Wet: 171	M
<b>alpina</b> Goldblatt	
Arnold & De Wet: 171	M
<b>alticola</b> Goldblatt	
Arnold & De Wet: 171	M
<b>ardesiaca</b> Goldblatt	
Pooley (1998): 452	M
<b>brevistyla</b> (Goldblatt) Goldblatt	
(M. <i>pubiflora</i> N.E.Br. subsp. <i>brevistyla</i> Goldblatt)	
Arnold & De Wet: 171	L
<b>dracomontana</b> Goldblatt	
Arnold & De Wet: 172	M
<b>elliottii</b> Baker	
Arnold & De Wet: 172	L
<b>huttonii</b> (Baker) Oberm.	
(M. <i>rivularis</i> Schltr.)	
Arnold & De Wet: 172	L, F, M
<b>modesta</b> Killick	
Arnold & De Wet: 172	L, F, M
<b>pallida</b> (Baker) Goldblatt	
( <i>Homeria glauca</i> J.M.Wood & M.S.Evans)	
( <i>Homeria humilis</i> N.E.Br.)	
( <i>Homeria pallida</i> Baker)	
Germishuizen & Meyer: 1105	L, F, S
<b>spathulata</b> (L.f.) Klatt	
(M. <i>spathulata</i> (L.f.) Klatt subsp. <i>autumnalis</i> Goldblatt)	
(M. <i>spathulata</i> (L.f.) Klatt subsp. <i>saxosa</i> Goldblatt)	
(M. <i>spathulata</i> (L.f.) Klatt subsp. <i>transvaalensis</i> Goldblatt)	
Arnold & De Wet: 173	L, M
<b>stricta</b> Baker	
(M. <i>mossii</i> N.E.Br.)	
(M. <i>thomsonii</i> sensu Goldblatt, non Baker)	
(M. <i>trita</i> N.E.Br.)	
Arnold & De Wet: 173	F, M
<b>trifida</b> R.C.Foster	
(M. <i>culmea</i> Killick)	
Arnold & De Wet: 173	M
<b>ROMULEA</b> Maratti	1261000
<b>camerooniana</b> Baker	
(R. <i>campanuloides</i> Harms var. <i>campanuloides</i> )	
(R. <i>thodei</i> Schltr.)	
Arnold & De Wet: 170	M
<b>luteoflora</b> (M.P.de Vos) M.P.de Vos var. <i>sanisensis</i> M.P.de Vos	
Germishuizen & Meyer: 1108	M
<b>macowanii</b> Baker var. <i>alticola</i> (B.L.Burtt) M.P.de Vos	
(R. <i>longituba</i> L.Bolus var. <i>alticola</i> B.L.Burtt)	
Arnold & De Wet: 170	M
<b>macowanii</b> Baker var. <i>oreophila</i> M.P.de Vos	
Arnold & De Wet: 170	M
<b>TRITONIA</b> Ker Gawl.	1306000
<b>lineata</b> (Salisb.) Ker Gawl. var. <i>lineata</i>	
(T. <i>flavida</i> Schltr.)	
(T. <i>kraussii</i> Baker)	
Arnold & De Wet: 182	L, M
<b>WATSONIA</b> Mill.	1315000
<b>densiflora</b> Baker	
(W. <i>neglecta</i> N.E.Br.)	
(W. <i>plantii</i> N.E.Br.)	
Arnold & De Wet: 191	L, M
<b>gladioloides</b> Schltr.	
(W. <i>aurii</i> L.Bolus)	
Arnold & De Wet: 192	M
<b>lepida</b> N.E.Br.	
Arnold & De Wet: 192	F
<b>JUNCACEAE</b>	
<b>JUNCUS</b> L.	0936000
<b>dregeanus</b> Kunth	
(J. <i>sonderanus</i> Buchenau)	
(J. <i>subcuneatus</i> Adamson)	
(J. <i>subglobosus</i> Adamson)	
(J. <i>submonocephalus</i> Steud.)	
Arnold & De Wet: 130	L, F, M
<b>effusus</b> L.	

Arnold & De Wet: 130	M	<b>fragrans</b> Schltr. subsp. <b>fragrans</b>	
<b>exsertus</b> Buchenau subsp. <b>exsertus</b>		Germishuizen & Meyer: 1129	M
( <i>J. rostratus</i> Buchenau)		<b>oreophila</b> Bolus subsp. <b>erecta</b> H.P.Linder	
Arnold & De Wet: 130	L, F, M	Arnold & De Wet: 200	M
<b>exsertus</b> Buchenau subsp. <b>lesuticus</b> B.L.Burt		<b>oreophila</b> Bolus subsp. <b>oreophila</b>	
Arnold & De Wet: 130	M	Arnold & De Wet: 200	M
<b>inflexus</b> L.		<b>polygonoides</b> Lindl.	
Arnold & De Wet: 130	F, M	Arnold & De Wet: 200	F, M
<b>mollifolius</b> Hilliard & B.L.Burt		<b>porrecta</b> Sw.	
Arnold & De Wet: 130	M	Arnold & De Wet: 200	L, F
<b>oxycarpus</b> E.Mey ex Kunth		<b>stricta</b> Sond.	
( <i>J. brevistilus</i> Buchenau)		Arnold & De Wet: 201	M
( <i>J. gentilis</i> N.E.Br.)			
( <i>J. suboxycarpus</i> Adamson)		<b>DISPERIS</b> Sw.	1437000
Arnold & De Wet: 130	L, F, M	<b>cooperi</b> Harv.	
<b>punctorius</b> L.f.		( <i>D. allisonii</i> Rolfe)	
Arnold & De Wet: 130	F	( <i>D. buchananii</i> Rolfe)	
		( <i>D. ermelensis</i> Rolfe)	
		Pooley (1998): 368	L
		<b>stenoplectron</b> Rchb.f.	
		( <i>D. anomala</i> Schltr.)	
		( <i>D. natalensis</i> Rolfe)	
		Arnold & De Wet: 203	L, M
		<b>tysonii</b> Bolus	
		( <i>D. bicolor</i> Rolfe)	
		( <i>D. kermesina</i> Rolfe)	
		Arnold & De Wet: 203; Pooley (1998): 370	M
		<b>wealei</b> Rchb.f.	
		( <i>D. flava</i> Rolfe)	
		( <i>D. gracilis</i> Schltr.)	
		Pooley (1998): 122	M
		<b>DRACOMONTICOLA</b> H.P.Linder & Kurzweil	1431010
		<b>virginica</b> (Bolus) H.P.Linder & Kurzweil	
		( <i>Neobolusia virginica</i> (Bolus) Schltr.)	
		Germishuizen & Meyer: 1134	M
		<b>EULOPHIA</b> R.Br. ex Lindl.	1648000
		<b>aculeata</b> (L.f.) Spreng. subsp. <b>aculeata</b>	
		Arnold & De Wet: 207	L, F
		<b>aculeata</b> (L.f.) Spreng. subsp. <b>huttonii</b> (Rolfe) A.V.Hall	
		Arnold & De Wet: 207	M
		<b>foliosa</b> (Lindl.) Bolus	
		Arnold & De Wet: 207	M
		<b>hians</b> Spreng. var. <b>hians</b>	
		( <i>E. clavicornis</i> Lindl. var. <i>clavicornis</i> )	
		( <i>E. robusta</i> Rolfe, pro parte)	
		Germishuizen & Meyer: 1135	F, M
		<b>hians</b> Spreng. var. <b>inaequalis</b> (Schltr.) S.Thomas	
		( <i>E. clavicornis</i> Lindl. var. <i>inaequalis</i> (Schltr.) A.V.Hall)	
		( <i>E. watkinsonii</i> Rolfe)	
		Germishuizen & Meyer: 1136	M
		<b>hians</b> Spreng. var. <b>nutans</b> (Sond.) S.Thomas	
		( <i>E. barbata</i> sensu Bolus, non (Thunb.) Spreng.)	
		( <i>E. carunculifera</i> Rchb.f.)	
		( <i>E. clavicornis</i> Lindl. var. <i>nutans</i> (Sond) A.V.Hall)	
		( <i>E. purpurascens</i> Rolfe)	
		Germishuizen & Meyer: 1136	M
		<b>ovalis</b> Lindl. var. <b>ovalis</b>	
		( <i>E. bakeri</i> Rolfe)	
		( <i>E. dregeana</i> Lindl.)	
		Germishuizen & Meyer: 1136	L, F, M
Arnold & De Wet: 130	M		
<b>LUZULA</b> DC.	0937000		
<b>africana</b> Drège ex Steud.			
Arnold & De Wet: 130	L, F, M		
ORCHIDACEAE			
<b>BONATEA</b> Willd.	1422020		
<b>speciosa</b> (L.f.) Willd. var. <b>speciosa</b>			
( <i>B. boltonii</i> (Harv.) Bolus)			
Germishuizen & Meyer: 1123	L		
<b>BROWNLEE</b> Harv. ex Lindl.	1433000		
<b>galpinii</b> Bolus subsp. <b>major</b> (Bolus) H.P.Linder			
Arnold & De Wet: 199	M		
<b>macroceras</b> Sond.			
( <i>B. monophylla</i> Schltr.)			
Arnold & De Wet: 199	M		
<b>parviflora</b> Harv. ex Lindl.			
( <i>B. transvaalensis</i> Schltr.)			
Arnold & De Wet: 199	F, M		
<b>CORYCIUM</b> Sw.	1440000		
<b>dracomontanum</b> Parkman & Schelpe			
Arnold & De Wet: 204	M		
<b>flanaganii</b> (Bolus) Kurzweil & H.P.Linder			
Arnold & De Wet: 204	M		
<b>nigrescens</b> Sond.			
Arnold & De Wet: 204	L, F, M		
<b>tricuspidatum</b> Bolus			
Arnold & De Wet: 205	M		
<b>DISA</b> P.J.Bergius	1434000		
<b>brevicornis</b> (Lindl.) Bolus			
( <i>Monadenia brevicornis</i> Lindl.)			
Germishuizen & Meyer: 1127	M		
<b>cephalotes</b> Rchb.f. subsp. <b>cephalotes</b>			
Arnold & De Wet: 199	M		
<b>chrysostachya</b> Sw.			
Arnold & De Wet: 199	F, M		
<b>cooperi</b> Rchb.f.			
Arnold & De Wet: 199	L, F, M		
<b>cornuta</b> (L.) Sw.			
( <i>D. macrantha</i> Sw.)			
Arnold & De Wet: 199	M		

<b>welwitschii</b> (Rchb.f.) Rolfe					
( <i>E. zeyheri</i> Hook.f.)					
Pooley (1998): 246			M		
<b>HABENARIA</b> Willd.	1422000				
<b>dregeana</b> Lindl.					
Arnold & De Wet: 196			L, M		
<b>epipactidea</b> Rchb.f.					
( <i>H. foliosa</i> (Sw.) Rchb.f.)					
Arnold & De Wet: 196			L		
<b>falcicornis</b> (Burch. ex Lindl.) Bolus subsp. <b>caffra</b>					
(Schltr.) J.C.Manning					
( <i>H. caffra</i> Schltr.)					
( <i>H. falcicornis</i> (Burch. ex Lindl.) Bolus var. <i>caffra</i> (Schltr.) Renz & Schelpe)					
( <i>H. tetrapetala</i> sensu Kraenzl.)					
Arnold & De Wet: 196			L, F, M		
<b>lithophila</b> Schltr.					
( <i>H. bolusiana</i> Schltr.)					
( <i>H. macowaniana</i> Kraenzl.)					
( <i>H. petri</i> Schltr.)					
Arnold & De Wet: 196			M		
<b>tranvaalensis</b> Schltr.					
Arnold & De Wet: 196			F		
<b>HOLOTHRIX</b> Rich. ex Lindl.	1408000				
<b>incurva</b> Lindl.					
( <i>H. rupicola</i> Schltr.)					
Arnold & De Wet: 195			M		
<b>scopularia</b> (Lindl.) Rchb.f.					
( <i>H. multisecta</i> Bolus)					
Arnold & De Wet: 195			M		
<b>HUTTONAEA</b> Harv.	1414000				
<b>grandiflora</b> (Schltr.) Rolfe					
Pooley (1998): 114			M		
<b>PTERYGODIUM</b> Sw.	1438000				
<b>cooperi</b> Rolfe					
( <i>P. maccloughlinii</i> L.Bolus)					
Pooley (1998): 122			M		
<b>hastatum</b> Bolus					
Arnold & De Wet: 204			F, M		
<b>SATYRIUM</b> Sw.	1430000				
<b>cristatum</b> Sond.var. <b>cristatum</b>					
Arnold & De Wet: 197			L		
<b>longicauda</b> Lindl. var. <b>jacottetianum</b> (Kraenzl.) A.V.Hall					
Arnold & De Wet: 197			L, M		
<b>longicauda</b> Lindl. var. <b>longicauda</b>					
Arnold & De Wet: 197			F, M		
<b>neglectum</b> Schltr. subsp. <b>neglectum</b>					
Arnold & De Wet: 198			L, M		
<b>parviflorum</b> Sw.					
( <i>S.wilmsianum</i> Kraenzl.)					
Arnold & De Wet: 198			F, M		
<b>SCHIZOCHILUS</b> Sond.	1431000				
<b>zeyheri</b> Sond.					
( <i>S. bolusii</i> Schltr.)					
( <i>S. grandiflorus</i> Schltr.)					
( <i>S. huttonae</i> Schltr.)					
Pooley (1998): 240			M		
<b>POACEAE</b>					
<b>AGROSTIS</b> L.	9902430				
<b>barbuligera</b> Stapf var. <b>barbuligera</b>					
Kobisi & Kose: 9				M	
<b>bergiana</b> Trin. var. <b>bergiana</b>					
Kobisi & Kose: 9			L, F, M		
<b>bergiana</b> Trin. var. <b>laeviuscula</b> Stapf					
Kobisi & Kose: 9				F	
<b>continua</b> Stapf					
( <i>A. natalensis</i> Stapf)					
Kobisi & Kose: 9				KN	
<b>eriantha</b> Hack. var. <b>eriantha</b>					
Kobisi & Kose: 9				M	
<b>gigantea</b> Roth					
Kobisi & Kose: 9				L	
<b>lachnantha</b> Nees var. <b>lachnantha</b>					
( <i>A. huttoniae</i> (Hack.) C.E.Hubb.)					
( <i>A. lachnantha</i> Nees var. <i>glabra</i> Gooss. & Papendorf)					
Kobisi & Kose: 9				L, F, M	
<b>subulifolia</b> Stapf					
Kobisi & Kose: 9				M, S	
<b>AIRA</b> L.	9901850				
<b>*cupaniana</b> Guss.					
Kobisi & Kose: 9				KN, FS	
<b>ALLOTEROPSIS</b> J.Presl	9900940				
<b>semialata</b> (R.Br.) Hitchc. subsp. <b>eckloniana</b> (Nees) Gibbs Russell					
( <i>A. semialata</i> (R.Br.) Hitchc. var. <i>ecklonii</i> (Stapf) Stapf)					
Kobisi & Kose: 9				M	
<b>semialata</b> (R.Br.) Hitchc. subsp. <b>semialata</b>					
Kobisi & Kose: 9				KN, FS	
<b>ANDROPOGON</b> L.	9900710				
<b>amethystinus</b> Steud.					
( <i>A. abyssinicus</i> sensu Chippind., non Fresen.)					
( <i>A. pilosellus</i> Stapf)					
Kobisi & Kose: 9				M	
<b>appendiculatus</b> Nees					
Kobisi & Kose: 9				L, F, M, S	
<b>distachyos</b> L.					
Kobisi & Kose: 9				M	
<b>eucomus</b> Nees					
Kobisi & Kose: 9				L	
<b>ravus</b> J.G.Anderson					
Kobisi & Kose: 9				L, M	
<b>schirensis</b> A.Rich.					
( <i>A. schirensis</i> A.Rich. var. <i>angustifolius</i> Stapf)					
Kobisi & Kose: 9				L, F, M	
<b>ANTHOXANTHUM</b> L.	9901640				
<b>brevifolium</b> Stapf					
Kobisi & Kose: 9				KN	
<b>ecklonii</b> (Nees ex Trin.) Stapf					
Kobisi & Kose: 9				L, F, M	
<b>*odoratum</b> L.					
Kobisi & Kose: 9				M	

<b>ARISTIDA L.</b>	<b>9902620</b>	
<b>adscensionis L.</b>		
( <i>A. adscensionis</i> L. subsp. <i>guineensis</i> (Trin. & Rupr.) Henrard)		
( <i>A. curvata</i> (Nees) T.Durand & Schinz)		
( <i>A. submucronata</i> Schumach.)		
Kobisi & Kose: 9	L, F, M	
<b>bipartita</b> (Nees) Trin. & Rupr.		
Kobisi & Kose: 9	L, M, S	
<b>canescens</b> Henrard subsp. <i>canescens</i>		
Kobisi & Kose: 9	L, F, M	
<b>congesta</b> Roem. & Schult. subsp. <i>barbicollis</i> (Trin. & Rupr.) De Winter		
( <i>A. barbicollis</i> Trin. & Rupr.)		
Kobisi & Kose: 10	L, M	
<b>congesta</b> Roem. & Schult. subsp. <i>congesta</i>		
Kobisi & Kose: 10	L, F, M	
<b>diffusa</b> Trin. subsp. <i>burkei</i> (Stapf) Melderis		
Kobisi & Kose: 10	L, F, M, S	
<b>junciformis</b> Trin. & Rupr. subsp. <i>galpinii</i> (Stapf) De Winter		
( <i>A. galpinii</i> Stapf)		
Kobisi & Kose: 10	L, F, M	
<b>junciformis</b> Trin. & Rupr. subsp. <i>junciformis</i>		
Kobisi & Kose: 10	L, F, M	
<b>monticola</b> Henrard		
Kobisi & Kose: 10	M	
<b>scabrivalvis</b> Hack. subsp. <i>scabrivalvis</i>		
Kobisi & Kose: 10	M	
<b>sciurus</b> Stapf		
Kobisi & Kose: 10	KN	
<b>vestita</b> Thunb.		
Kobisi & Kose: 10	EC	
<b>ARUNDINELLA Raddi</b>	<b>9901730</b>	
<b>nepalensis</b> Trin.		
( <i>A. ecklonii</i> Nees)		
Kobisi & Kose: 10	L, F, M	
<b>ARUNDO L.</b>	<b>9902130</b>	
<b>*donax</b> L.		
Kobisi & Kose: 10	L	
<b>AVENA L.</b>	<b>9901950</b>	
<b>*byzantina</b> K.Koch		
Kobisi & Kose: 10	KN, FS	
<b>*sativa</b> L.		
Kobisi & Kose: 10	L, M	
<b>AXONOPUS P.Beauv.</b>	<b>9901050</b>	
<b>affinis</b> Chase		
Kobisi & Kose: 10	KN	
<b>BEWSIA Gooss.</b>	<b>9903442</b>	
<b>biflora</b> (Hack.) Gooss.		
Kobisi & Kose: 10	L	
<b>BOTHRIOCHLOA Kuntze</b>	<b>9900630</b>	
<b>bladhii</b> (Retz.) S.T.Blake		
( <i>B. glabra</i> Roxb.)		
( <i>B. insculpta</i> (A.Rich.) A.Camus var. <i>vegetior</i> (Hack.) C.E.Hubb.)		
Kobisi & Kose: 10	M	
<b>insculpta</b> (A.Rich.) A.Camus		
		( <i>B. pertusa</i> auctt., non (L.) A.Camus)
		Kobisi & Kose: 10
		M
<b>BRACHIARIA (Trin.) Griseb.</b>	<b>9901040</b>	
<b>advena</b> Vickery		
Kobisi & Kose: 10	L, M	
<b>bovonei</b> (Chiov.) Robyns		
Kobisi & Kose: 10	KN	
<b>eruciformis</b> (J.E.Sm.) Griseb.		
( <i>Panicum isachne</i> Griseb.)		
Kobisi & Kose: 10	L, F, M	
<b>marlothii</b> (Hack.) Stent		
Kobisi & Kose: 10	L	
<b>nigropedata</b> (Ficalho. & Hiern) Stapf		
Kobisi & Kose: 10	M, S	
<b>serrata</b> (Thunb.) Stapf		
( <i>B. serrata</i> (Thunb.) Stapf var. <i>gossypina</i> (A.Rich.) Stapf)		
( <i>B. serrata</i> (Thunb.) Stapf var. <i>serrata</i> )		
( <i>Panicum serratum</i> (Thunb.) Spreng.)		
Kobisi & Kose: 10	L, F, M	
<b>BRACHYPODIUM P.Beauv.</b>	<b>9904320</b>	
<b>bolusii</b> Stapf		
Kobisi & Kose: 10	M	
<b>flexum</b> Nees		
Kobisi & Kose: 10	M	
<b>BRIZA L.</b>	<b>9904040</b>	
<b>*maxima</b> L.		
Kobisi & Kose: 10	KN, FS	
<b>BROMUS L.</b>	<b>9904280</b>	
<b>*catharticus</b> Vahl		
( <i>B. unioloides</i> Kunth)		
( <i>B. willdenowii</i> Kunth)		
Kobisi & Kose: 11	L, F, M, S	
<b>*commutatus</b> Schrad.		
Kobisi & Kose: 11	KN, FS	
<b>*diandrus</b> Roth		
Kobisi & Kose: 11	KN	
<b>firmior</b> (Nees) Stapf		
Kobisi & Kose: 11	M	
<b>*hordeaceus</b> L. subsp. <i>molliformis</i> (J.Lloyd) Maire & Weiller		
Kobisi & Kose: 11	M	
<b>leptoclados</b> Nees		
Kobisi & Kose: 11	L, F, M	
<b>natalensis</b> Stapf		
( <i>B. natalensis</i> Stapf var. <i>lasiophilus</i> Stapf)		
( <i>B. speciosus</i> sensu Compton, non Nees)		
Kobisi & Kose: 11	KN	
<b>pectinatus</b> Thunb.		
Kobisi & Kose: 11	L, M	
<b>speciosus</b> Nees		
Kobisi & Kose: 11	L, M	
<b>CATALEPIS Stapf &amp; Stent</b>	<b>9902942</b>	
<b>gracilis</b> Stapf & Stent		
Kobisi & Kose: 11	L, F, M	
<b>CHLORIS Sw.</b>	<b>9903010</b>	
<b>*gayana</b> Kunth		

Kobisi & Kose: 11	L, F, M, S	<b>DIGITARIA</b> Haller f.	9900890
<b>pynothrix</b> Trin.		<b>argyrograpta</b> (Nees) Stapf	
Kobisi & Kose: 11	L	Kobisi & Kose: 12	L
<b>virgata</b> Swartz		<b>brazzae</b> (Franch.) Stapf	
Kobisi & Kose: 11	L, F	Kobisi & Kose: 12	L
<b>COLPODIUM</b> Trin.	9904100	<b>ciliaris</b> (Retz.) Koeler	
<b>drakensbergense</b> Hedberg & I.Hedberg		( <i>D. adscendens</i> Henrard)	
Kobisi & Kose: 11	M	( <i>D. marginata</i> Link)	
<b>CORTADERIA</b> Stapf	9902110	Kobisi & Kose: 12	L
<b>*jubata</b> (Lem.) Stapf		<b>diagonalis</b> (Nees) Stapf var. <b>diagonalis</b>	
Kobisi & Kose: 11	L	( <i>D. trichopodia</i> Stent)	
<b>CTENIUM</b> Panz.	9902990	( <i>D. uniglumis</i> (A.Rich.) Stapf)	
<b>concinnum</b> Nees		Kobisi & Kose: 12	M
Kobisi & Kose: 11	L	<b>eriantha</b> Steud.	
<b>CYMBOPOGON</b> Spreng.	9900720	( <i>D. bechuanica</i> (Stent) Henrard)	
<b>dieterleniae</b> Stapf ex E.Phillips		( <i>D. decumbens</i> Stent)	
( <i>Andropogon dieterleniae</i> Stapf)		( <i>D. dinteri</i> Henrard)	
Kobisi & Kose: 11	L, F, M	( <i>D. eriantha</i> Steud. subsp. <i>pentzii</i> (Stent) Kok)	
<b>excavatus</b> (Hochst.) Stapf ex Burtt Davy		( <i>D. eriantha</i> Steud. subsp. <i>stolonifera</i> (Stapf) Kok)	
( <i>Andropogon schoenanthus</i> L. var. <i>versicolor</i> Hack.)		( <i>D. eriantha</i> Steud. subsp. <i>transvaalensis</i> Kok)	
Kobisi & Kose: 11	L, F, M	( <i>D. eriantha</i> Steud. var. <i>stolonifera</i> Stapf)	
<b>marginatus</b> (Steud.) Stapf ex Burtt Davy		( <i>D. geniculata</i> Stent)	
( <i>Andropogon nardus</i> L. var. <i>marginatus</i> Hack.)		( <i>D. glauca</i> Stent)	
Kobisi & Kose: 11	F, M	( <i>D. pentzii</i> Stent)	
<b>plurinodis</b> (Stapf) Stapf ex Burtt Davy		( <i>D. pentzii</i> Stent var. <i>stolonifera</i> (Stapf) Henrard)	
( <i>Andropogon plurinodis</i> Stapf)		( <i>D. setivalva</i> Stent)	
Kobisi & Kose: 11	L, F, M, S	( <i>D. smutsii</i> Stent)	
<b>prolixus</b> (Stapf) E.Phillips		( <i>D. stentiana</i> Henrard)	
Kobisi & Kose: 11	L, F, M	( <i>D. valida</i> Stent)	
<b>validus</b> (Stapf) Stapf ex Burtt Davy		( <i>D. valida</i> Stent var. <i>glauca</i> Stent)	
( <i>C. afronardus</i> Stapf)		Kobisi & Kose: 12	M
Kobisi & Kose: 11	L, S	<b>flaccida</b> Stapf	
<b>CYNODON</b> Rich.	9902960	Kobisi & Kose: 12	KN, FS
<b>bradleyi</b> Stent		<b>monodactyla</b> (Nees) Stapf	
Kobisi & Kose: 11	KN, FS	( <i>D. monodactyla</i> Stapf var. <i>explicata</i> Stapf)	
<b>dactylon</b> (L.) Pers.		Kobisi & Kose: 12	L, F, M
Kobisi & Kose: 11	L, M	<b>natalensis</b> Stent	
<b>hirsutus</b> Stent		( <i>D. littoralis</i> sensu Stent, non Salisb.)	
Kobisi & Kose: 11	L, F, M	( <i>D. littoralis</i> sensu Stent, non Salisb. var. <i>prostrata</i> Stent)	
<b>*incompletus</b> Nees		( <i>D. macroglossa</i> Henrard)	
Kobisi & Kose: 11	L	( <i>D. macroglossa</i> Henrard var. <i>prostrata</i> (Stent) Henrard)	
<b>*transvaalensis</b> Burtt Davy		( <i>D. natalensis</i> Stent subsp. <i>stentiana</i> Henrard)	
Kobisi & Kose: 11	L, M	( <i>D. rigida</i> Stent)	
<b>DACTYLIS</b> L.	9903980	Kobisi & Kose: 12	KN, FS
<b>*glomerata</b> L.		<b>*sanguinalis</b> (L.) Scop.	
Kobisi & Kose: 11	L, M	Kobisi & Kose: 12	L, F, M
<b>DESCHAMPSIA</b> P.Beauv.	9901890	<b>scalarum</b> (Schweinf.) Chiov.	
<b>cespitosa</b> (L.) P.Beauv.		( <i>D. vestita</i> Fig. & De Not. var. <i>scalarum</i> (Schweinf.) Henrard)	
Kobisi & Kose: 11	M	Kobisi & Kose: 12	F
<b>DIANDROCHLOA</b> De Winter	9902852	<b>setifolia</b> Stapf	
<b>namaquensis</b> (Nees ex Schrad.) De Winter		Kobisi & Kose: 12	KN
( <i>Eragrostis namaquensis</i> Nees ex Schrad.)		<b>ternata</b> (A.Rich.) Stapf	
Kobisi & Kose: 11	EC	Kobisi & Kose: 12	L, F, M
<b>thouaresiana</b> (Flüggé) A.Camus		( <i>D. melanochila</i> Stapf)	
( <i>D. melanochila</i> Stapf)		( <i>D. tricotulata</i> (Hack.) Henrard)	
<b>tricholaenoides</b> Stapf		Kobisi & Kose: 12	FS
Kobisi & Kose: 12		<b>DIHETEROPOGON</b> (Hack.) Stapf	9900810
<b>ampectens</b> (Nees) Clayton			

<i>(Andropogon amplexans</i> Nees)					
Kobisi & Kose: 12			KN		
<b>filifolius</b> (Nees) Clayton					
<i>(Andropogon filifolius</i> (Nees) Steud.)					
Kobisi & Kose: 12			L, F, M		
<b>DIPLACHNE</b> P.Beauv.		9903450			
<b>eleusine</b> Nees					
Kobisi & Kose: 12			L		
<b>fusca</b> (L.) P.Beauv. ex Roem. & Schult.					
<i>(D. malabarica</i> Adamson, non (L.) Merr.)					
Kobisi & Kose: 12			L, F, M, S		
<b>ECHINOCHLOA</b> P.Beauv.		9901120			
<b>colona</b> (L.) Link					
Kobisi & Kose: 13			L		
<b>crus-galli</b> (L.) P.Beauv.					
<i>(E. subverticillata</i> Pilg.)					
Kobisi & Kose: 13			L, M		
<b>jubata</b> Stapf					
Kobisi & Kose: 13			L, F		
<b>stagnina</b> (Retz.) P.Beauv.					
<i>(Panicum stagninum</i> Retz.)					
Kobisi & Kose: 13			L		
<b>EHRHARTA</b> Thunb.		9901600			
<b>calycina</b> J.E.Sm.					
Kobisi & Kose: 13			M		
<b>erecta</b> Lam. var. <b>natalensis</b> Stapf					
Kobisi & Kose: 13			L, F		
<b>longigluma</b> C.E.Hubb.					
Kobisi & Kose: 13			M		
<b>ELEUSINE</b> Gaertn.		9903310			
<b>coracana</b> (L.) Gaertn. subsp. <b>africana</b> (Kenn.-O'Byrne)					
Hilu & De Wet					
<i>(E. africana</i> Kenn.-O'Byrne)					
<i>(E. indica</i> (L.) Gaertn. subsp. <i>africana</i> (Kenn.-O'Byrne)					
S.M.Phillips)					
Kobisi & Kose: 13			L		
<b>multiflora</b> A.Rich.					
Kobisi & Kose: 13			L, M		
<b>tristachya</b> (Lam.) Lam.					
Kobisi & Kose: 13			FS		
<b>ELIONURUS</b> Kunth ex Willd.		9900280			
<b>muticus</b> (Spreng.) Kunth					
<i>(E. argenteus</i> Nees)					
<i>(E. glaber</i> E.Phillips)					
<i>(E. glaber</i> E.Phillips var. <i>villosus</i> E.Phillips)					
<i>(E. pretoriensis</i> E.Phillips)					
Kobisi & Kose: 13			L, F, M, S		
<b>ENNEAPOGON</b> Desv. ex P.Beauv.		9903570			
<b>desvauxii</b> P.Beauv.					
Kobisi & Kose: 13			L		
<b>scoparius</b> Stapf					
<i>(E. filifolius</i> (Pilg.) Stapf ex Garab.)					
Kobisi & Kose: 13			L, F, M, S		
<b>ERAGROSTIS</b> Wolf		9902860			
<b>aspera</b> (Jacq.) Nees					
Kobisi & Kose: 13					
<b>biflora</b> Hack. ex Schinz					
Kobisi & Kose: 13			L		
<b>caesia</b> Stapf					
Kobisi & Kose: 13			L, F, M		
<b>capensis</b> (Thunb.) Trin.					
<i>(E. brizoides</i> Nees)					
Kobisi & Kose: 13			L, F, M, S		
<b>chloromelas</b> Steud.					
Kobisi & Kose: 13			L, F, M, S		
<b>*cilianensis</b> (All.) Vignolo ex Janch.					
<i>(E. major</i> Host)					
Kobisi & Kose: 13			L		
<b>curvula</b> (Schrud.) Nees					
<i>(E. robusta</i> Stent)					
Kobisi & Kose: 13			L, F, M		
<b>gummiflua</b> Nees					
Kobisi & Kose: 13			L, F		
<b>heteromera</b> Stapf					
Kobisi & Kose: 13			L, F, M, S		
<b>lehmanniana</b> Nees var. <b>lehmanniana</b>					
Kobisi & Kose: 13			L, S		
<b>micrantha</b> Hack.					
Kobisi & Kose: 13			L		
<b>obtusa</b> Munro ex Ficalho & Hiern					
Kobisi & Kose: 13			L		
<b>pallens</b> Hack.					
Kobisi & Kose: 13			S		
<b>*pilosa</b> (L.) P.Beauv.					
Kobisi & Kose: 13			KN		
<b>plana</b> Nees					
Kobisi & Kose: 13			L, F, M, S		
<b>planiculmis</b> Nees					
<i>(E. nebulosa</i> Stapf)					
Kobisi & Kose: 13			L, F, M, S		
<b>pseudosclerantha</b> Chiov.					
Kobisi & Kose: 13			M		
<b>racemosa</b> (Thunb.) Steud.					
<i>(E. chalcantha</i> Trin.)					
Kobisi & Kose: 13			L, F, M, S		
<b>remotiflora</b> De Winter					
Kobisi & Kose: 13			FS, EC		
<b>sclerantha</b> Nees subsp. <b>sclerantha</b>					
Kobisi & Kose: 13			L		
<b>stapfii</b> De Winter					
Kobisi & Kose: 13			FS		
<b>superba</b> Peyr.					
Kobisi & Kose: 14			L, M		
<b>*tef</b> (Zucc.) Trotter					
<i>(E. abyssinica</i> Jacq.)					
Kobisi & Kose: 14			L, F		
<b>trichophora</b> Coss. & T.Durand					
<i>(E. atherstonei</i> Stapf)					
<i>(E. henrardii</i> Jansen)					
Kobisi & Kose: 14			S		
<b>*virescens</b> J.Presl					
Kobisi & Kose: 14			L		
<b>EULALIA</b> Kunth		9900530			
<b>villosa</b> (Thunb.) Nees					
Kobisi & Kose: 14			L, F, M		

[illegible]

LAMARCKIA Moench	9903720	( <i>Danthonia drakensbergensis</i> Schweick.)	
*aurea (L.) Moench		Kobisi & Kose: 15	F, M
Kobisi & Kose: 15	M		
LEERSIA Sw.	9901590	guillarmodiae Conert	
hexandra Sw.		Kobisi & Kose: 15	M
Kobisi & Kose: 15	L, F	macowanii (Stapf) Conert	
		( <i>Danthonia macowanii</i> Stapf)	
		Kobisi & Kose: 16	M
LOLIUM L.	9904330	stereophylla (J.G.Anderson) Conert	
*multiflorum Lam.		( <i>Danthonia stereophylla</i> J.G.Anderson)	
Kobisi & Kose: 15	KN, FS, EC	Kobisi & Kose: 16	M
*multiflorum x perenne		stricta (Schrad.) Conert	
Kobisi & Kose: 15	M	( <i>Danthonia stricta</i> Schrad.)	
*perenne L.		Kobisi & Kose: 16	M
Kobisi & Kose: 15	L, M		
*rigidum Gaudin		MICROCHLOA R.Br.	9902940
( <i>L. loliaceum</i> (Bory & Chaub.) Hand.-Mazz.)		caffra Nees	
Kobisi & Kose: 15	KN	Kobisi & Kose: 16	L, F, M, S
*temulentum L.		kunthii Desv.	
Kobisi & Kose: 15	L	Kobisi & Kose: 16	L, M
LOUDETIA Steud.	9901751	MISCANTHUS Andersson	9900380
flavida (Stapf) C.E.Hubb.		capensis (Nees) Andersson	
Kobisi & Kose: 15	KN	( <i>Miscanthidium capense</i> (Nees) Stapf)	
simplex (Nees) C.E.Hubb.		( <i>M. capense</i> (Nees) Stapf var. <i>capense</i> )	
Kobisi & Kose: 15	M	( <i>M. erectum</i> Stent & C.E.Hubb.)	
		( <i>M. sorghum</i> (Nees) Stapf)	
		Kobisi & Kose: 16	L, F, M, S
MELICA L.	9903860	juncus (Stapf) Pilg.	
decumbens Thunb.		( <i>Miscanthidium junceum</i> Stapf)	
( <i>M. neesii</i> Stapf)		( <i>M. teretifolium</i> (Stapf) Stapf)	
Kobisi & Kose: 15	L, F, M, S	Kobisi & Kose: 16	L
racemosa Thunb.		MONOCYMBIUM Stapf	9900750
( <i>M. bolusii</i> Stapf)		ceresiiforme (Nees) Stapf	
( <i>M. brevifolia</i> Stapf)		( <i>Andropogon ceresiiformis</i> Nees)	
( <i>M. decumbens</i> sensu Gordon-Gray, non Thunb.)		Kobisi & Kose: 16	F, M
( <i>M. ovalis</i> Nees)			
( <i>M. pumila</i> Stapf)		OPLISMENUS P.Beauv.	9901150
Kobisi & Kose: 15	L, F, M, S	hirtellus (L.) P.Beauv.	
MELINIS P.Beauv.	9901340	Kobisi & Kose: 16	KN, EC
macrochaeta Stapf & C.E.Hubb.		undulatifolius (Ard.) Roem. & Schult.	
Kobisi & Kose: 15	KN	Kobisi & Kose: 16	KN
nerviglumis (Franch.) Zizka			
( <i>Rhynchelytrum nerviglume</i> (Franch.) Chiov.)		OROPETIUM Trin.	9903200
( <i>R. nyassanum</i> (Mez) Stapf & C.E.Hubb.)		capense Stapf	
( <i>R. ramosum</i> Stapf & C.E.Hubb.)		Kobisi & Kose: 16	M
( <i>R. rhodesianum</i> (Rendle) Stapf & C.E.Hubb.)			
( <i>R. setifolium</i> (Stapf) Chiov.)		PANICUM L.	9901160
Kobisi & Kose: 15	L, F, M, S	aequinerve Nees	
repens (Willd.) Zizka subsp. repens		Kobisi & Kose: 16	M
( <i>Rhynchelytrum repens</i> (Willd.) C.E.Hubb.)		coloratum L. var. coloratum	
( <i>Tricholaena rosea</i> Nees)		( <i>P. coloratum</i> L. var. <i>makarikariense</i> Gooss.)	
Kobisi & Kose: 15	L	Kobisi & Kose: 16	L
MERXMUELLERA Conert	9902043	deustum Thunb.	
aureocephala (J.G.Anderson) Conert		Kobisi & Kose: 16	L
( <i>Danthonia aureocephala</i> J.G.Anderson)		ecklonii Nees	
Kobisi & Kose: 15	KN	Kobisi & Kose: 16	M
disticha (Nees) Conert		maximum Jacq.	
( <i>Danthonia disticha</i> Nees)		Kobisi & Kose: 16	L, M
Kobisi & Kose: 15	F, M, S	natalense Hochst.	
drakensbergensis (Schweick.) Conert		( <i>P. fulgens</i> auct., non Stapf)	
		Kobisi & Kose: 16	KN, FS, EC

<b>schinzii</b> Hack. ( <i>P. laevifolium</i> Hack. var. <i>laevifolium</i> ) Kobisi & Kose: 16	L, M		Kobisi & Kose: 17	M
<b>stapfianum</b> Fourc. Kobisi & Kose: 16	L, F		<b>galpinii</b> (Stapf) McClean ( <i>Achneria galpinii</i> Stapf) Kobisi & Kose: 17	M
<b>subalbidum</b> Kunth ( <i>P. glabrescens</i> Steud.) Kobisi & Kose: 16	FS		<b>microphylla</b> (Nees) McClean Kobisi & Kose: 17	EC
<b>sp.</b> Kobisi & Kose: 16	KN		<b>natalensis</b> Stapf Kobisi & Kose: 17	M
<b>PASPALUM</b> L.	9901070		<b>oreodoxa</b> Schweick. Kobisi & Kose: 17	M
<b>*dilatatum</b> Poir. Kobisi & Kose: 16	L, M		<b>praecox</b> H.P.Linder Kobisi & Kose: 17	KN
<b>disticum</b> L. ( <i>P. paspaloides</i> (Michx.) Scribn.) Kobisi & Kose: 16	L, M		<b>setifolia</b> (Thunb.) McClean ( <i>Achneria setifolia</i> Stapf) Kobisi & Kose: 17	L, F, M, S
<b>*notatum</b> Flügge Kobisi & Kose: 16	L		<b>tysonii</b> Stapf ( <i>P. fibrosa</i> Stapf) Kobisi & Kose: 17	M
<b>scrobiculatum</b> L. ( <i>P. commersonii</i> Lam.) ( <i>P. orbiculare</i> G.Forst.) ( <i>P. polystachyum</i> R.Br.) Kobisi & Kose: 16	KN		<b>PEROTIS</b> Aiton	9902800
<b>*urvillei</b> Steud. Kobisi & Kose: 16	KN		<b>patens</b> Gand. Kobisi & Kose: 17	L
<b>vaginatum</b> Sw. Kobisi & Kose: 16	L		<b>PHACELURUS</b> Griseb.	9900180
<b>PENNISETUM</b> Rich.	9901390		<b>franksiae</b> (J.M.Wood) Clayton ( <i>Ischaemum franksiae</i> J.M.Wood) Kobisi & Kose: 17	KN
<b>*clandestinum</b> Chiov. Kobisi & Kose: 16	L		<b>PHALARIS</b> L.	9901630
<b>macrourum</b> Trin. Kobisi & Kose: 16	L, F, S		<b>*aquatica</b> L. ( <i>P. nodosa</i> L.) ( <i>P. tuberosa</i> L.) Kobisi & Kose: 17	FS
<b>natalense</b> Stapf Kobisi & Kose: 17	KN, FS		<b>*arundinacea</b> L. Kobisi & Kose: 17	L, F, M
<b>sphacelatum</b> (Nees) T.Durand & Schinz ( <i>P. sphacelatum</i> (Nees) T.Durand & Schinz var. <i>tenuifolium</i> (Hack.) Stapf) Kobisi & Kose: 17	L, F, M, S		<b>*canariensis</b> L. Kobisi & Kose: 17	L
<b>thunbergii</b> Kunth Kobisi & Kose: 17	L, F, M		<b>*minor</b> Retz. Kobisi & Kose: 17	L
<b>unisetum</b> (Nees) Benth. ( <i>Beckeropsis uniseti</i> (Nees) K.Schum.) Kobisi & Kose: 17	M		<b>PHRAGMITES</b> Adans.	9902140
<b>*villosum</b> R.Br. ex Fresen. Kobisi & Kose: 17	L		<b>australis</b> (Cav.) Steud. ( <i>P. communis</i> Trin.) Kobisi & Kose: 17	L, F, M
<b>PENTASCHISTIS</b> (Nees) Spach	9902050		<b>mauritanus</b> Kunth Kobisi & Kose: 17	KN
<b>airoides</b> (Nees) Stapf subsp. <b>airoides</b> Kobisi & Kose: 17	L, F, M		<b>POA</b> L.	9904070
<b>airoides</b> (Nees) Stapf subsp. <b>jugorum</b> (Stapf) H.P.Linder ( <i>P. jugorum</i> Stapf) Kobisi & Kose: 17	L, F, M		<b>*annua</b> L. Kobisi & Kose: 17	L, M
<b>aurea</b> (Steud.) McClean subsp. <b>pilosogluma</b> (McClean) H.P.Linder ( <i>P. pilosogluma</i> McClean) Kobisi & Kose: 17	M		<b>binata</b> Nees ( <i>P. atherstonei</i> Stapf) ( <i>P. heterogama</i> Hack.) Kobisi & Kose: 17	L, F, M
<b>basutorum</b> Stapf Kobisi & Kose: 17	F		<b>leptoclada</b> A.Rich. Kobisi & Kose: 17	L
<b>exserta</b> H.P.Linder			<b>*pratensis</b> L. ( <i>P. bidentata</i> Stapf) Kobisi & Kose: 17	L, M
			<b>POGONARTHRIA</b> Stapf	9903340
			<b>squarrosa</b> (Roem. & Schult.) Pilg.	

(P. <i>falcata</i> Rendle)					(S. <i>torta</i> Stapf)			
Kobisi & Kose: 17			L, F		Kobisi & Kose: 18			L
<b>POLEVANSIA</b> De Winter		<b>9903101</b>			<b>verticillata</b> (L.) P.Beauv.			
<b>rigida</b> De Winter					Kobisi & Kose: 18			L
Kobisi & Kose: 17			M		<b>SORGHUM</b> Moench		<b>9900460</b>	
<b>POLYPOGON</b> Desf.		<b>9902440</b>			<b>*bicolor</b> (L.) Moench subsp. <b>drummondii</b> (Steud.) De Wet			
<b>viridis</b> (Gouan) Breistr.					(S. <i>sudanense</i> (Piper) Stapf)			
(Agrostis <i>semiverticillata</i> (Forssk.) C.Chr.)					Kobisi & Kose: 18			FS
(P. <i>semiverticillata</i> (Forssk.) Hyl.)					<b>*halepense</b> (L.) Pers.			
Kobisi & Kose: 17			KN, EC		(S. <i>almum</i> Parodi)			
					Kobisi & Kose: 18			FS
<b>RENDLIA</b> Chiov.		<b>9902941</b>			<b>SPOROBOLUS</b> R.Br.		<b>9902830</b>	
<b>altera</b> (Rendle) Chiov.					<b>africanus</b> (Poir.) Robyns & Tournay			
(R. <i>nelsonii</i> (Stapf) Chiov.)					(S. <i>capensis</i> (Willd.) Kunth)			
Kobisi & Kose: 18			KN		Kobisi & Kose: 18			L, F, S
<b>SCHISMUS</b> P.Beauv.		<b>9904050</b>			<b>centrifugus</b> (Trin.) Nees			
<b>barbatus</b> (Loefl. ex L.) Thell.					(S. <i>schlechteri</i> Schweick.)			
Kobisi & Kose: 18			L		Kobisi & Kose: 18			F, M, S
<b>SCHIZACHYRIUM</b> Nees		<b>9900680</b>			<b>discosporus</b> Nees			
<b>sanguineum</b> (Retz.) Alst.					Kobisi & Kose: 18			L, F
(S. <i>semiberbe</i> Nees)					<b>fimbriatus</b> (Trin.) Nees			
Kobisi & Kose: 18			KN		(S. <i>fimbriatus</i> (Trin.) Nees var. <i>latifolius</i> Stent)			
<b>SCHMIDTIA</b> Steud. ex J.A.Schmidt		<b>9903610</b>			Kobisi & Kose: 18			L, F, S
<b>pappophoroides</b> Steud. ex J.A.Schmidt					<b>fourcadii</b> Stent			
(S. <i>bulbosa</i> Stapf)					Kobisi & Kose: 18			EC
Kobisi & Kose: 18			KN		<b>mauritanus</b> (Steud.) T.Durand & Schinz			
<b>SETARIA</b> P.Beauv.		<b>9901280</b>			(S. <i>artus</i> Stent)			
<b>incrassata</b> (Hochst.) Hack.					Kobisi & Kose: 18			KN
(S. <i>eylesii</i> Stapf & C.E.Hubb.)					<b>pectinatus</b> Hack.			
(S. <i>gerrardii</i> Stapf)					Kobisi & Kose: 18			KN
(S. <i>holstii</i> Herrm.)					<b>pyramidalis</b> P.Beauv.			
(S. <i>pabularis</i> Stapf)					Kobisi & Kose: 18			KN, FS
(S. <i>palustris</i> Stapf)					<b>stapfianus</b> Gand.			
(S. <i>perberbis</i> De Wit)					Kobisi & Kose: 19			KN, EC
(S. <i>phragmitoides</i> Stapf)					<b>STIBURUS</b> Stapf		<b>9904000</b>	
(S. <i>porphyrantha</i> Stapf)					<b>alopescuroides</b> (Hack.) Stapf			
(S. <i>rudifolia</i> Stapf)					Kobisi & Kose: 19			F, M
(S. <i>woodii</i> Hack. subsp. <i>bechuanica</i> De Wit)					<b>conrathii</b> Hack.			
(S. <i>woodii</i> Hack. var. <i>woodii</i> )					Kobisi & Kose: 19			F, M
Kobisi & Kose: 18			L		<b>STIPA</b> L.		<b>9902630</b>	
<b>*italica</b> (L.) P.Beauv.					<b>dregeana</b> Steud. var. <b>elongata</b> (Nees) Stapf			
Kobisi & Kose: 18			F		Kobisi & Kose: 19			KN, FS
<b>lindenbergiana</b> (Nees) Stapf					<b>neesiana</b> Trin. & Rupr.			
(S. <i>phillipsii</i> De Wet)					(Nassella <i>neesiana</i> (Trin. & Rupr.) Barkworth)			
Kobisi & Kose: 18			L		Kobisi & Kose: 19			EC
<b>nigrirostris</b> (Nees) T.Durand & Schinz					<b>STIPAGROSTIS</b> Nees		<b>9902611</b>	
Kobisi & Kose: 18			L		<b>namaquensis</b> (Nees) De Winter			
<b>obscura</b> De Wit					(Aristida <i>namaquensis</i> (Nees) Trin. & Rupr.)			
Kobisi & Kose: 18			KN, FS		Kobisi & Kose: 19			S
<b>pallide-fusca</b> (Schumach.) Stapf & C.E.Hubb.					<b>uniplumis</b> (Licht.) De Winter var. <b>neesii</b> (Trin. & Rupr.)			
Kobisi & Kose: 18			L, M		De Winter			
<b>sphacelata</b> (Schumach.) Moss var. <b>sphacelata</b>					Kobisi & Kose: 19			S
Kobisi & Kose: 18			L, S		<b>zeyheri</b> (Nees) De Winter subsp. <b>sericans</b> (Hack.) De Winter			
<b>sphacelata</b> (Schumach.) Moss var. <b>torta</b> (Stapf) Clayton					(Aristida <i>capensis</i> Thunb. var. <i>dieterleniana</i> Schweick.)			
(S. <i>flabellata</i> Stapf subsp. <i>natalensis</i> De Wit)					(A. <i>sericans</i> Hack. apud Schinz)			
(S. <i>hombiei</i> De Willd.)					Kobisi & Kose: 19			L, M, S

<b>STREBLOCHAETE</b> Pilg.	9901971	
<b>longiarista</b> (A.Rich.) Pilg.		
Kobisi & Kose: 19	S	
<b>STYPPEIOCHLOA</b> De Winter	9903504	
<b>gynoglossa</b> (Gooss.) De Winter		
( <i>Crinipes gynoglossa</i> Gooss.)		
Kobisi & Kose: 19	KN, EC	
<b>TETRACHNE</b> Nees	9903270	
<b>dregei</b> Nees		
Kobisi & Kose: 19	L, F, M, S	
<b>THAMNOCALAMUS</b> Munro	9904570	
<b>tessellatus</b> (Nees) Soderstr. & R.P.Ellis		
( <i>Arundinaria tessellata</i> (Nees) Munro)		
Kobisi & Kose: 19	L, F, M, S	
<b>THEMEDA</b> Forssk.	9900830	
<b>triandra</b> Forssk.		
( <i>Anthistiria imberbis</i> Retz.)		
( <i>T. triandra</i> Forssk. var. <i>burchellii</i> (Hack.) Stapf)		
( <i>T. triandra</i> Forssk. var. <i>hispida</i> (Nees) Stapf)		
( <i>T. triandra</i> Forssk. var. <i>imberbis</i> (Retz.) A.Camus)		
( <i>T. triandra</i> Forssk. var. <i>trachyspatha</i> Gooss.)		
( <i>T. triandra</i> Forssk. var. <i>vulgaris</i> auctt., non Hack.)		
Kobisi & Kose: 19	L, F, M, S	
<b>TRACHYPOGON</b> Nees	9900780	
<b>spicatus</b> (L.f.) Kuntze		
( <i>T. capensis</i> (Thunb.) Trin.)		
( <i>T. polymorphus</i> Hack. var. <i>capensis</i> Hack. sensu Stapf)		
Kobisi & Kose: 19	L, F, M, S	
<b>TRAGUS</b> Haller f.	9902740	
<b>berteronianus</b> Schult.		
Kobisi & Kose: 19	KN, FS	
<b>koelerioides</b> Asch.		
Kobisi & Kose: 19	L, F	
<b>racemosus</b> (L.) All.		
Kobisi & Kose: 19	L, F, M, S	
<b>TRICHONEURA</b> Andersson.	9903530	
<b>grandiglumis</b> (Nees) Ekman var. <i>grandiglumis</i>		
Kobisi & Kose: 19	L, F, M	
<b>TRIRAPHIS</b> R.Br.	9903500	
<b>andropogonoides</b> (Steud.) E.Phillips		
Kobisi & Kose: 19	FS	
<b>TRISTACHYA</b> Nees	9901740	
<b>leucothrix</b> Nees		
( <i>Apochaete hispida</i> (L.f.) J.B.Phipps)		
( <i>T. hispida</i> (L.f.) K.Schum.)		
Kobisi & Kose: 19	L, F, M, S	
<b>UROCHLOA</b> P.Beauv.	9901100	
<b>mosambicensis</b> (Hack.) Dandy		
		( <i>U. pullulans</i> Stapf)
		( <i>U. rhodesiensis</i> Stent)
		Kobisi & Kose: 19
		<b>panicoides</b> P.Beauv.
		( <i>Panicum helopus</i> Trin. var. <i>glabrescens</i> K.Schum.)
		( <i>U. ruschii</i> sensu Chippind., non Pilg.)
		Kobisi & Kose: 19
		L, F
<b>VULPIA</b> C.C.Gmel.	9904180	
<b>*bromoides</b> (L.) S.F.Gray		
Kobisi & Kose: 19	M	
<b>*myuros</b> (L.) C.C.Gmel.		
Kobisi & Kose: 19	L, F, M	
<b>ZEAL</b> L.	9900080	
<b>*mays</b> L.		
Kobisi & Kose: 19	L, F, M, S	

## POTAMOGETONACEAE

<b>POTAMOGETON</b> L.	0058000	
<b>pusillus</b> L.		
( <i>P. panormitanus</i> Biv.)		
Arnold & De Wet: 63		L, M
<b>thunbergii</b> Cham. & Schltldl.		
( <i>P. natans</i> sensu Thunb., non L.)		
Arnold & De Wet: 63		F

## RESTIONACEAE

<b>ISCHYROLEPIS</b> Steud.	0804030	
<b>schoenoides</b> (Kunth) H.P.Linder		
( <i>Restio schoenoides</i> Kunth)		
( <i>Restio sieberi</i> Kunth var. <i>schoenoides</i> (Kunth) Pillans)		
Arnold & De Wet: 119		L, F, M

## TYPHACEAE

<b>TYPHA</b> L.	0049000	
<b>capensis</b> (Rohrb.) N.E.Br.		
( <i>T. latifolia</i> L. subsp. <i>capensis</i> Rohrb.)		
Arnold & De Wet: 63		L, F, M

## VELLOZIACEAE

<b>XEROPHYTA</b> Juss.	1247010	
<b>viscosa</b> Baker		
( <i>Vellozia viscosa</i> (Baker) Baker)		
Arnold & De Wet: 168		M

## XYRIDACEAE

<b>XYRIS</b> L.	0826000	
<b>capensis</b> Thunb.		
Arnold & De Wet: 126		L, F, M

# Numerical index

0022000	Pinus	0969000	Androcymbium	1874010	Morella
0043000	Cupressus	0972000	Wurmbea	1898000	Celtis
0049000	Typha	0985000	Bulbine	1913000	Morus
0058000	Potamogeton	0985010	Trachyandra	1918000	Maclura
0065000	Aponogeton	0990000	Chlorophytum	1961000	Ficus
0088000	Lagarosiphon	1012000	Eriospermum	1973000	Cannabis
0110100	Psilotum	1024000	Kniphofia	1974000	Urtica
0111100	Equisetum	1026000	Aloe	2007000	Parietaria
0112000	Huperzia	1046000	Agapanthus	2013000	Droguetia
0112200	Lycopodium	1047000	Tulbaghia	2035000	Protea
0113200	Selaginella	1079000	Albuca	2093000	Viscum
0114100	Isoetes	1081000	Galtonia	2108000	Osyris
0115200	Ophioglossum	1082000	Drimia	2118000	Thesium
0118700	Gleichenia	1084000	Dipcadi	2194000	Emex
0128000	Mohria	1086010	Schizocarphus	2195000	Rumex
0132200	Anogramma	1088000	Eucomis	2201000	Polygonum
0136000	Cheilanthes	1089000	Ornithogalum	2201030	Persicaria
0136800	Pellaea	1090010	Ledebouria	2201040	Fallopia
0138500	Adiantum	1093010	Merwillia	2223000	Chenopodium
0140600	Pteris	1101000	Massonia	2229000	Atriplex
0163700	Polypodium	1113000	Asparagus	2299000	Amaranthus
0164900	Pleopeltis	1167000	Haemanthus	2312000	Cyathula
0190500	Dryopteris	1167000	Scadoxus	2328000	Achyranthes
0190900	Polystichum	1168000	Boophone	2335000	Alternanthera
0194100	Athyrium	1175000	Nerine	2338000	Gomphrena
0195100	Cystopteris	1177000	Brunsvigia	2347010	Commicarpus
0195500	Woodsia	1189000	Crinum	2376000	Limeum
0198600	Elaphoglossum	1190000	Ammocharis	2379000	Psammotropha
0200000	Blechnum	1191000	Cyrtanthus	2380000	Phytolacca
0201400	Asplenium	1229010	Empodium	2389000	Pharnaceum
0203100	Marsilea	1230000	Hypoxis	2405026	Chasmatophyllum
0454000	Ascolepis	1230020	Rhodohypoxis	2405033	Delosperma
0459000	Cyperus	1230040	Saniella	2405080	Mossia
0459010	Pycnus	1247010	Xerophyta	2405102	Rabiea
0459030	Mariscus	1252000	Dioscorea	2405105	Ruschia
0462000	Kyllinga	1261000	Romulea	2406000	Talinum
0465000	Ficinia	1265000	Moraea	2412000	Anacampseros
0467000	Fuirena	1295000	Aristea	2421000	Portulaca
0468000	Scirpus	1301000	Hesperantha	2428000	Anredera
0468010	Schoenoplectus	1303000	Dierama	2429000	Stellaria
0468020	Isolepis	1306000	Tritonia	2430000	Cerastium
0468050	Scirpoides	1306010	Crocasmia	2449000	Spergula
0469000	Eleocharis	1311000	Gladiolus	2490000	Silene
0471010	Bulbostylis	1315000	Watsonia	2502000	Dianthus
0471020	Abildgaardia	1408000	Holothrix	2541000	Anemone
0480010	Carpha	1414000	Huttonaea	2542000	Clematis
0492000	Rhynchospora	1422000	Habenaria	2546000	Ranunculus
0494000	Tetraria	1422020	Bonatea	2548000	Thalictrum
0515000	Scleria	1430000	Satyrium	2572000	Stephania
0521000	Schoenoxiphium	1431000	Schizochilus	2852000	Argemone
0525000	Carex	1431010	Dracomonticola	2853000	Papaver
0748000	Zantedeschia	1433000	Brownleea	2858020	Cysticapnos
0804030	Ischyrolepis	1434000	Disa	2861000	Fumaria
0826000	Xyris	1437000	Disperis	2875000	Heliophila
0828000	Eriocaulon	1438000	Pterygodium	2875010	Aplanodes
0896000	Commelina	1440000	Corycium	2883000	Lepidium
0904000	Cyanotis	1648000	Eulophia	2884000	Coronopus
0936000	Juncus	1872000	Populus	2917000	Sisymbrium
0937000	Luzula	1873000	Salix	2947000	Erucastrum

2950000	Raphanus	4278000	Muraltia	6436000	Ligustrum
2961000	Barbarea	4407000	Acalypha	6438000	Menodora
2965000	Nasturtium	4448000	Clutia	6470000	Gomphostigma
2965010	Rorippa	4498000	Euphorbia	6473000	Buddleja
2986000	Capsella	4582000	Schinus	6481000	Sebaea
3000000	Turritis	4594000	Rhus	6503000	Chironia
3042000	Matthiola	4614000	Ilex	6512000	Swertia
3082000	Cleome	4626000	Maytenus	6747000	Raphionacme
3125000	Reseda	4627000	Gymnosporia	6762000	Parapodium
3126000	Oligomeris	4671000	Cassinopsis	6771000	Araujia
3136000	Drosera	4854000	Melianthus	6777000	Xysmalobium
3164000	Cotyledon	4856000	Impatiens	6778000	Schizoglossum
3166000	Kalanchoe	4861000	Ziziphus	6778010	Aspidoglossum
3168000	Crassula	4875000	Rhamnus	6778020	Miraglossum
3175000	Adromischus	4886000	Phylca	6783000	Cordylogyne
3252000	Pittosporum	4917000	Rhoicissus	6783010	Periglossum
3333010	Pyracantha	4966000	Grewia	6787000	Gomphocarpus
3353000	Rubus	4983000	Abutilon	6787010	Pachycarpus
3365000	Geum	4986010	Anisodonteia	6789000	Stenostelma
3375000	Alchemilla	4992000	Malva	6791000	Asclepias
3376000	Agrimonia	4998000	Sida	6810000	Pentarrhinum
3379000	Leucosidea	5013000	Hibiscus	6834000	Cynanchum
3388000	Cliffortia	5056000	Hermannia	6849000	Sarcostemma
3389000	Rosa	5112000	Ochna	6861000	Sisyranthus
3396000	Prunus	5168000	Hypericum	6868000	Anisotoma
3446000	Acacia	5296000	Kiggelaria	6870000	Brachystelma
3467000	Elephantorrhiza	5304000	Scolopia	6875000	Riocreuxia
3544000	Gleditsia	5315000	Trimeria	6885000	Stapelia
3607000	Calpurnia	5376000	Guthriea	6968000	Cuscuta
3657000	Lotononis	5417000	Opuntia	6993000	Convolvulus
3662000	Aspalathus	5428000	Olinia	6997000	Merremia
3664000	Dichilus	5435000	Gnidia	7003000	Ipomoea
3665000	Melolobium	5461000	Passerina	7043000	Ehretia
3669000	Crotalaria	5465000	Dais	7064000	Cynoglossum
3673000	Argyrolobium	5598000	Eucalyptus	7072010	Afrotysonia
3688000	Medicago	5793000	Ludwigia	7073000	Lappula
3690000	Trifolium	5795000	Epilobium	7093000	Anchusa
3702000	Indigofera	5804000	Oenothera	7100000	Myosotis
3702030	Indigastrium	5833000	Laurembergia	7109000	Lithospermum
3703040	Otholobium	5836000	Gunnera	7118000	Echium
3718000	Tephrosia	5872000	Cussonia	7138000	Verbena
3733000	Robinia	5894000	Centella	7144000	Lantana
3747000	Sesbania	5918000	Sanicula	7211000	Ajuga
3754000	Sutherlandia	5922000	Alepidea	7212000	Teucrium
3756000	Lessertia	5938000	Anthriscus	7236000	Acrotome
3852000	Vicia	5970000	Conium	7238000	Marrubium
3870000	Erythrina	5992000	Heteromorpha	7264000	Leonotis
3897000	Rhynchosia	5994000	Bupleurum	7271000	Lamium
3898000	Eriosema	6004000	Apium	7281000	Stachys
3905000	Vigna	6004010	Ciclospermum	7290000	Salvia
3910000	Dolichos	6033000	Pimpinella	7305000	Satureja
3924000	Geranium	6038010	Berula	7328000	Mentha
3925000	Monsonia	6045000	Polemannia	7345000	Aeollanthus
3927000	Erodium	6116000	Peucedanum	7350000	Plectranthus
3928000	Pelargonium	6237000	Erica	7377000	Nicandra
3936000	Oxalis	6313000	Myrsine	7379000	Lycium
3945000	Linum	6330000	Lysimachia	7400000	Withania
3978000	Tribulus	6338000	Anagallis	7401000	Physalis
4012000	Ruta	6351010	Limonium	7407000	Solanum
4037000	Agathosma	6404000	Euclea	7415000	Datura
4175000	Melia	6406000	Diospyros	7434000	Nicotiana
4273000	Polygala	6434000	Olea	7460000	Verbascum

7467000	Aptosimum	8929000	Nolletia	9596000	Lactuca
7471000	Diascia	8930000	Chrysocoma	9605000	Crepis
7476000	Nemesia	8931000	Heteromma	9710200	Targionia
7477000	Diclis	8937000	Tarchonanthus	9710700	Asterella
7480000	Linaria	8949000	Denekia	9710900	Plagiochasma
7493000	Halleria	8992000	Gnaphalium	9712000	Exormotheca
7494000	Teedia	8992020	Troglophyton	9713200	Marchantia
7495000	Phygellus	8992050	Pseudognaphalium	9714200	Riccia
7517000	Manulea	9006000	Helichrysum	9717400	Metzgeria
7519000	Sutera	9037000	Stoebe	9719600	Frullania
7519010	Jamesbrittenia	9043000	Metalasia	9723500	Anastrophyllum
7521010	Glekia	9046000	Amphiglossa	9724000	Lophozia
7523000	Zaluzianskya	9050000	Relhania	9725600	Stephaniella
7524000	Mimulus	9053000	Macowania	9727900	Clasmatocolea
7558000	Limosella	9055000	Athrixia	9728000	Lophocolea
7562000	Lindernia	9059000	Printzia	9729100	Adelanthus
7566000	Hebenstretia	9073000	Pegolettia	9733200	Herbertus
7568000	Selago	9078000	Pulicaria	9733800	Phaeoceros
7579000	Veronica	9090000	Geigeria	9734800	Andraea
7593010	Glumicalyx	9130000	Acanthospermum	9735400	Fissidens
7593020	Strobilopsis	9146000	Ambrosia	9736100	Archidium
7597000	Melasma	9148000	Xanthium	9736700	Ceratodon
7597010	Alectra	9155000	Zinnia	9736900	Distichium
7616000	Sopubia	9237000	Bidens	9737000	Ditrichum
7622000	Buchnera	9238000	Cosmos	9737200	Pleuridium
7623000	Cycnium	9246000	Galinsoga	9737300	Saelania
7625000	Striga	9291000	Schkuhria	9737400	Tristichium
7627000	Harveya	9311000	Tagetes	9737900	Blindia
7629000	Hyobanche	9320000	Eriocephalus	9738500	Aongstroemia
7823000	Streptocarpus	9321000	Lasiospermum	9738800	Campylopus
7901000	Utricularia	9323000	Eumorphia	9739000	Cladophascum
7972000	Crabbea	9326010	Inulanthera	9739100	Dicranella
7980000	Blepharis	9332000	Achillea	9739450	Leptotrichella
8079000	Isoglossa	9351000	Cotula	9739900	Oreoweisia
8094020	Adhatoda	9356000	Schistostephium	9740100	Sphaerothecium
8116000	Plantago	9358000	Artemisia	9740900	Hypodontium
8136060	Kohautia	9364000	Gymnopentzia	9741600	Encalypta
8136200	Oldenlandia	9366000	Pentzia	9742300	Anoetangium
8348000	Pentanisia	9366020	Oncosiphon	9742500	Barbula
8352000	Canthium	9406000	Cineraria	9742600	Bryoerythrophyllum
8438000	Anthospermum	9411000	Senecio	9742900	Didymodon
8439000	Nenax	9417000	Euryops	9743100	Gymnostomum
8486000	Galium	9420000	Othonna	9743500	Hymenostylium
8489000	Rubia	9425000	Dimorphotheca	9744200	Pseudocrossidium
8532000	Valeriana	9426000	Garuleum	9744500	Syntrichia
8541000	Cephalaria	9427000	Osteospermum	9744800	Tortella
8546000	Scabiosa	9427020	Chrysanthemoides	9745100	Trichostomum
8564000	Zehneria	9428000	Tripteris	9745200	Triquetrella
8568000	Kedrostis	9431000	Ursinia	9745400	Weissia
8598000	Citrullus	9432000	Arctotis	9746400	Grimmia
8599000	Cucumis	9432020	Arctotheca	9746600	Racomitrium
8628000	Coccinia	9432030	Haplocarpha	9746700	Schistidium
8668000	Wahlenbergia	9434000	Gazania	9747300	Gigaspermum
8668010	Craterocapsa	9438000	Berkheya	9747400	Oedipodiella
8681000	Cyphia	9462000	Cirsium	9747900	Ephemerum
8694000	Lobelia	9501000	Dicoma	9748600	Funaria
8695000	Monopsis	9528000	Gerbera	9748700	Goniomitrium
8751000	Vernonia	9561000	Tolpis	9750000	Anomobryum
8900000	Aster	9572000	Hypochaeris	9750100	Brachymenium
8919000	Felicia	9579000	Tragopogon	9750200	Bryum
8925000	Nidorella	9592000	Taraxacum	9750400	Leptobryum
8926000	Conyza	9595000	Sonchus	9750500	Mielichhoferia

9750800	Plagiobryum	9900630	Bothriochloa	9902620	Aristida
9750900	Pohlia	9900680	Schizachyrium	9902630	Stipa
9751000	Rhodobryum	9900710	Andropogon	9902740	Tragus
9752200	Plagiomnium	9900720	Cymbopogon	9902800	Perotis
9752700	Eustichia	9900730	Hyparrhenia	9902830	Sporobolus
9754900	Anacolia	9900750	Monocymbium	9902852	Diandrochloa
9755000	Bartramia	9900780	Trachypogon	9902860	Eragrostis
9755200	Breutelia	9900800	Heteropogon	9902940	Microchloa
9755300	Conostomum	9900810	Diheteropogon	9902941	Rendlia
9755400	Philonotis	9900830	Themeda	9902942	Catalepis
9755500	Plagiopus	9900890	Digitaria	9902960	Cynodon
9755600	Quathlamba	9900940	Alloteropsis	9902980	Harporchloa
9757400	Ptychomitrium	9901040	Brachiaria	9902990	Ctenium
9757900	Amphidium	9901050	Axonopus	9903010	Chloris
9758100	Macrocoma	9901070	Paspalum	9903020	Eustachys
9758300	Orthotrichum	9901100	Urochloa	9903101	Polevansia
9758700	Zygodon	9901120	Echinochloa	9903200	Oropetium
9761300	Hedwigia	9901150	Oplismenus	9903270	Tetrachne
9761400	Hedwigidium	9901160	Panicum	9903310	Eleusine
9761500	Rhacocarpus	9901280	Setaria	9903340	Pogonarthria
9769700	Fabronia	9901340	Melinis	9903442	Bewsia
9771800	Lindbergia	9901390	Pennisetum	9903450	Diplachne
9771900	Pseudoleskea	9901590	Leersia	9903500	Triraphis
9772000	Pseudoleskeopsis	9901600	Ehrharta	9903504	Styppeiochloa
9772500	Abietinella	9901630	Phalaris	9903530	Trichoneura
9773000	Thuidium	9901640	Anthoxanthum	9903570	Enneapogon
9775400	Brachythecium	9901730	Arundinella	9903610	Schmidtia
9775700	Palamocladium	9901740	Tristachya	9903710	Fingerhuthia
9776500	Entodon	9901751	Loudetia	9903720	Lamarckia
9778800	Sematophyllum	9901850	Aira	9903740	Koeleria
9779000	Wijkia	9901890	Deschampsia	9903860	Melica
9779700	Hypnum	9901920	Holcus	9903980	Dactylis
9781100	Atrichum	9901950	Avena	9904000	Stiburus
9781200	Oligotrichum	9901970	Helictotrichon	9904040	Briza
9781300	Pogonatum	9901971	Streblochaete	9904050	Schismus
9781500	Polytrichum	9902043	Merxmüllera	9904070	Poa
9900080	Zea	9902044	Karroochloa	9904100	Colpodium
9900100	Ischaemum	9902050	Pentaschistis	9904170	Festuca
9900210	Hemarthria	9902110	Cortaderia	9904180	Vulpia
9900280	Elionurus	9902130	Arundo	9904280	Bromus
9900370	Imperata	9902140	Phragmites	9904320	Brachypodium
9900380	Miscanthus	9902430	Agrostis	9904330	Lolium
9900460	Sorghum	9902440	Polypogon	9904510	Hordeum
9900530	Eulalia	9902611	Stipagrostis	9904570	Thamnocalamus

# Alphabetical index

## A

Abietinella 17  
 Abildgaardia 59  
 Abutilon 45  
 Acacia 39  
 Acalypha 38  
 ACANTHACEAE 20  
 Acanthospermum 23  
 ACHARIACEAE 20  
 Achillea 23  
 Achyranthes 20  
 Acrotome 43  
 ADELANTHACEAE 17  
 Adelanthus 17  
 Adhatoda 20  
 Adiantum 19  
 Adromischus 36  
 Aeollanthus 43  
 Afrotysonia 32  
 AGAPANTHACEAE 57  
 Agapanthus 57  
 Agathosma 51  
 Agrimonia 50  
 Agrostis 65  
 Aira 65  
 Ajuga 43  
 Albuca 61  
 Alchemilla 50  
 Alectra 47  
 Alepidea 21  
 ALLIACEAE 57  
 Alloteropsis 65  
 Aloe 5, 58  
 Alternanthera 20  
 AMARANTHACEAE 20  
 Amaranthus 20  
 AMARYLLIDACEAE 57  
 Ambrosia 24  
 Ammocharis 57  
 Amphidium 13  
 Amphiglossa 24  
 Anacampseros 7, 49  
 ANACARDIACEAE 21  
 Anacolia 12  
 Anagallis 49  
 Anastrophyllum 17  
 Anchusa 33  
 Andreaea 12  
 ANDREAEACEAE 12  
 Androcymbium 58  
 Andropogon 65  
 ANEMIACEAE 18  
 Anemone 50  
 Anisodonteia 45  
 Anisotoma 22  
 Anoectangium 16  
 Anogramma 19  
 Anomobryum 12  
 Anredera 32

ANTHERICACEAE 57  
 ANTHOCEROTACEAE 18  
 Anthospermum 51  
 Anthoxanthum 65  
 Anthriscus 21  
 Aongstroemia 13  
 APIACEAE 21  
 Apium 21  
 Aplanodes 33  
 APOCYNACEAE 22  
 Aponogeton 57  
 APONOGETONACEAE 57  
 Aptosimum 52  
 AQUIFOLIACEAE 23  
 ARACEAE 57  
 ARALIACEAE 23  
 Araujia 22  
 ARCHIDIACEAE 12  
 Archidium 12  
 Arctotheca 24  
 Arctotis 5, 24  
 Argemone 48  
 Argyrolobium 39  
 Aristea 62  
 Aristida 66  
 Artemisia 24  
 Arundinella 66  
 Arundo 66  
 Asclepias 22  
 Ascolepis 59  
 Aspalathus 39  
 ASPARAGACEAE 57  
 Asparagus 57  
 ASPHODELACEAE 58  
 Aspidoglossum 22  
 ASPLENIACEAE 18  
 Asplenium 18  
 Aster 24  
 ASTERACEAE 23–32  
 Asterella 17  
 Athrixia 24  
 Athyrium 20  
 Atrichum 15  
 Atriplex 35  
 Avena 66  
 Axonopus 66  
 AYTONIACEAE 17

## B

BALSAMINACEAE 32  
 Barbarea 33  
 Barbula 16  
 Bartramia 12  
 BARTRAMIACEAE 12  
 BASELLACEAE 32  
 Berkheya 24  
 Berula 21  
 Bewsia 66  
 Bidens 24

BLECHNACEAE 18  
 Blechnum 18  
 Blepharis 20  
 Blindia 17  
 Bonatea 64  
 Boophone 57  
 BORAGINACEAE 32  
 Bothriochloa 66  
 Brachiaria 66  
 Brachymenium 12  
 Brachypodium 66  
 Brachystelma 7, 22  
 BRACHYTHECIACEAE 12  
 Brachythecium 12  
 BRASSICACEAE 33  
 Breutelia 12  
 Briza 66  
 Bromus 66  
 Brownleea 64  
 BRUCHIACEAE 12  
 Brunsvigia 57  
 BRYACEAE 12  
 Bryoerythrophyllum 16  
 Bryum 12  
 Buchnera 47  
 Buddleja 34  
 BUDDLEJACEAE 34  
 Bulbine 58  
 Bulbostylis 59  
 Bupleurum 21

## C

CACTACEAE 34  
 Calpurnia 39  
 CAMPANULACEAE 34  
 Campylopus 13  
 CANNABACEAE 35  
 Cannabis 35  
 Canthium 51  
 CAPPARACEAE 35  
 Capsella 33  
 Carex 59  
 Carpha 59  
 CARYOPHYLLACEAE 35  
 Cassinopsis 43  
 Catalepis 66  
 CELASTRACEAE 35  
 CELTIDACEAE 35  
 Celtis 35  
 Centella 21  
 Cephalaria 37  
 Cerastium 35  
 Ceratodon 13  
 Chasmatophyllum 45  
 Cheilanthes 19  
 CHENOPODIACEAE 35  
 Chenopodium 35  
 Chironia 41  
 Chloris 66

Chlorophytum 57  
 Chrysanthemoides 25  
 Chrysocoma 25  
 Ciclospermum 21  
 Cineraria 25  
 Cirsium 25  
 Citrullus 37  
 Cladophascum 12  
 Clasmatocolea 18  
 Clematis 50  
 Cleome 35  
 Cliffortia 50  
 Clutia 38  
 Coccinia 37  
 COLCHICACEAE 58, 59  
 Colpodium 67  
 Commelina 59  
 COMMELINACEAE 59  
 Commicarpus 47  
 Conium 21  
 Conostomum 12  
 CONVOLVULACEAE 36  
 Convolvulus 36  
 Conyza 25  
 Cordylogyne 22  
 Coronopus 33  
 Cortaderia 67  
 Corycium 64  
 Cosmos 25  
 Cotula 25  
 Cotyledon 36  
 Crabbea 20  
 Crassula 7, 36  
 CRASSULACEAE 36  
 Craterocapsa 34  
 Crepis 25  
 Crinum 57  
 Crocosmia 62  
 Crotalaria 39  
 Ctenium 67  
 Cucumis 37  
 CUCURBITACEAE 37  
 CUPRESSACEAE 20  
 Cupressus 20  
 Cuscuta 36  
 Cussonia 23  
 Cyanotis 59  
 Cyathula 21  
 Cycnium 47  
 Cymbopogon 67  
 Cynanchum 22  
 Cynodon 67  
 Cynoglossum 33  
 CYPERACEAE 59  
 Cyperus 9, 59  
 Cyphia 44  
 Cyrtanthus 57  
 Cysticapnos 41  
 Cystopteris 20

## D

Dactylis 67

Dais 55  
 Datura 55  
 Delosperma 45  
 Denekia 25  
 Deschampsia 67  
 Diandrochloa 67  
 Dianthus 35  
 Diascia 52  
 Dichilus 39  
 Diclis 53  
 Dicoma 25  
 DICRANACEAE 13  
 Dicranella 13  
 Didymodon 16  
 Dierama 5, 62  
 Digitaria 67  
 Diheteropogon 67  
 Dimorphotheca 25  
 Dioscorea 60  
 DIOSCOREACEAE 60, 61  
 DIOSPYROS 38  
 Dipcadi 61  
 Diplachne 68  
 DIPSACACEAE 37  
 Disa 64  
 Disperis 64  
 Distichium 13  
 DITRICHACEAE 13  
 Ditrichum 13  
 Dolichos 39  
 Dracomonticola 64  
 Drimia 61  
 Droguetia 56  
 Drosera 38  
 DROSERACEAE 38  
 DRYOPTERIDACEAE 18  
 Dryopteris 18

## E

EBENACEAE 38  
 Echinochloa 68  
 Echium 33  
 Ehretia 33  
 Ehrharta 68  
 Elaphoglossum 19  
 Eleocharis 59  
 Elephantorrhiza 39  
 Eleusine 68  
 Elionurus 68  
 Emex 49  
 Empodium 62  
 Encalypta 14  
 ENCALYPTACEAE 14  
 Enneapogon 68  
 Entodon 14  
 ENTODONTACEAE 14  
 EPHEMERACEAE 14  
 Ephemerum 14  
 Epilobium 47  
 EQUISETACEAE 19  
 Equisetum 19  
 Eragrostis 68

Erica 7, 38  
 ERICACEAE 38  
 ERIOCAULACEAE 61  
 Eriocaulon 61  
 Eriocephalus 25  
 Eriosema 39  
 ERIOSPERMACEAE 61  
 Eriospermum 61  
 Erodium 42  
 Erucastrum 33  
 Erythrina 39  
 Eucalyptus 9, 46  
 Euclea 38  
 Eucomis 61  
 Eulalia 68  
 Eulophia 64  
 Eumorphia 25  
 Euphorbia 38  
 EUPHORBIACEAE 38  
 Euryops 26  
 Eustachys 69  
 Eustichia 14  
 EUSTICHACEAE 14  
 Exormotheca 17  
 EXORMOTHEACEAE 17

## F

FABACEAE 39–41  
 Fabronia 14  
 FABRONIACEAE 14  
 Fallopia 49  
 Felicia 26  
 Festuca 69  
 Ficinia 59  
 Ficus 46  
 Fingerhuthia 69  
 Fissidens 14  
 FISSIDENTACEAE 14  
 FLACOURTIACEAE 41  
 Frullania 17  
 Fuirena 60  
 Fumaria 41  
 FUMARIACEAE 41  
 Funaria 14  
 FUNARIACEAE 14

## G

Galinsoga 26  
 Galium 51  
 Galtonia 61  
 Garuleum 26  
 Gazania 26  
 Geigeria 26  
 GENTIANACEAE 41  
 GERANIACEAE 42  
 Geranium 42  
 Gerbera 27  
 GESNERIACEAE 43  
 Geum 50  
 GIGASPERMACEAE 14  
 Gigaspermum 14  
 Gladiolus 3, 62

Gleditsia 40  
 Gleichenia 19  
 GLEICHENIACEAE 19  
 Glekia 53  
 Glumicalyx 53  
 Gnaphalium 27  
 Gnidia 56  
 Gomphocarpus 22  
 Gomphostigma 34  
 Gomphrena 21  
 Goniomitrium 14  
 Grewia 56  
 Grimmia 14  
 GRIMMIACEAE 14  
 Gunnera 43  
 GUNNERACEAE 43  
 Guthriea 3, 20  
 GYMNOMITRIACEAE 17  
 Gymnopentzia 27  
 Gymnosporia 35  
 Gymnostomum 16

## H

Habenaria 65  
 Haemanthus 57  
 Halleria 53  
 HALORAGACEAE 43  
 Haplocarpha 27  
 Harpochloa 69  
 Harveya 47  
 Hebenstretia 53  
 Hedwigia 15  
 HEDWIGIACEAE 15  
 Hedwigidium 15  
 Helichrysum 3, 27  
 Helictotrichon 69  
 Heliophila 33  
 Hemarthria 69  
 HERBERTACEAE 17  
 Herbertus 17  
 Hermannia 55  
 Hesperantha 63  
 Heteromma 29  
 Heteromorpha 22  
 Heteropogon 69  
 Hibiscus 45  
 Holcus 69  
 Holothrix 65  
 Hordeum 69  
 Huperzia 19  
 Huttonaea 65  
 HYACINTHACEAE 61  
 HYDROCHARITACEAE 62  
 Hymenostylium 16  
 Hyobanche 48  
 Hyparrhenia 69  
 HYPERICACEAE 43  
 Hypericum 43  
 HYPNACEAE 15  
 Hypnum 15  
 Hypochaeris 29

Hypodontium 16  
 HYPOXIDACEAE 62  
 Hypoxis 62

## I

ICACINACEAE 43  
 Illex 23  
 Impatiens 32  
 Imperata 69  
 Indigastrium 40  
 Indigofera 40  
 Inulanthera 29  
 Ipomoea 7, 36  
 IRIDACEAE 62  
 Ischaemum 69  
 Ischyrolepis 73  
 ISOETACEAE 19  
 Isoetes 19  
 Isoglossa 20  
 Isolepis 60

## J

Jamesbrittenia 53  
 JUBULACEAE 17  
 JUNCACEAE 63  
 Juncus 63  
 JUNGERMANNIACEAE 17

## K

Kalanchoe 37  
 Karroochloa 69  
 Kedrostis 37  
 Kiggelaria 41  
 Kniphofia 3, 58  
 Koeleria 69  
 Kohautia 51  
 Kyllinga 60

## L

Lactuca 29  
 Lagarosiphon 62  
 Lamarckia 70  
 LAMIACEAE 43, 85  
 Lamium 43  
 Lantana 56  
 Lappula 33  
 Lasiospermum 29  
 Lauremburgia 43  
 Ledebouria 61  
 Leersia 70  
 LENTIBULARIACEAE 44  
 Leonotis 43  
 Lepidium 33  
 Leptobryum 15  
 Leptotrichella 13  
 LESKEACEAE 15  
 Lessertia 40  
 Leucosidea 50  
 Ligustrum 47  
 Limeum 46  
 Limonium 48

Limosella 7, 53  
 LINACEAE 44  
 Linaria 53  
 Lindbergia 15  
 Lindernia 53  
 Linum 44  
 Lithospermum 33  
 Lobelia 5, 7, 44  
 LOBELIACEAE 44, 45  
 Lolium 70  
 LOMARIOPSIDACEAE 19  
 Lophocolea 18  
 LOPHOCOLEACEAE 18  
 Lophozia 17  
 Lotononis 40  
 Loudetia 70  
 Ludwigia 47  
 Luzula 64  
 Lycium 55  
 LYCOPODIACEAE 19  
 Lycopodium 19  
 Lysimachia 49

## M

Maclura 46  
 Macowania 29  
 Macrocoma 15  
 Malva 45  
 MALVACEAE 45  
 Manulea 53  
 Marchantia 18  
 MARCHANTIACEAE 18  
 Mariscus 60  
 Marrubium 43  
 Marsilea 19  
 MARSILEACEAE 19  
 Massonia 61  
 Matthiola 33  
 Maytenus 35  
 Medicago 40  
 MEESIAACEAE 15  
 Melasma 48  
 Melia 45  
 MELIACEAE 45  
 MELIANTHACEAE 45  
 Melianthus 45  
 Melica 70  
 Melinis 70  
 Melolobium 40  
 MENISPERMACEAE 45  
 Menodora 47  
 Mentha 43  
 Merremia 36  
 Merwillia 61  
 Merxmüllera 70  
 MESEMBRYANTHEMACEAE 45  
 Metalasia 29  
 Metzgeria 18  
 METZGERIACEAE 18  
 Microchloa 70  
 Mieliichoferia 15

Mimulus 54  
 Miraglossum 22  
 Miscanthus 70  
 MNIACEAE 15  
 Mohria 18  
 MOLLUGINACEAE 46  
 Monocymbium 70  
 Monopsis 45  
 Monsonia 42  
 MORACEAE 46  
 Moraea 63  
 Morella 46  
 Morus 46  
 Mossia 46  
 Muraltia 48  
 Myosotis 33  
 MYRICACEAE 46  
 MYRSINACEAE 46  
 Myrsine 46  
 MYRTACEAE 46

## N

Nasturtium 34  
 Nemesia 5, 54  
 Nenax 51  
 Nerine 57  
 Nicandra 55  
 Nicotiana 55  
 Nidorella 29  
 Nolletia 29  
 NYCTAGINACEAE 47

## O

Ochna 47  
 OCHNACEAE 47  
 Oedipodiella 14  
 Oenothera 47  
 Oldenlandia 51  
 Olea 47  
 OLEACEAE 47  
 Oligomeris 50  
 Oligotrichum 16  
 Olinia 47  
 OLINIACEAE 47  
 ONAGRACEAE 47  
 Oncosiphon 29  
 OPHIOGLOSSACEAE 19  
 Ophioglossum 19  
 Oplismenus 70  
 Opuntia 34  
 ORCHIDACEAE 64  
 Oreoweisia 13  
 Ornithogalum 61  
 OROBANCHACEAE 47  
 Oropetium 70  
 ORTHOTRICHACEAE 15  
 Orthotrichum 15  
 Osteospermum 29  
 Osyris 52  
 Otholobium 41  
 Othonna 29

OXALIDACEAE 48  
 Oxalis 48

## P

Pachycarpus 23  
 Palamocladium 12  
 Panicum 70  
 Papaver 48  
 PAPAVERACEAE 48  
 Parapodium 23  
 Parietaria 56  
 Paspalum 71  
 Passerina 56  
 Pegolettia 29  
 Pelargonium 42  
 Pellaea 19  
 Pennisetum 71  
 Pentanisia 51  
 Pentarrhinum 23  
 Pentaschistis 71  
 Pentzia 30  
 Periglossum 23  
 Perotis 71  
 Persicaria 49  
 Peucedanum 22  
 Phaeoceros 18  
 Phalaris 71  
 Pharnaceum 46  
 Philonotis 12  
 Phragmites 71  
 Phygellus 54  
 Phylca 50  
 Physalis 55  
 Phytolacca 48  
 PHYTOLACCACEAE 48  
 Pimpinella 22  
 PINACEAE 20  
 Pinus 20  
 PITTOSPORACEAE 48  
 Pittosporum 48  
 Plagiobryum 13  
 Plagioclasma 17  
 Plagiomnium 15  
 Plagiopus 12  
 PLANTAGINACEAE 48  
 Plantago 48  
 Plectranthus 44  
 Pleopeltis 19  
 Pleuridium 14  
 PLUMBAGINACEAE 48  
 Poa 71  
 POACEAE 65–73  
 Pogonarthria 71  
 Pogonatum 16  
 Pohlia 15  
 Polemannia 22  
 Polevansia 72  
 Polygala 49  
 POLYGALACEAE 48  
 POLYGONACEAE 49  
 POLYGONUM 49

POLYPODIACEAE 19  
 Polypodium 19  
 Polypogon 72  
 Polystichum 19  
 POLYTRICHACEAE 15  
 Polytrichum 16  
 Populus 52  
 Portulaca 49  
 PORTULACACEAE 49  
 Potamogeton 73  
 POTAMOGETONACEAE 73  
 POTTIACEAE 16  
 PRIMULACEAE 49  
 Printzia 30  
 Protea 49  
 PROTEACEAE 49  
 Prunus 50  
 Psammotropha 46  
 Pseudocrossidium 16  
 Pseudognaphalium 30  
 Pseudoleskea 15  
 Pseudoleskeopsis 15  
 PSILOTACEAE 19  
 Psilotum 19, 84  
 PTERIDACEAE 19  
 Pteris 19  
 Pterygodium 65  
 PTYCHOMITRIACEAE 17  
 Ptychomitrium 17  
 Pulicaria 30  
 Pycreus 60  
 Pyracantha 51

## Q

Quathlamba 12

## R

Rabiea 46  
 Racomitrium 15  
 RANUNCULACEAE 50  
 Ranunculus 50  
 Raphanus 34  
 Raphionacme 7, 23  
 Relhania 30  
 Rendlia 72  
 Reseda 50  
 RESEDACEAE 50  
 RESTIONACEAE 73  
 Rhacocarpus 15  
 RHAMNACEAE 50  
 Rhamnus 50  
 Rhodobryum 13  
 Rhodohypoxis 3, 62  
 Rhoicissus 56  
 Rhus 21  
 Rhynchosia 41  
 Rhynchospora 60  
 Riccia 18  
 RICCIACEAE 18  
 Riocreuxia 23  
 Robinia 41

Romulea 63  
 Rorippa 34  
 Rosa 51  
 ROSACEAE 50  
 Rubia 51  
 RUBIACEAE 51  
 Rubus 51  
 Rumex 49  
 Ruschia 46  
 Ruta 52  
 RUTACEAE 51

## S

Saelania 14  
 SALICACEAE 52  
 Salix 52  
 Salvia 44  
 Sanicula 22  
 Saniella 62  
 SANTALACEAE 52  
 Sarcostemma 23  
 Satureja 44  
 Satyrium 65  
 Scabiosa 38  
 Scadoxus 57  
 Schinus 21  
 Schismus 72  
 Schistidium 15  
 Schistostephium 30  
 Schizachyrium 72  
 Schizocarpus 62  
 Schizochilus 65  
 Schizoglossum 23  
 Schkuhria 30  
 Schmidtia 72  
 Schoenoplectus 60  
 Schoenoxiphium 60  
 Scirpoides 60  
 Scirpus 60  
 Scleria 60  
 Scolopia 41  
 SCROPHULARIACEAE 52-55  
 Sebaea 42  
 Selaginella 19  
 SELAGINELLACEAE 19  
 Selago 54  
 SELIGERIACEAE 17  
 SEMATOPHYLLACEAE 17  
 Sematophyllum 17  
 Senecio 5, 30  
 Sesbania 41  
 Setaria 72  
 Sida 45  
 Silene 35  
 Sisymbrium 34  
 Sisyranchus 23  
 SOLANACEAE 55  
 Solanum 55  
 Sonchus 31

Sopubia 48  
 Sorghum 72  
 Spargula 35  
 Sphaerothercium 13  
 Sporobolus 72  
 Stachys 44  
 Stapelia 23  
 Stellaria 35  
 Stenostelma 23  
 Stephania 45  
 Stephaniella 17  
 STERCULIACEAE 55  
 Stiburus 72  
 Stipa 72  
 Stipagrostis 72  
 Stoebe 32  
 Streblochaete 73  
 Streptocarpus 43  
 Striga 48  
 Strobilopsis 54  
 Stypeiochloa 73  
 Sutura 54  
 Sutherlandia 41  
 Swertia 42  
 Syntrichia 16

## T

Tagetes 32  
 Talinum 49  
 Taraxacum 32  
 Tarchonanthus 32  
 Targionia 18  
 TARGIONIACEAE 18  
 Teedia 54  
 Tephrosia 41  
 Tetrachne 73  
 Tetraria 60  
 Teucrium 44  
 Thalictrum 50  
 Thamnocalamus 73  
 Themeda 73  
 Thesium 52  
 THUIDIACEAE 17  
 Thuidium 17  
 THYMELAEACEAE 55  
 TILIACEAE 56  
 Tolpis 32  
 Tortella 16  
 Trachyandra 58  
 Trachypogon 73  
 Tragopogon 32  
 Tragus 73  
 Tribulus 56  
 Trichoneura 73  
 Trichostomum 16  
 Trifolium 41  
 Trimeria 41  
 Tripteris 32  
 Triquetrella 17

Triraphis 73  
 Tristachya 73  
 Tristichium 14  
 Tritonia 63  
 Troglophyton 32  
 Tulbaghia 57  
 Turritis 34  
 Typha 73  
 TYPHACEAE 73

## U

Urochloa 73  
 Ursinia 32  
 Urtica 56  
 URTICACEAE 56  
 Utricularia 44

## V

Valeriana 56  
 VALERIANACEAE 56  
 VELLOZIACEAE 73  
 Verbascum 54  
 Verbena 56  
 VERBENACEAE 56  
 Vernonia 32  
 Veronica 54  
 Vicia 41  
 Vigna 41  
 VISCACEAE 56  
 Viscum 56  
 VITACEAE 56  
 Vulpia 73

## W

Wahlenbergia 5, 34  
 Watsonia 5, 63  
 Weissia 17  
 Wijkia 17  
 Withania 55  
 Woodsia 20  
 WOODSIACEAE 20  
 Wurmbea 58

## X

Xanthium 32  
 Xerophyta 73  
 XYRIDACEAE 73  
 Xyris 73  
 Xysmalobium 7, 23

## Z

Zaluzianskya 54, 84  
 Zantedeschia 57  
 Zea 73  
 Zehneria 37  
 Zinnia 32  
 Ziziphus 50  
 Zygodon 15  
 ZYGOPHYLLACEAE 56

# The National University of Lesotho Herbarium and Botanical Garden

National University of Lesotho Herbarium (ROML) was established for two main purposes—teaching and research.

The Herbarium now acts mainly as a source and facilitator by offering botanical services to university students, government departments, NGOs, researchers, schools, and the public. It serves as a focal point for the international network of herbaria to enhance research on the flora of Lesotho and the subregion. The Botanical Garden is a flourishing plant sanctuary, as well as an educational centre for students, scientists, and the public. It strives to promote a better understanding and knowledge of the flora of Lesotho—especially the adaptable alpine flora—through propagation, cultivation, and conservation of indigenous plants.

The National University of Lesotho Herbarium—also known as Roma Herbarium (ROML)—is a unit for research and a repository of information on the indigenous flora of Lesotho. The Herbarium was started as part of Pius XII University College and owes its inception to Amy Jacot Guillarmod, who was appointed as lecturer in the Botany Department in 1956.

At its founding, the Roma Herbarium acquired a number of duplicates from Amy Jacot Guillarmod's own collections. In addition, in 1958, the construction of the Department's first glasshouse under the supervision of Jacot Guillarmod formed the nucleus of the future botanical garden. Dr A.V. Roberts formally established the Botanical Garden in 1962. The emphasis was on Lesotho plants; in addition, representatives of families not readily available from Lesotho were obtained from South Africa.

Dr F. Zeijlemaker (who collected the first known species of *Psilotum nudum* in the Roma Valley of Lesotho) succeeded Amy Jacot Guillarmod in 1957. Marthe Schmitz joined the Department in 1958. She was a very active plant collector and contributed many reference specimens to the herbarium from both the lowlands and mountains of Lesotho. To these she added her European collections and some specimens collected in southern Africa outside the Lesotho borders. Marthe Schmitz gave up full-time teaching in 1966, but her quest for botanising did not end there. She was appointed Honorary Curator of the Herbarium in 1972.

In the 1970s, Marthe worked on a handbook on grasses of Lesotho lowlands and foothills that was published locally in 1976. Dr Bruce Hargreaves, lecturer in the Biology Department at the time, produced a more comprehensive version that was published in 1984; this version is still an in-

valuable guide to the grasses of Lesotho. Marthe tragically died in a car accident in April 1982 and did not see the only illustrated book on the Lesotho flora, *Wild flowers of Lesotho*, published. In 1983, Hilliard & Burtt named *Zaluzianskya schmitziae* after her. Of all the collections housed in the Roma Herbarium, Marthe's is the largest.

In 1975, the Roma campus separated from the three-country University of Botswana, Lesotho, and Swaziland, and became the National University of Lesotho. The herbarium underwent a period of inactivity, because personnel were not specifically charged with routine herbarium work.

After support from SABONET in 1996, however, both the Roma Herbarium and the Botanical Garden have grown from strength to strength. The provision of the project vehicle, project staff, and funding of field excursions has facilitated more plant collections. The herbarium now boasts 20,000 specimens, compared to about 15,000 at the start of the project. The Lesotho Highlands Water Project has contributed significantly to the herbarium holdings through baseline studies carried out by various botanical consultants in the project areas.

The Botanical Garden has also benefited from these routine collections and, in particular, from the recent plant rescue missions undertaken in the Mohale Dam inundation area. The Botanical Garden now grows over 300 shrubs, herbs, and grasses of Lesotho—largely of alpine origin. After the completion of a new Science Block for the National University of Lesotho in 2000, the Herbarium now has sufficient space to mount exhibits and to provide a major reference collection. This checklist was compiled in conjunction with two smaller sister herbaria—the Agricultural Research Station Herbarium (MASE) and Sehlabathebe National Park Herbarium (SNPH).

The Biology Department in the Faculty of Science and Technology of the National University of Lesotho administers Roma Herbarium and Botanical Garden. These are situated about 35 km southeast of Maseru in the Roma Valley.

The National University of Lesotho Herbarium  
Biology Department  
National University of Lesotho  
P.O. Roma 180  
LESOTHO  
Tel.: (266) 22 213452/340601  
Fax: (266) 22 340 000

# About SABONET

This publication is a product of the Southern African Botanical Diversity Network (SABONET), a programme aimed at strengthening the level of botanical expertise, expanding and improving herbarium and botanic garden collections, and fostering closer collaborative links among botanists in the southern African subcontinent.

The main objective of SABONET is to develop a strong core of professional botanists, taxonomists, horticulturists, and plant diversity specialists within the ten countries of southern Africa (Angola, Botswana, Lesotho, Malawi, Mozambique, Namibia, South Africa, Swaziland, Zambia, and Zimbabwe). This core group will be competent to inventory, monitor, evaluate, and conserve the botanical diversity of the region in the face of specific development challenges, and to respond to the technical and scientific needs of the Convention on Biological Diversity.

To enhance the human resource capacity and infrastructure available in the region, SABONET offers training courses, workshops, and collaborative expeditions in under-collected areas. The programme produces a newsletter, *SABONET News*, and a series of occasional publications, the Southern African Botanical Diversity Network Report Series, of which this publication is part.

SABONET is co-funded by:

- The United States Agency for International Development (USAID/World Conservation Union—Regional Office for southern Africa (IUCN-ROSA))
- The Global Environment Facility (GEF)/United Nations Development Programme (UNDP)

For more information about our projects in southern Africa contact one of the following addresses:

## General enquiries about SABONET

SABONET Coordinator  
c/o South African National Biodiversity  
Institute  
Private Bag X101  
Pretoria 0001  
South Africa  
Tel: (27) 12 804 3200  
Fax: (27) 12 804 3211/5979  
E-mail: [info@sabonet.org](mailto:info@sabonet.org)  
<http://www.sabonet.org>

## ANGOLA

Luanda Herbarium  
(Prof. Esperança Costa)  
Universidade Agostinho Neto  
Rua Fernando Pessoa No. 103  
Villa Alice  
Caixa Postal 3244  
Tel: (244) 2 336 168  
Fax: (244) 2 336 168  
E-mail: [esperancacosta@yahoo.com](mailto:esperancacosta@yahoo.com)

## BOTSWANA

Botswana National Museum  
National Herbarium  
(Mr Nonfo Mosesane)  
Private Bag 00114  
Gaborone  
Tel: (267) 3973860/3974616  
Fax: (267) 311186/3902797  
E-mail: [nmosesane@gov.bw](mailto:nmosesane@gov.bw)

## LESOTHO

National Environment Secretariat  
(Mr Thulo Qhotsokoane)  
Ministry of Environment  
Private Bag A23  
Maseru 100  
Tel: (266) 311 767  
Fax: (266) 310 506/321505  
E-mail: [tghotsokoane@ilesortho.com](mailto:tghotsokoane@ilesortho.com)

## MALAWI

National Herbarium and Botanic Gardens of  
Malawi  
(Dr Zacharia Magombo)  
P.O. Box 528  
Zomba  
Tel: (265) 525 388/118/145  
Fax: (265) 524164/108  
E-mail: [zlkmagombo@hotmail.com](mailto:zlkmagombo@hotmail.com)

## MOZAMBIQUE

LMA Herbarium (Ms Samira Izidiné)  
Instituto Nacional de Investigação  
Agronómica  
Caixa Postal 3658  
Mavalane  
Maputo  
Tel: (258) 1 460 255/130/190/097  
Fax: (258) 1 460 074  
E-mail: [sizidine@yahoo.com](mailto:sizidine@yahoo.com)

## NAMIBIA

National Herbarium  
(Dr Gillian Maggs-Kölling)  
National Botanical Research Institute  
Private Bag 13184  
Windhoek  
Tel: (264) 61 202 2020  
Fax: (264) 61 258 153  
E-mail: [gmk@mweb.com.na](mailto:gmk@mweb.com.na)

## SOUTH AFRICA

National Herbarium  
(Prof. Gideon Smith)  
South African National Biodiversity Institute  
Private Bag X101  
Pretoria 0001  
Tel: (27) 12 804 3200  
Fax: (27) 12 804 3211/5343  
E-mail: [gfs@nbipre.nbi.ac.za](mailto:gfs@nbipre.nbi.ac.za)

## SWAZILAND

National Herbarium  
(Mr Titus Dlamini)  
Malkerns Agricultural Research Station  
P.O. Box 4  
Malkerns  
Tel: (268) 52 82111/83017/83038  
Fax: (268) 52 83360/83490  
E-mail: [sdnh@africaonline.co.sz](mailto:sdnh@africaonline.co.sz)

## ZAMBIA

Herbarium  
(Dr Patrick Phiri)  
Department of Biological Sciences  
University of Zambia  
P.O. Box 32379  
Lusaka  
Tel: (260) 1 293 158  
Fax: (260) 1 294806/253952  
E-mail: [Pphiri@natsci.unza.zm](mailto:Pphiri@natsci.unza.zm)

## ZIMBABWE

National Herbarium and Botanic Garden  
(Ms Nozipo Nobanda)  
P.O. Box A889  
Avondale  
Harare  
Tel: (263) 4 708 938/744170/745230  
Fax: (263) 4 708 938  
E-mail: [srgh@mweb.co.zw](mailto:srgh@mweb.co.zw)

# Other publications in this series

1. \*Southern African national herbaria: status reports, 1996. C.K. Willis (ed.). 1997. 59 pp. ISBN 1-874907-36-6.
2. \*Index herbariorum: southern African supplement. G.F. Smith & C.K. Willis (eds). 1997. 55 pp. ISBN 1-874907-37-4.
3. \*PRECIS Specimen database user guide. C.A. Prentice & T.H. Arnold. 1998. 130 pp. ISBN 1-874907-39-0.
4. \*†Inventory, evaluation and monitoring of botanical diversity in southern Africa: a regional capacity and institution building network (SABONET). B.J. Huntley, E.M. Matos, T.T. Aye, U. Nermark, C.R. Nagendran, J.H. Seyani, M.A.C. da Silva, S. Izidine, G.L. Maggs, C. Mannheimer, R. Kubirske, G.F. Smith, M. Koekemoer, G.M. Dlamini, P.S.M. Phiri, N. Nobanda & C.K. Willis. 1998. 73 pp. ISBN 1-919795-36-7.
5. \*Plant taxonomic and related projects in southern Africa. T.H. Arnold & M. Mössmer (compilers). 1998. 101 pp. ISBN 1-919795-34-0.
6. \*†Southern African herbarium needs assessment. G.F. Smith, C.K. Willis & M. Mössmer. 1999. 88 pp. ISBN 1-919795-45-6.
16. \*A checklist of Zimbabwean grasses. C. Chapano. 2002. 28 pp. ISBN 1-919795-66-9.
17. \*A checklist of Lesotho grasses. K. Kobisi & L.E. Kose. 2002. 28 pp. ISBN 1-919795-68-5.
18. Trees of Botswana: names and distribution. M.P. Setshogo & F. Venter. 2003. 160 pp. ISBN 1-919795-69-3.
19. \*Swaziland ferns and fern allies. J.P. Roux. 2003. 242 pp. ISBN 1-919795-97-9.
20. Checklist of grasses in Namibia. E.S. Klaassen & P. Craven. 2003. 130 pp. ISBN 99916-63-16-9.
21. A checklist of Zimbabwean bryophytes. P. Manyanga & S.M. Perold. 2004. 22 pp. ISBN 1-919976-02-7.
22. African Botanic Gardens Congress 'Partnerships and Linkages': proceedings of a congress held at Durban Botanic Gardens, South Africa, 24–29 November 2002. / Congrès des Jardins Botaniques Africains 'Relations et Partenariats': compte rendu d'un congrès tenu dans les Jardins Botaniques de Durban, Afrique du Sud, 24–29 Novembre 2002. C.K. Willis (ed.). 2004. 96 + 96 pp. ISBN 1-919976-04-3.
23. Integration of Red Data List concepts into the policy framework in Mozambique: proceedings of a workshop held in Kaya-Kwanga, Maputo, Mozambique, 29–31 August 2001. S.A. Izidine, I. Nhantumbo & J. Golding (eds). 2004. 19 + 19 pp. ISBN 1-919976-05-1.
24. A checklist of Botswana grasses. M. Kabelo & D. Mafokate. 2004. 18 pp. ISBN 1-919976-06-X.
25. Herbarium essentials: the southern African herbarium user guide. J.E. Victor, M. Koekemoer, L. Fish, S.J. Smithies & M. Mössmer. 2004. ISBN 1-919795-54-5.
27. Swaziland Flora Checklist. K.P. Braun, S.D.V. Dlamini, D.R. Mdladla, N.P. Methule, P.W. Dlamini & M.S. Dlamini. 2004. ISBN 1-919976-10-8.
28. A checklist of Angola grasses. / Checklist as Poaceae de Angola. Esperança Costa, Teresa Martins & Francisca Monteiro. 2004. ISBN 1-919976-09-4.
29. Herbaria in SABONET countries: building botanical capacity and meeting end-user expectations. T.J. Smith, G.F. Smith & Y. Steenkamp. 2004. ISBN 1-919976-11-6.
30. A preliminary checklist of the vascular plants of Mozambique. / Catálogo provisório das plantas superiores de Moçambique. Mário Calane da Silva, Samira Izidine & Ana Bela Amude. 2004. ISBN 1-919976-12-4.

581.9(686.1)		8239	
KOBISI. K.		ven (ed.).	
Preliminary checklist of the plants of Lesotho.			
Date borrowed	Borrower's signature	Date returned	Librarian's Initial
	581.9(686.1) KOB		ent. 9. 181 pp.

8239

\* Out of print.

† Available in PDF format on the SABONET web site: <http://www.sabonet.org/publications/download.htm>

Most of the books in this series can also be ordered in PDF format on CD. Contact [sabonetpub@nbi.ac.za](mailto:sabonetpub@nbi.ac.za)

